

1.

The screenshot shows the IBM Db2 on Cloud SQL editor interface. The left sidebar displays the 'Data objects' tab with a search filter 'WRT96669'. The main editor area shows a script titled 'Untitled - 1' with the following SQL statements:

```
1 insert into user values('shravani','abc@gmail.com','676','shravani');
2 insert into user values('keerthi','kbc@gmail.com','670','keerthi');
3 insert into user values('anchu','aac@gmail.com','976','dhana');
```

The 'History' tab is open, showing a table of executed scripts:

Script	Date	Status	Runtime
Untitled - 1	Oct 19, 2022 3:18:40 PM	3	0.016 s
insert into user values('shravani','abc@gmail.com','676','shrav...		✓	0.007 s
insert into user values('keerthi','kbc@gmail.com','670','keerth...		✓	0.005 s
insert into user values('anchu','aac@gmail.com','976','dhana')		✓	0.004 s

2.


The screenshot shows the IBM Db2 on Cloud SQL editor interface with the 'Tables' tab selected. The table 'WRT96669.USER' is displayed with the following columns: USERNAME, EMAIL, REGNUM, and PASSWORD. The table contains three rows of data:

USERNAME	EMAIL	REGNUM	PASSWORD
anchu	aac@gmail.com	976	dhana
keerthi	kbc@gmail.com	670	keerthi
shravani	abc@gmail.com	676	shravani

3. Connect python code to db2

App.py

```
from flask import Flask,
Render_template
, request, redirect, url_for,
session import ibm_db import re app = Flask(__name__) app.secret_key = 'a' conn =
ibm_db.connect("DATABASE=bludb;HOSTNAME=6667d8e9-9d4d-4ccb-ba32-
21da3bb5aafc.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=30376;
SECURITY=SSL;
SSLServerCertificate=DigiCertGlobalRootCA.crt;
UID=tbl66129
;PWD=LPzyHjRGcm XprQoN",",")
@app.route('/', methods =['GET', 'POST'])
def register(): msg = "
if request.method == 'POST' :
username = request.form['username']
email = request.form['email']
password = request.form['password'] sql = "SELECT * FROM users WHERE username =?"
stmt = ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt,1,username)
ibm_db.execute(stmt) account = ibm_db.fetch_assoc(stmt)
print(account)
if account:
insert_sql = "INSERT INTO users VALUES (?, ?, ?)"
prep_stmt = ibm_db.prepare(conn, insert_sql)
ibm_db.bind_param(prepare_stmt, 1, username)
ibm_db.bind_param(prepare_stmt, 2, email)
ibm_db.bind_param(prepare_stmt, 3, password)
ibm_db.execute(prepare_stmt) msg = 'You have successfully registered !'
elif request.method == 'POST':
msg = 'Please fill out the form !'
return render_template('register.html', msg = msg)
if __name__ == '__main__':
app.run(debug = True)
Register.html
```




ASSIGNMENT 2

Connecting python to db2

Enter username:

Enter email:

Enter password:



ASSIGNMENT 2

Connecting python to db2

Enter username:

Enter email:

Enter password:

You have successfully registered !



IBM Db2 on Cloud

Load Data Load History **Tables** Views Indexes Aliases MQTs Sequences Application objects

TBL66129.USERS

Back

Export to CSV

USERNAME	EMAIL	PASSWORD
Harry	harry@gmail.com	harry
Nikhi	nik@abc.com	nikabc
Nikhila	nikhi@mail.com	nikhila
abc	abc@abc.com	abc

4. 4. Create a flask app with registration page, login page and welcome page. By default load the registration page once the user enters all the fields, store the data in the database and navigate to the login page to authenticate user username and password. If the user is valid show the welcome page

Register.html

```
<!DOCTYPE html>

<html>

<body>

<center><h1>ASSIGNMENT 2</h1></center>

<center><h2>REGISTRATION</h2></center>

<form action="http://localhost:5000" method="POST">

<p>Enter username:</p>

<p><input type="text" name="username"/></p>

<p>Enter mail:</p>

<p><input type="email" name="email"/></p>

<p>Enter password:</p>
```

```
<p><input type="password" name="password"/></p>
```

```
<p><input type="submit" value="Submit"/></p>
```

```
{{msg}}
```

```
</form>
```

```
</body>
```

```
</html>
```

Login.html

Login

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<center><h1>ASSIGNMENT 2</h1></center>
```

```
<center><h2>LOGIN</h2></center>
```

```
<form action="http://localhost:5000/login" method="POST">
```

```
<p>Enter username:</p>
```

```
<p><input type="text" name="username"/></p>
```

```
<p>Enter password:</p>
```

```
<p><input type="password" name="password"/></p>
```

```
<p><input type="submit" value="Submit"/></p>
```

```
{{msg}}
```

```
</form>
```

```
</body>
```

```
</html>
```

WELCOME.HTML

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<center><h1>ASSIGNMENT 2</h1></center>
```

```
<center><h2>LOGIN</h2></center>
```

```
<form action="http://localhost:5000/login" method="POST">
```

```

<p>Enter username:</p>
<p><input type="text" name="username"/></p>
<p>Enter password:</p>
<p><input type="password" name="password"/></p>
<p><input type="submit" value="Submit"/></p>
{{msg}}
</form>
</body>
</html>

```

app.py

```

from flask import Flask,
    render_template
, request, redirect, url_for,
    session import ibm_db import re app = Flask(__name__) app.secret_key = 'a' conn =
ibm_db.connect("DATABASE=bludb;HOSTNAME=6667d8e9-9d4d-4ccb-ba32-
21da3bb5aafc.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=30376
;SECURITY=SSL;
SSLServerCertificate=DigiCertGlobalRootCA.crt;
UID=tbl66129;PWD=LPzyHjRGcm XprQoN","")
@app.route('/login',methods =['GET', 'POST'])
def login():
    global userid msg = "
if request.method == 'POST' :
    username = request.form['username']

```

```

password = request.form['password']

sql = "SELECT * FROM users WHERE username =?
AND password=?" stmt = ibm_db.prepare(conn, sql)

ibm_db.bind_param(stmt,1,username)

ibm_db.bind_param(stmt,2,password)

ibm_db.execute(stmt) account = ibm_db.fetch_assoc(stmt) print (account)

if account: print("hi")

session['logged in'] = True

session['id'] = account['USERNAME']

userid= account['USERNAME']

session['username'] = account['USERNAME']

msg = 'Logged in successfully !'

return render_template('login.html', msg = msg)

else:

msg = 'Incorrect username / password !'

return render_template('login.html', msg = msg)

@app.route('/', methods =['GET', 'POST'])

def register(): msg = " if request.method == 'POST'

: username = request.form['username']

email = request.form['email']

password = request.form['password']

sql = "SELECT * FROM users WHERE username =?" stmt = ibm_db.prepare(conn, sql)

ibm_db.bind_param(stmt,1,username)

ibm_db.execute(stmt) account = ibm_db.fetch_assoc(stmt)

```



```
print(account) if account: msg = 'Account already exists !'

elif not re.match(r'^@]+@^[^@]+\.[^@]+', email):

msg = 'Invalid email address !

' elif not re.match(r'[A-Za-z0-9]+', username):

msg = 'name must contain only characters and numbers !'

else: insert_sql = "INSERT INTO users VALUES (?, ?, ?)" prep_stmt = ibm_db.prepare(conn,
insert_sql)


ibm_db.bind_param(prepare_stmt, 1, username)

ibm_db.bind_param(prepare_stmt, 2, email)

ibm_db.bind_param(prepare_stmt, 3, password)

ibm_db.execute(prepare_stmt)
```

```
if __name__ == '__main__':  
    app.run(debug = True)
```




ASSIGNMENT 2

REGISTRATION

Enter username:

Enter email:

Enter password:



ASSIGNMENT 2

REGISTRATION

Enter username:

Enter email:

Enter password:

You have successfully registered !

TBL66129.USERS Back

Report to CSV

USERNAME	EMAIL	PASSWORD
Donna	donna@abc.com	donna
Harry	harry@gmail.com	harry
Nikhi	nikhi@abc.com	nikabc
Nikhila	nikhi@mail.com	nikhila
Nikhilashwari	nikhs@gmail.com	nikhila234
abc	abc@abc.com	abc

ASSIGNMENT 2

LOGIN

Enter username:

Enter password:

localhost:5000/register x localhost:5000/login x +

localhost:5000/welcome x localhost:5000/welcome missing 1 x +

WELCOME

You have successfully logged in!

Load Data

Load History

Tables

Views

Indexes

Aliases

HQTs

Sequences

Application objects

TBL66129.USERS

Back

Export to CSV

USERNAME	EMAIL	PASSWORD
Donna	donna@abc.com	donna
Harry	harry@gmail.com	harry
Nikhi	nikhi@abc.com	nikabc
Nikhila	nikhi@mail.com	nikhila
Nikhilashwari	nikhila@gmail.com	nikhila234
abc	abc@abc.com	abc

localhost5000/login

localhost5000

localhost5000/login

ASSIGNMENT 2

LOGIN

Enter username:

Enter password:

Incorrect username / password !