

```
import keras
from keras.preprocessing.image import ImageDataGenerator
```

In []:

```
#Define the parameters/arguments for ImageDataGenerator class
train_datagen=ImageDataGenerator(rescale=1./255, shear_range=0.2, rotation_range=180, zoom_range=0.2, horizontal_flip=True)
```

```
test_datagen=ImageDataGenerator(rescale=1./255)
```

In []:

```
#Applying ImageDataGenerator functionality to trainset
x_train=train_datagen.flow_from_directory('/content/Dataset/Dataset/train_set', target_size=(128,128), batch_size=32, class_mode='binary')
```

```
Found 436 images belonging to 2 classes.
```

In []:

```
#Applying ImageDataGenerator functionality to testset
x_test=test_datagen.flow_from_directory('/content/Dataset/Dataset/test_set', target_size=(128,128), batch_size=32, class_mode='binary')
```

```
Found 121 images belonging to 2 classes.
```

In []:

```
#import model building libraries
```

```
#To define Linear initialisation import Sequential
```

```
from keras.models import Sequential
```

```
#To add layers import Dense
```

```
from keras.layers import Dense
```

```
#To create Convolution kernel import Convolution2D
```

```
from keras.layers import Convolution2D
```

```
#import Maxpooling layer
```

```
from keras.layers import MaxPooling2D
```

```
#import flatten layer
```

```
from keras.layers import Flatten
```

```
import warnings
```

```
warnings.filterwarnings('ignore')
```

In []:

```
#initializing the model
```

```
model=Sequential()
```

In []:

```
#add convolutional layer
```

```
model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))
```

```
#add maxpooling layer
```

```
model.add(MaxPooling2D(pool_size=(2,2)))
```

```
#add flatten layer  
model.add(Flatten())
```

In []:

```
#add hidden layer  
model.add(Dense(150,activation='relu'))  
#add output layer  
model.add(Dense(1,activation='sigmoid'))
```

In []:

```
#configure the learning process  
model.compile(loss='binary_crossentropy',optimizer="adam",metrics=["accuracy"])
```

In []:

```
#Training the model  
model.fit_generator(x_train,steps_per_epoch=14,epochs=10,validation_data=x_test,validation_steps=4)
```

Epoch 1/10

14/14 [=====] - 27s 2s/step - loss: 0.6515 - accuracy: 0.6445 - val_loss: 0.6824 - val_accuracy: 0.5950

Epoch 2/10

14/14 [=====] - 27s 2s/step - loss: 0.6512 - accuracy: 0.6445 - val_loss: 0.6798 - val_accuracy: 0.5950

Epoch 3/10

14/14 [=====] - 25s 2s/step - loss: 0.6510 - accuracy: 0.6445 - val_loss: 0.6803 - val_accuracy: 0.5950

Epoch 4/10

14/14 [=====] - 25s 2s/step - loss: 0.6511 - accuracy: 0.6445 - val_loss: 0.6791 - val_accuracy: 0.5950

Epoch 5/10

14/14 [=====] - 25s 2s/step - loss: 0.6509 - accuracy: 0.6445 - val_loss: 0.6803 - val_accuracy: 0.5950

Epoch 6/10

14/14 [=====] - 25s 2s/step - loss: 0.6510 - accuracy: 0.6445 - val_loss: 0.6810 - val_accuracy: 0.5950

Epoch 7/10

14/14 [=====] - 25s 2s/step - loss: 0.6509 - accuracy: 0.6445 - val_loss: 0.6805 - val_accuracy: 0.5950

Epoch 8/10

14/14 [=====] - 25s 2s/step - loss: 0.6511 - accuracy: 0.6445 - val_loss: 0.6796 - val_accuracy: 0.5950

Epoch 9/10

14/14 [=====] - 25s 2s/step - loss: 0.6510 - accuracy: 0.6445 - val_loss: 0.6804 - val_accuracy: 0.5950

Epoch 10/10

14/14 [=====] - 25s 2s/step - loss: 0.6511 -
accuracy: 0.6445 - val_loss: 0.6808 - val_accuracy: 0.5950

Out[]:

In []: