# SPRINT - 3

Date	12 November 2022
Team ID	PNT2022TMID27367
Project Name	Smart waste management system for metropolitan cities
Points	20

Created a IOT device to sense the level of bins and do code for device and send to Node Red using the API keys from Watson platform

#### CODE:

```
#include <cstdlib>
#include <time.h>
#include <WiFi.h>
#include <PubSubClient.h>
#define ORG "zuhtbq"
#define DEVICE_TYPE "Rasp"
#define DEVICE_ID "12345"
#define TOKEN "12345678"
#define speed 0.034
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/data/fmt/json";
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
WiFiClient wifiClient;
PubSubClient client(server, 1883, wifiClient);
int weight = 0;
```


```
String location = "Coimbatore";
String status = "";
void setup() {
 Serial.begin(99900);
  wifiConnect();
  mqttConnect();
void loop() {
  srand(time(0));
   int p;
   weight = random(0,80);
   if(weight > 0 && weight < 25){</pre>
       p = 0;
   else if(weight > 25 & weight < 50){
    p = 1;
    else{
```

```
p = 2;
switch (p) {
case 0:
    status = "Low";
   break;
    status = "Half";
   break;
   status = "Full";
   break;
String payload = "{";
payload+="\"Weight \":";
payload+=weight;
payload+=",";
payload+="\"Loaction\":";
payload+="Coimbatore";
payload+=",";
payload+="\"Status\":\""+status+"\"}";
Serial.println(payload);
```


```
if(client.publish(publishTopic, (char*) payload.c_str()))
   Serial.println("Publish OK");
 else{
   Serial.println("Publish failed");
 }
 delay(1000);
 if (!client.loop())
   mqttConnect();
void wifiConnect()
 Serial.print("Connecting to ");
 Serial.print("Wifi");
 WiFi.begin("Wokwi-GUEST", "", 6);
 while (WiFi.status() != WL_CONNECTED)
```


```
delay(500);
   Serial.print(".");
 }
 Serial.print("WiFi connected, IP address: ");
 Serial.println(WiFi.localIP());
void mqttConnect()
 if (!client.connected())
   Serial.print("Reconnecting MQTT client to ");
   Serial.println(server);
   while (!client.connect(clientId, authMethod, token))
     Serial.print(".");
     delay(500);
    }
   Serial.println();
 }
```

Sensor circuit:




### Watson IOT Platform:





# Node-RED Connections:



### Web UI:



Run the code here: https://wokwi.com/projects/348127440430694994