

Date	10 November 2022
Team ID	PNT2022TMID02092
Project Name	IOT Based Safety Gadget for Child Safety Monitoring andnotification
Maximum Marks	8 Marks

LOCAL FORAGE:

```
!function(a)
{if("object"==typeof exports&&"undefined"!=typeof module)module.exports=a(); else
if("function"==typeof define&&define.amd)define([],a); else{var b; b="undefined"!=typeof
window?window:"undefined"!=typeof global?global:"undefined"!=typeof
self?self:this,b.localforage=a()}}{function(){
  return function a(b,c,d){
    function e(g,h){if(!c[g]){if(!b[g]){
      var i="function"==typeof require&&require;
      if(!h&&i)return i(g,!0);if(f)return f(g,!0); var j=new
      Error("Cannot find module ""+g+"");
      throw j.code="MODULE_NOT_FOUND",j}var k=c[g]={exports:{}};
      b[g][0].call(k.exports,function(a){
```

```
var c=b[g][1][a];return e(c||a)},k,k.exports,a,b,c,d)}
                     c[g].exports}
                                      for(var f="function"==typeof
           return
  require&&require,g=0;g<d.length;g++)e(d[g]); return
  e}({1:[function(a,b,c){(function(a){"use strict"; function c(){k=!0;for(var
  a,b,c=1.length;c; for (b=1,l=[],a=-1;++a<c;)b[a]();c=1.length]k=!1} function
  d(a){1!==l.push(a)||k||e()}var
e,f=a.MutationObserver||a.WebKitMutationObserver; if(f){var
                         g=0,h=new
f(c),i=a.document.createTextNode("");h.observe(i,{characterData:!0}),e=function(){i.data=g=++g%2}}
else if(a.setImmediate void ea.MessageChannel)e="document"in all"onreadystatechange in
a.document.createElement("script") function(){var b=a.
document.createElement("script");b.onreadystatechange-function()(c(),b.
onreadystatechange=null,b.parentNode.removeChild
(b),b=null),a.document.documentElement.appendChild(b)}:function() (setTimeout(c,8));else{var j-new
a.MessageChannel;j.port1.onmessage=c,e-function(){j.port2.postMessage(0)}}var k,1-[];b.exports-
d)).call(this, "undefined"!=typeof global?global: "undefined"!=typeof self?self: "undefined"!=typeof
window?window: {})},{}],2: [function(a,b,c){"use strict"; function d()() function e(a){if("function" I-typeof
a) throw new TypeError("resolver must be a function"); this.states, this.queue=[], this.outcome vald
0,aldi(this,a)} function f(a,b,c){this.promise-a, "function"==typeof b&&(this.onFulfilled-b,
this.callFulfilled-this.otherCallFulfilled), "function"typeof c&&(this.onRejected=c,
```

```
INDEX:
<!DOCTYPE html>
<a href="height: 100%; margin: 0;">
     <head>
           <meta charset="UTF-8" />
           <meta name="description" content="The Home Page after Logged In" />
           <meta name="viewport" content="width=device-width, initial-scale=1.0" />
           <title>IOT Based Safety Gadget for Child Safety Monitoring and Notification</title>
    <script src="./localforage.js"></script>
           <script> if (window.location.hostname !==
                "localhost") { if (location.protocol !== "https:")
                { location.replace(
                                 `https:${location.href.substring(
                                       location.protocol.length
                                 )}`
                async function check() {
         let data = localforage.getItem("userData")
         if (data == null) {
          window.location.href = "/login"
       check()
```

```
</script>
</head>
<body><br/>tyle=" height:</br>
     100%; margin: 0;
           font-weight: 300;
font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto,
                                                                            Oxygen,
              Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue',
                 sans-serif;
     11
>
     <div class="wrapper"
                                  style="
           height: 90%; display: flex; flex-
           direction: column; alignitems:
                center;
                            justify-
           content: center;
   text-align: center;
     >
           <div
                      class="details" style="display: flex;
                 flex-direction: column; align-items:
                 center; gap: 20px; padding: 1rem; border-
                 radius: 5px; box-shadow: 0 0 8px 0px
                 #4444444;
     max-width: 80%:
                 " >
```

```
<h1 class="name" style="margin: 0"></h1>
                      <div class="imageContainer" style="padding: 10px;</pre>
                           height: 10rem; width: 10rem"
                           <img class="image" alt="profile picture" />
                      </div>
                      <h2 class="email" style="margin: 0"></h2>
        <a style="text-decoration: none;text-align: center;font-size: 1.2rem;color: #0070f3;font-weight:</p>
400;" href="./dashboard">Go to Dashboard ?</a>
                </div>
          </div>
          <script> async function main()
        let name = document.guerySelector(".name") let
        image = document.querySelector(".image") let email
        = document.querySelector(".email") let userData =
        await localforage.getItem("userData") if(userData
        == null) { window.location.href =
          "/login"
        name.innerHTML = `Welcome ${userData.firstName} ${userData.lastName}!` image.src
        = userData.profilePic email.innerHTML = `Your email is: <a style="text-decoration:
        none;color: #0072B5;" href="mailto:${userData.email}">${userData.email}</a>`
      main()
```

</script>
</body> </html>