

# Assignment - 3

Date	19 September 2022
Team ID	PNT2022TMID53971
Project Name	Skill and Job Recommended
Maximum Marks	4 Marks

## Create a Bucket in IBM Object Storage:

The screenshot shows the IBM Cloud Object Storage 'Buckets' management page. On the left is a dark sidebar with navigation links: Cloud Object Storage, Storage instances, Cloud Object Storage-to, Buckets (highlighted), Integrations, Endpoints, Usage details, Service credentials, Connections, and Plan. The main content area is titled 'Buckets' and includes a description: 'Buckets serve as containers for objects, and can be individually configured in terms of their location, resiliency, billing rates, security, and object lifecycle rules.' Below this is a table with columns: Name, Public access, Location, Storage class, and Created. There are two buckets listed: 'cloudobjectstoragedemo' (Public access: Yes, Location: jp-tok, Storage class: Smart Tier, Created: 2022-10-27 8:39 AM) and 'witacehackathonzestful teens-donotdelete-pr-yeguiqwmwgeuqx' (Public access: No, Location: eu-geo, Storage class: Standard, Created: 2021-06-14 7:33 PM). A 'Create bucket' button is in the top right, and a help icon is in the bottom right.

Name	Public access	Location	Storage class	Created
cloudobjectstoragedemo	Yes	jp-tok	Smart Tier	2022-10-27 8:39 AM
witacehackathonzestful teens-donotdelete-pr-yeguiqwmwgeuqx	No	eu-geo	Standard	2021-06-14 7:33 PM

Custom bucket

Unique bucket name

Enter a unique bucket name

Bucket naming rules:

- Must be unique across the whole IBM Cloud Object Storage system
- Do not use any personal information (any part of a name, address, financial or security accounts or SSN)
- Must start and end in alphanumeric characters (3 to 63)
- Characters allowed: lowercase, numbers and nonconsecutive dots and hyphens

X

Resiliency [View options](#)

Cross Region

Highest availability

Regional

Best performance

Single Site

Data sovereignty

Location [View options](#)

Upload a 5 images to IBM object storage and make it public. write htmlcode to displaying all the 5 images.

Cloud Object Storage

Storage instances

Cloud Object Storage-to

**Buckets**

Integrations

Endpoints

Usage details

Service credentials

Connections

Plan

Storage / Cloud Object Storage-to /

cloudobjectstoragedemo

Transfers

Details

Actions...

Objects

Configuration

Permissions

Warning: All objects in this bucket have public view access.

If you're seeing more usage than expected, versions count towards your usage or you may have incomplete uploads [Learn more](#)

Prefix filter

Upload

<input type="checkbox"/>	Object name	Archived	Size	Last modified	
<input type="checkbox"/>	ther_1.jpg		46.2 KB	2022-10-27 8:44 AM	
<input type="checkbox"/>	ther_2.jpg		59.5 KB	2022-10-27 8:44 AM	
<input type="checkbox"/>	ther_3.jpg		65.9 KB	2022-10-27 8:44 AM	
<input type="checkbox"/>	ther_4.jpg		68.0 KB	2022-10-27 8:44 AM	

## Index.html

```
<!doctype html>

<html lang="en">

<head>

    <meta charset="utf-8">

    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <link rel="stylesheet" href="static/css/bootstrap.min.css">

    <link rel="stylesheet" type="text/css" href="static/css/style.css" />

</head>

<body>

    <header id="menu-jk">

        <nav class="">

            <div id="menu" style="margin:20px">

                <a href="http://127.0.0.1:5000/profile">Profile</a>

            </div>

        </nav>

    </header>

    <div class="item">

        <div class="slider-img" style="padding-top: 50px;">

    </div>

</div>

<section class="sesion-type" style="padding: 0;">

    <div class="container">

        <div class="session-title row">

            <h2 class="center">Our Session Types</h2>

        </div>
```

```
<div class="row">

  <div class="col-md-4 col-sm-6">

    <div class="single-sess">

      <p>Know More</p>

    </div>

  </div>

</div class="row">

  <div class="col-md-4 col-sm-6">

    <div class="single-sess">

      <p>Know More</p>

    </div>

  </div>

</div class="row">

  <div class="col-md-4 col-sm-6">

    <div class="single-sess">

      <p>Know More</p>

    </div>

  </div>

</div class="row">

  <div class="col-md-4 col-sm-6">

    <div class="single-sess">

      <p>Know More</p>

    </div>

  </div>

</div>
```

```
</div>

<div class="row">

    <div class="col-md-4 col-sm-6">

        <div class="single-sess">

                <p>Know More</p>

            </div>

        </div>

    </div>


</div>


</section>

</body>

</html>
```


### Output:





Upload a css page to the object storage and use the same page in yourHTML code.

Upload style.css to ibm bucket



Link the stylesheet in head

```
<link rel="stylesheet" type="text/css" href="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/ cloudobjectstoragedemo/style.css" />
```

## Output:

Profile



### Our Session Types



### Our Session Types



[Know More](#)



[Know More](#)



[Know More](#)




[Know More](#)



[Know More](#)

**Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.**



**Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.**

Index.html

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
  <link rel="stylesheet" href="static/css/bootstrap.min.css">
  <link rel="stylesheet" type="text/css" href="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/cloudobjectstoragedemo/style.css" />
</head>
<body>
  <header id="menu-jk">
```



```

<nav class="">
    <div id="menu" style="margin:20px">
        <a href="http://127.0.0.1:5000/profile">Profile</a>
    </div>
</nav>
</header>
<div class="item">
    <div class="slider-img" style="padding-top: 50px;">
    </div>
</div>
<section class="sesion-type" style="padding: 0;">
    <div class="container">
        <div class="session-title row">
            <h2 class="center">Our Session Types</h2>
        </div>
        <div class="row">

            {% for item in img_list %}
            <div class="col-md-4 col-sm-6">
                <div class="single-sess">
                    
                    <p>Know More</p>
                </div>
            </div>
            {% endfor %}
        </div>
    </div>

```

```
</section>

<script>

  window.watsonAssistantChatOptions = {
    integrationID: "4b970404-0820-46b2-bca1-78285653c0d8", // The ID of this
    integration.region: "us-south", // The region your integration is hosted in.
    serviceInstanceID: "efa7fb31-363b-41f8-a165-7e96ee675bef", // The ID of your
    serviceinstance.

    onLoad: function(instance) { instance.render(); }
  };

  setTimeout(function(){
    const t=document.createElement('script');

    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";



    document.head.appendChild(t);

  });
</script>

</body>

</html>
```

## Output:



Profile



## Our Session Types

