

## SPRINT-3


<b>Team ID</b>	PNT2022TMID02852
<b>Project Name</b>	SMART FASHION RECOMMENDER APPLICATION

### INTEGRATING CHATBOT WITH HTML PAGE:(SOURCE CODE)

<script>

```
window.watsonAssistantChatOptions = {  
  integrationID: "1a8c11c0-839e-4442-8b03-59f7c12ce5f5", // The ID of this integration.  
  region: "au-syd", // The region your integration is hosted in.  
  serviceInstanceID: "bada3725-51e6-42fe-bccc-3e2603433478", // The ID of your service  
instance.  
  onLoad: function(instance) { instance.render(); }  
};  
setTimeout(function(){  
  const t=document.createElement('script');  
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +  
(window.watsonAssistantChatOptions.clientVersion || 'latest') +  
"/WatsonAssistantChatEntry.js";  
  document.head.appendChild(t);  
});  
</script>
```

## OUTPUT:



## DOCKER PUSH:

```
#####  
# WARNING!!!!  
# This is a sandbox environment. Using personal credentials  
# is HIGHLY! discouraged. Any consequences of doing so are  
# completely the user's responsibilities.  
#  
# The PWD team.  
#####  
[node1] (local) root@192.168.0.28 ~  
$ docker pull uifd/ui-for-docker  
Using default tag: latest  
latest: Pulling from uifd/ui-for-docker  
841194d080c8: Pull complete  
Digest: sha256:fe371ff5a69549269b24073a5ab1244dd4c0b834cbadf244870572150b1cb749  
Status: Downloaded newer image for uifd/ui-for-docker:latest  
docker.io/uifd/ui-for-docker:latest  
[node1] (local) root@192.168.0.28 ~  
$ docker run uifd/ui-for-docker  
2022/11/08 09:13:47 Unix socket /var/run/docker.sock does not exist  
[node1] (local) root@192.168.0.28 ~  
$ docker run -d -p 9000:9000 --privileged -v /var/run/docker.sock:/var/run/docker.sock uifd/ui-for-docker  
b8bddb08bb99652d924c9bcca447ad1bcd4de7c625d20ca5dbc5e4c70cd2a00  
[node1] (local) root@192.168.0.28 ~  
$
```

# CONTAINERIZING THE APPLICATION:

