SPRINT-3

Date	06 November 2022
TeamID	PNT2022TMID25977
ProjectName	IOT Based Safety Gadget for Child Safety Monitoring & Notification

LOCAL FORAGE:

```
!function(a)
{if("object"==typeof exports&&"undefined"!=typeof module)module.exports=a(); else
if("function"==typeof

define&&define.amd)define([],a);

    else{var b;
b="undefined"!=typeof window?window:"undefined"!=typeof global?global:"undefined"!=typeof
self?self:this,b.localforage=a()}

        (function(){
    return function a(b,c,d){
      function e(g,h){if(!c[g]){if(!b[g]){
var i="function"==typeof require&&require; if(!h&&i)return

i(g,!0);if(f)return f(g,!0);

      var j=new Error("Cannot find module '"+g+"'");
throw j.code="MODULE_NOT_FOUND",j}var k=c[g]={exports:{}}; b[g]

[0].call(k.exports,function(a){

var c=b[g][1][a];return e(c||a)},k,k.exports,a,b,c,d)}
return c[g].exports}
    for(var f="function"==typeof require&&require,g=0;g<d.length;g++)e(d[g]);
    return e}({1:[function(a,b,c){(function(a){"use strict";
            function c(){k=!0;for(var a,b,c=l.length;c;){
            for(b=l,l=[],a=-1;++a<c;)b[a]();c=l.length}k=!1} function d(a
            {1!==l.push(a)||k||e()}var
  e,f=a.MutationObserver||a.WebKitMutationObserver;
                            if(f){var g=0,h=new
 f(c),i=a.document.createTextNode("");h.observe(i,{characterData:!0}),e=function(){i.data=g=++g%2}
 } else if(a.setImmediate void ea.MessageChannel)e="document"in all"onreadystatechange in
 a.document.createElement("script") function(){var b=a.
```

```
document.createElement("script");b.onreadystatechange-function()(c(),b.
onreadystatechange=null,b.parentNode.removeChild
(b),b=null),a.document.documentElement.appendChild(b)}:function() (setTimeout(c,8));else{var j-
new a.MessageChannel;j.port1.onmessage=c,e-function(){j.port2.postMessage(0)}}var k,1-
[];b.exports- d)).call(this, "undefined"!=typeof global?global: "undefined"!=typeof self?self:
"undefined"!=typeof window?window: {})},{}],2: [function(a,b,c){"use strict"; function d()() function
e(a){if("function" I-typeof a) throw new TypeError("resolver must be a function"); this.states,
this.queue=[], this.outcome vald
0,aldi(this,a)} function f(a,b,c){this.promise-a, "function"==typeof b&&(this.onFulfilled-b,
this.callFulfilled- this.otherCallFulfilled), "function"typeof c&&(this.onRejected=c,
```

INDEX:

```
<!DOCTYPE html>
<html lang="en" style="height: 100%; margin: 0;">
      <head>
              <meta charset="UTF-8" />
              <meta name="description" content="The Home Page after Logged In" />

              <meta name="viewport" content="width=device-width, initial-scale=1.0" />
              <title>IOT Based Safety Gadget for Child Safety Monitoring and Notification</title>
      <script src="./localforage.js"></script>
              <script>
if (window.location.hostname !== "localhost") { if
(location.protocol !== "https:") {
              location.replace(

                        `https:${location.href.substring(

                                Location.protocol.length

                        )}`
                  )
            }
        }
                    async function check() {
let data = localforage.getItem("userData") if (data == null)
      {
              window.location.href = "/login"
      }
  }
        check()
              </script>
        </head>
        <body>
                style="
```

```
                    height: 100%;
                    margin: 0;

        <div>
    font-weight: 300;
    font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto,
            Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue',
    sans-serif;
    class="wrapper" style="
            height:90%; display flex;
            flex-direction: column; align-items: center; justify-
            content: center;
    text-align: center;"

    <div>
    class= "details" style="

            display: flex;
            flex-direction: column; align-items: center; gap: 20px;
            padding: 1rem; border-radius: 5px;

            box-shadow: 0 0 8px 0px #44444444;


max-width: 80%;
            <h1 class="name" style="margin: 0"></h1>
            <div>
            class="imageContainer"
            style="padding: 10px; height: 10rem; width: 10rem"
            <img class="image" alt="profile picture" />
            </div>
            <h2 class="email" style="margin: 0"></h2>
            <a style="text-decoration: none;text-align: center;
                font-size: 1.2rem;
                color: #0070f3;font-weight: 400;
                " href="./dashboard">Go to Dashboard ?
            </a>
                        </div>
                </div>
                <script>
                        async function main() {
    let name = document.querySelector(".name") let image =
    document.querySelector(".image") let email =
    document.querySelector(".email")
    let userData = await localforage.getItem("userData") if(userData == null)
            {
                window.location.href = "/login"
            }
```

```
            name.innerHTML = `Welcome ${userData.firstName}
            ${userData.lastName}!` image.src = userData.profilePic
            email.innerHTML = `Your email is:
            <a style="text-decoration: none;color: #0072B5;"
 href="mailto:${userData.email}">${userData.email}
            </a>`
        }
        main()
            </script>
        </body>
</html>
```