SPRINT-1

Date	27 October 2022
TeamID	PNT2022TMID25977
ProjectName	IOT Based Safety Gadget for Child Safety Monitoring & Notification

LOCALFORAGE:

```
/*!
 localForage --
 Offline Storage,
 ImprovedVersion
 1.10.0https://loca
 lforage.github.io/
 localFo rage
 (c)2013-2017Mozilla, ApacheLicense 2.0
*/
!function(a)
{if("object"==typeof
exports&&"undefined"!=typeof
module)module.exports=a();elseif("function"==t
ypeofdefine&&define.amd)defin e([],a);
else{varb;
  b="undefined"!=typeof
window?window:"undefined"!=typeof
global?global:"undefined"!=typeofself?self:this
,b.localforage=a()}}(function(){
returnfuncti
 ona(b,c,d)
 functione(
 g,h){if(!c[
 g])\{if(!b[g
 ]){ var
 i="functio
 n"==typef
  require&&require;if
  (!h&&i)returni(g,!0
  ); if (f) r eturn f(g, !0);
```

```
vari=newError("Can
  notfindmodule"+g+"
  ""); throw
  j.code="MODULE_
  NOT_FOUND",j}va
             k=c[g]={exports:{}};b[g]
             [0].call(k.exports,functio
             n(a)
              var c=b[g][1][a];return
        e(c||a),k,k.exports,a,b,c,d)}ret
        urn c[g].exports}
 for(var
 f="function"==typeof
 require&&require,g=0;g<
 d.length;g++)e(d[g]);retur
 e{{1:[function(a,b,c)}{(fu
 nction(a){"use strict";
                     functionc(){k=!0;for(va
                     ra,b,c=l.length;c;){
                     for(b=l,l=[],a=-
                     1;++a< c;)b[a]();c=1.len
                     gth k=!1 functiond(a)
                     1!==1.p
                     ush(a
\|k\|e()\} var
e,f=a.MutationObserver||a.
WebKitMutationObserver;
                     if(f){var
g=0,h=newf(c),i=a.document.createTextNode("");h.observe(i,{characterData:!0}),e=funct
ion()\{i.data=g=++g\%2\}\}
                     else if(a.setImmediate||void
0===a.MessageChannel)e="document"ina&&"onreadystatechange"in
a.document.createElement("script")?function(){varb=a.document.creat
eElement("script");b.onreadystatechan
ge=function(){c(),b.onreadystatechange=null,b.parentNode.removeChi
ld(b),b=null},a.document.documentElemen
t.appendChild(b)}:function(){setTimeout(c,0)};else{var j=new}
a.MessageChannel;j.port1.onmessage=c,e=function(){j.port2.postMess
age(0)} \vark,l=[];b.exports=d}).call(t his,"undefined"!=typeof
global?global:"undefined"!=typeofself?self:"undefined"!=typeof
window?window:{})},{}],2:[function(a,b,c){"use strict";function
d(){}functione(a){if("function"!=typeof a)throw new
TypeError("resolver must be
afunction");this.state=s,this.queue=[],this.outcome=void
0,a!==d\&\&i(this,a) function f(a,b,c) this promise =a, "function" ==type
```

```
ofb&&(this.onFulfilled=b.this.callFulfille
d=this.otherCallFulfilled), "function"==typeofc&&(this.onRejected=c,t
his.callRejected=this.otherCallRejecte d)}function
g(a,b,c){o(function()}{vard;try}{d=b(c)}{catch(b)}{return}
p.reject(a,b)}d===a?p.reject(a,new TypeError("Cannot resolve
promise withitself")):p.resolve(a,d)})}function h(a){var
b=a&&a.then;if(a&&("object"==typeof
a||"function"==typeofa)&&"function"==typeof b)return
function(){b.apply(a,arguments)}}function
i(a,b){functionc(b){f||(f=!0,p.reject(a,b))}function
d(b)\{f||(f=!0,p.resolve(a,b))\} function
e()\{b(d,c)\} varf=!1,g=j(e);"error"===g.status&&c(g.value)\}function
i(a,b){varc={};try{c.value=a(b),c.status="success"}catch(a){c.status="
error",c.value=a}return c}function k(a){return ainstanceof
this?a:p.resolve(new this(d),a)}function l(a){var b=new this(d);return
p.reject(b,a)}functionm(a){function
b(a,b)\{functiond(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}c.resolve(j,g)\}
a).then(d,function(a){f||(f=!0,p.reject(j,a))
})}varc=this;if("[object
Array]"!==Object.prototype.toString.call(a))return this.reject(new
TypeError("must be anarray"));var e=a.length,f=!1;if(!e)return
this.resolve([]);for(var g=new Array(e),h=0,i=-
1,j=newthis(d);++i<e;)b(a[i],i);return j}function
n(a){functionb(a){c.resolve(a).then(function(a){f||(f=!0,p.resolve(h,a))}}
f(f=0,p.reject(h,a))
=this;if("[object Array]"!==Object.prototype.toString.call(a))return
this.reject(new TypeError("must be anarray"));var
e=a.length,f=!1;if(!e)return this.resolve([]);for(var g=-1,h=new
this(d);++g < e;)b(a[g]);return
h}varo=a(1),p={},q=["REJECTED"],r=["FULFILLED"],s=["PENDIN
G"];b.exports=e,e.prototype.catch=function(a){r et
urn
this.then(null,a)},e.prototype.then=function(a,b){if("function"!=typeofa
&&this.state===r||"function"!=typeof b&&this.state===q)return
this:var
c=newthis.constructor(d);if(this.state!==s){g(c,this.state===r?a:b,this.o
utcome)}else
this.queue.push(newf(c,a,b));returnc},f.prototype.callFulfilled=function
(a) {p.resolve(this.promise,a)}, f.prototype.
otherCallFulfilled=function(a){g(this.promise,this.onFulfilled,a)},f.prot
otype.callRejected=function(a){p.reject(th
is.promise,a), f.prototype.otherCallRejected=function(a) { g(this.promis
e,this.onRejected,a)},p.resolve=functio
n(a,b){varc=i(h,b);if("error"===c.status)return
p.reject(a,c.value); vard=c.value; if(d)i(a,d); else{a.state=r,a.outcome=b; f
or(var e=-
1,f=a.queue.length;++e<f;)a.queue[e].callFulfilled(b)}returna},p.reject
=function(a,b){a.state=q,a.outcome=b;f or(varc=-
```

```
1,d=a.queue.length;++c<d;)a.queue[c].callRejected(b);returna},e.resolv
e=k,e.reject=l,e.all=m,e.race=n},{1:1}],3:[
function(a,b,c){(function(b){"use
strict";"function"!=typeofb.Promise&&(b.Promise=a(2))}).call(this,"un
defined"!=typeof
global?global:"undefined"!=typeofself?self:"undefined"!=typeof
window?window:{})},{2:2}],4:[function(a,b,c){"use strict";function
d(a,b){if(!(ainstanceof b))throw new TypeError("Cannot call a class as
a function") functione() { try { if ("undefined"!=typeof indexedDB) return
indexedDB;if("undefined"!=typeof
webkitIndexedDB)returnwebkitIndexedDB;if("undefined"!=typeof
mozIndexedDB)return
mozIndexedDB;if("undefined"!=typeofOIndexedDB)return
OIndexedDB;if("undefined"!=typeof
msIndexedDB)returnmsIndexedDB}catch(a){return}}functionf(){try{if
(!ua||!ua.open)return!1;vara="undefined
"!=typeof
openDatabase&&/(Safari|iPhone|iPad|iPod)/.test(navigator.userAgent)
&&!/Chrome/.test(navigator.userAgent)&&!/
BlackBerry/.test(navigator.platform),b="function"==typeoffetch&&-
1!==fetch.toString().indexOf("[nativecode");return(!a||b)&&"undefined
"!=typeof
indexedDB&&"undefined"!=typeofIDBKeyRange}catch(a){return!1}}
function g(a,b){a=a||[],b=b||{}};try{return}
newBlob(a,b)}catch(f){if("TypeError"!==f.name)throw f;for(var
c="undefined"!=typeofBlobBuilder?BlobBuilder:"undefined"!=typeof
MSBlobBuilder?MSBlobBuilder:"undefined"!=typeofMozBlobBuilder
?MozBlobBuilder:WebKitBlobBuilder,d= new
c,e=0;e<a.length;e+=1)d.append(a[e]);returnd.getBlob(b.type)} functio
h(a,b){b&&a.then(function(a){b(null,a)},function(a){b(a)})}functioni(
a,b,c){"function"==typeof b&&a.then(b),"function"==typeof
c&&a.catch(c)}functionj(a){return"string"!=typeof
a&&(console.warn(a+" used as a key, but it is not
astring."),a=String(a)),a}function
k(){if(arguments.length&&"function"==typeof
arguments[arguments.length-1])return arguments[arguments.length-
1]}function l(a){for(var b=a.length,c=new
ArrayBuffer(b),d=newUint8Array(c),e=0;e<b;e++)d[e]=a.charCodeAt(
e);return c}function m(a){return new
va(function(b){varc=a.transaction(wa,Ba),d=g([""]);c.objectStore(wa).
put(d,"key"),c.onabort=function(a){a.pre
ventDefault(),a.stopPropagation(),b(!1)},c.oncomplete=function(){vara
=navigator.userAgent.match(/Chrome\/(\d
+)/), c=navigator.userAgent.match(/Edge\//); b(c||!a||parseInt(a[1],10)
>=43)}}).catch(function(){return!1})}function
n(a){return"boolean"==typeofxa?va.resolve(xa):m(a).then(function(a){
```

```
return xa=a})}function o(a){var
b=ya[a.name],c={};c.promise=newva(function(a,b){c.resolve=a,c.reject
=b}),b.deferredOperations.push(c),b.dbR
eady?b.dbReady=b.dbReady.then(function(){return
c.promise}):b.dbReady=c.promise}function
p(a){varb=ya[a.name],c=b.deferredOperations.pop();if(c)return
c.resolve(),c.promise} function q(
a,b){varc=ya[a.name],d=c.deferredOperations.pop();if(d)return
d.reject(b),d.promise} function r(a,b) { return
newva(function(c,d)\{if(ya[a.name]=ya[a.name]||B(),a.db)\{if(!b)return\}\}
c(a.db);o(a),a.db.close()}vare=[a.name];b&&e.push(a.version);var
f=ua.open.apply(ua,e);b&&(f.onupgradeneeded=function(b){varc=f.res
ult;try{c.createObjectStore(a.storeNam
e),b.oldVersion<=1&&c.createObjectStore(wa)}catch(c){if("Constraint
Error"!==c.name)throw c;console.warn('The database "'+a.name+"' has
been upgraded from version'+b.oldVersion+" to version
"+b.newVersion+', but the storage "'+a.storeName+""
alreadyexists.')}}),f.onerror=function(a){a.preventDefault(),d(f.error)},
f.onsuccess=function(){varb=f.result;b
.onversionchange=function(a){a.target.close()},c(b),p(a)}})}function
s(a){return r(a,!1)}functiont(a){return r(a,!0)}function
u(a,b){if(!a.db)return!0;varc=!a.db.objectStoreNames.contains(a.storeN
ame),d=a.version<a.db.version,e=a.versi
on>a.db.version;if(d&&(a.version!==b&&console.warn('The database
"'+a.name+"\" can't be downgraded from version"+a.db.version+" to
version
"+a.version+"."),a.version=a.db.version),e||c){if(c){varf=a.db.version+
1;f>a.version&&(a.version=f)}return!0
\return!1\function v(a)\{return new
va(function(b,c){vard=newFileReader;d.onerror=c,d.onloadend=functi
d=btoa(c.target.result||"");b({local_forage_encoded_blob:!0,data:d,type:
a.type})},d.readAsBinaryString(a)})}fu
nctionw(a){returng([l(atob(a.data))],{type:a.type})}functionx(a){return
-a&&a. local_forage_encoded_blob}function y(a){var
b=this,c=b._initReady().then(function(){vara=ya[b._dbInfo.name];if(a
&&a.dbReady)return a.dbReady});return i(c,a,a),c}function
z(a) \{o(a); for(varb=ya[a.name], c=b.forages, d=0; d< c.length; d++) \{vare=a, c=b, forages, d=0; d< c.length; d++) \}
c[d];e. dbInfo.db&&(e. dbInfo.db.close(
),e. dbInfo.db=null)}return
a.db=null,s(a).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a)?t(a):b}).then(function(b){returna.db=b,u(a):b}).then(function(b){returna.db=b,u(a):b}).then(function(b){returna.db=b,u(a):b}).then(function(b){retur
n(d){a.db=b.db=d;for(vare=0;e<c.length
;e++)c[e]._dbInfo.db=d}).catch(function(b){throw q(a,b),b})}function
A(a,b,c,d){void0===d&&(d=1);try{vare=a.db.transaction(a.storeName,
b);c(\text{null},e)}catch(e){if(d>0&&(!a.db||"Inv
alidStateError"===e.name||"NotFoundError"===e.name))returnva.resol
ve().then(function(){if(!a.db||"NotFoun
dError"===e.name&&!a.db.objectStoreNames.contains(a.storeName)&
```

```
&a.version<=a.db.version)return
a.db&&(a.version=a.db.version+1),t(a)).then(function(){returnz(a).the
n(function(){A(a,b,c,d-
1)})}).catch(c);c(e)}}functionB(){return{forages:[],db:null,dbReady:nu
ll,deferredOperations:[]}}function C(a){function
b(){returnva.resolve()}var c=this,d={db:null};if(a)for(var e in
a)d[e]=a[e];varf=ya[d.name];f||(f=B(),ya[d.name]=f),f.forages.push(c),c
._initReady||(c._initReady=c.ready,c.rea
dy=y);for(varg=[],h=0;h<f.forages.length;h++){var
i=f.forages[h];i!==c&&g.push(i. initReady().catch(b))}varj=f.forages.s
lice(0);return va.all(g).then(function(){return
d.db=f.db,s(d)}).then(function(a){returnd.db=a,u(d,c._defaultConfig.ve
rsion)?t(d):a}).then(function(a){d.db=f.d
b=a,c. dbInfo=d;for(varb=0;b<j.length;b++){var
e=i[b]:e!==c&&(e. dbInfo.db=d.db,e. dbInfo.version=d.version)}})}f
unction D(a,b){varc=this;a=j(a);var d=new
va(function(b,d){c.ready().then(function(){A(c._dbInfo,Aa,function(e,f
){if(e)returnd(e);try{var
g=f.objectStore(c._dbInfo.storeName),h=g.get(a);h.onsuccess=function
(){var
a=h.result; void0===a&&(a=null), x(a)&&(a=w(a)),b(a)\},h.onerror=fun
ction(){d(h.error)}{catch(a){d(a)}})).catch(
d)});returnh(d,b),d}function E(a,b){var
c=this,d=newva(function(b,d){c.ready().then(function(){A(c. dbInfo,A
a,function(e,f){if(e)return
d(e);try{varg=f.objectStore(c._dbInfo.storeName),h=g.openCursor(),i=
1;h.onsuccess=function(){var
c=h.result; if(c) \{ vard=c.value; x(d) & & (d=w(d)); x
e=a(d,c.key,i++);void
0!==e?b(e):c.continue()}elseb()},h.onerror=function(){d(h.error)}}catc
h(a)\{d(a)\}\}\}).catch(d)});return h(d,b),d\}function
F(a,b,c){vard=this;a=j(a);var e=new va(function(c,e)){var}
f;d.ready().then(function(){return
f=d. dbInfo,"[objectBlob]"===za.call(b)?n(f.db).then(function(a){retur
na?b:v(b)):b}).then(function(b){A(d. db)}
Info,Ba,function(f,g){if(f)return
e(f);try{varh=g.objectStore(d. dbInfo.storeName);null===b&&(b=void
0):var
i=h.put(b,a);g.oncomplete=function()\{void0===b\&\&(b=null),c(b)\},g.o
nabort=g.onerror=function(){vara=i.error
?i.error:i.transaction.error;e(a)}}catch(a){e(a)}})}.catch(e)});returnh(e
,c),e function G(a,b) { var
c=this;a=j(a);var d=new
va(function(b,d){c.ready().then(function(){A(c._dbInfo,Ba,function(e,f
){if(e)returnd(e);try{varg=f.objectStore(c._
dbInfo.storeName),h=g.delete(a);f.oncomplete=function(){b()},f.onerro
r=function(){d(h.error)},f.onabort=function(){
vara=h.error?h.error:h.transaction.error;d(a)}{catch(a){d(a)}}).catch(
```

```
d)}):returnh(d,b),d}function H(a){var
b=this,c=newva(function(a,c){b.ready().then(function(){A(b. dbInfo,B
a, function(d,e){if(d)return
c(d);try{varf=e.objectStore(b._dbInfo.storeName),g=f.clear();e.oncomp
lete=function(){a()},e.onabort=e.onerror=function()
a=g.error?g.error:g.transaction.error;c(a)}catch(a){c(a)}}).catch(c)})
return h(c,a),c}function I(a){varb=this,c=new
va(function(a,c){b.ready().then(function(){A(b. dbInfo,Aa,function(d,e
){if(d)return
c(d);try{varf=e.objectStore(b. dbInfo.storeName),g=f.count();g.onsucc
ess=function(){a(g.result)},g.onerror=functi
on()\{c(g.error)\}\}catch(a)\{c(a)\}\}).catch(c)\});return h(c,a),c\}function
J(a,b){var c=this,d=newva(function(b,d){if(a<0)return void}
b(null);c.ready().then(function(){A(c._dbInfo,Aa,function(e,f){if(e)retu
rnd(e);try{var
g=f.objectStore(c._dbInfo.storeName),h=!1,i=g.openKeyCursor();i.ons
uccess=function(){varc=i.result;if(!c)re turn
voidb(null);0===a?b(c.key):h?b(c.key):(h=!0,c.advance(a)),i.onerror=
function(){d(i.error)}}catch(a){d(a)}})}).catch(d)});return
h(d,b),d function K(a) { var
b=this,c=newva(function(a,c){b.ready().then(function(){A(b._dbInfo,A
a,function(d,e){if(d)return
c(d);try{varf=e.objectStore(b._dbInfo.storeName),g=f.openKeyCursor(
),h=[];g.onsuccess=function(){varb=g.r esult;if(!b)return
voida(h);h.push(b.key),b.continue()},g.onerror=function(){c(g.error)}}
\operatorname{catch}(a)\{c(a)\}\}\}).catch(c)});returnh(c,a), c}function
L(a,b){b=k.apply(this,arguments);var
c=this.config();a="function"!=typeofa&&a||{},a.name||(a.name=a.name
||c.name,a.storeName||c.
storeName); vard, e=this; if(a.name) { varf=a.name===c.name&&e._dbInf
o.db.g=f?va.resolve(e. dbInfo.db):s(a).
then(function(b){varc=ya[a.name],d=c.forages;c.db=b;for(var
e=0;e<d.length;e++)d[e]. dbInfo.db=b;returnb});d=a.storeName?g.then
(function(b){if(b.objectStoreNames.co
ntains(a.storeName)){varc=b.version+1;o(a);var
d=ya[a.name],e=d.forages;b.close();for(var
f=0;f<e.length;f++){varg=e[f];g._dbInfo.db=null,g._dbInfo.version=c}r
va(function(b,d){vare=ua.open(a.name,c);e.onerror=function(a){e.resul
t.close(),d(a)},e.onupgradeneeded=functio
n(){e.result.deleteObjectStore(a.storeName)},e.onsuccess=function(){v
ara=e.result; a.close(),b(a)).then(funct ion(a){d.db=a;for(var
b=0;b<e.length;b++){varc=e[b];c.\_dbInfo.db=a,p(c.\_dbInfo)}}).catch(f)
unction(b){throw(q(a,b)||va.resolve()).catch(f
unction(){}),b})}}):g.then(function(b){o(a);var
c=ya[a.name],d=c.forages;b.close();for(vare=0;e<d.length;e++){d[e]._d
bInfo.db=null}return new
```

```
va(function(b,c){vard=ua.deleteDatabase(a.name);d.onerror=function()
{vara=d.result;a&&a.close(),c(d.error)}
.d.onblocked=function(){console.warn('dropInstance blocked for
database"'+a.name+"' until all open connections are
closed')},d.onsuccess=function(){vara=d.result;a&&a.close(),b(a)}}).th
en(function(a){c.db=a;for(varb=0;b<d.l
ength;b++)p(d[b]._dbInfo)}).catch(function(b){throw(q(a,b)||va.resolve
()).catch(function(){}),b})}else d=va.reject("Invalid
arguments");return h(d,b),d}function
M(){return"function"==typeofopenDatabase}functionN(a){varb,c,d,e,f,
g=.75*a.length,h=a.length,i=0;"="===a[ a.length-1]&&(g--
"====a[a.length-2]\&\&g--);var j=new
ArrayBuffer(g),k=newUint8Array(j);for(b=0;b<h;b+=4)c=Da.indexOf(
a[b], d=Da. indexOf(a[b+1]), e=Da. indexOf(a[b+2]), f=Da. indexOf(a[b+1])
\frac{1}{2} \int_{-\infty}^{\infty} |k[i++] = (-15\&d) < (4|e) > 2, k[i++] = (3\&e) < (6|63\&f;r)
eturn j}function O(a){var
b,c=newUint8Array(a),d="";for(b=0;b<c.length;b+=3)d+=Da[c[b]>>2],
d+=Da[(3&c[b])<<4|c[b+1]>>4], d+=Da[(15&c[b+1])
<<2|c[b+2]>>6],d+=Da[63&c[b+2]];return
c.length%3==2?d=d.substring(0,d.length-
1)+"=":c.length%3==1&&(d=d.substring(0,d.length-
2)+"=="),d}function
P(a,b){varc="";if(a&&(c=Ua.call(a)),a&&("[object])
ArrayBuffer]"===c||a.buffer&&"[objectArrayBuffer]"===Ua.call(a.buf
fer))){var d,e=Ga;a instanceof
ArrayBuffer?(d=a,e+=Ia):(d=a.buffer,"[objectInt8Array]"===c?e+=Ka:
"[object Uint8Array]"===c?e+=La:"[object
Uint8ClampedArray]"===c?e+=Ma:"[objectInt16Array]"===c?e+=Na:
"[object Uint16Array]"===c?e+=Pa:"[object
Int32Array]"===c?e+=Oa:"[objectUint32Array]"===c?e+=Qa:"[object
Float32Array]"===c?e+=Ra:"[object
Float64Array]"===c?e+=Sa:b(newError("Failed to get type for
BinaryArray"))),b(e+O(d))}else if("[object Blob]"===c){var
f=newFileReader;f.onload=function(){var
c=Ea+a.type+"~"+O(this.result);b(Ga+Ja+c)},f.readAsArrayBuffer(a)}
elsetry{b(JSON.stringify(a))}catch(c){con sole.error("Couldn't convert
value into a JSON string:",a),b(null,c)}}function
Q(a){if(a.substring(0,Ha)!==Ga)return
JSON.parse(a); varb, c=a.substring(Ta), d=a.substring(Ha, Ta); if(d===Ja
&&Fa.test(c))\{vare=c.match(Fa);b=e[1], c=c.substring(e[0].length)\}var
f=N(c);switch(d){case Ia:return f;case Ja:returng([f],{type:b});case
Ka:return new Int8Array(f);case La:return new Uint8Array(f);case
Ma:return newUint8ClampedArray(f);case
Na:returnnewInt16Array(f);casePa:returnnewUint16Array(f);caseOa:ret
urnnew Int32Array(f);case Qa:return new Uint32Array(f);case
Ra:return new Float32Array(f);case Sa:return
newFloat64Array(f);default:throw new Error("Unkown type:
```

```
"+d)}}function R(a,b,c,d){a.executeSql("CREATETABLE IF NOT
EXISTS "+b.storeName+" (id INTEGER PRIMARY KEY, key unique,
value)",[],c,d)}functionS(a){var b=this,c={db:null};if(a)for(var d in
a)c[d]="string"!=typeof a[d]?a[d].toString():a[d];var
e=newva(function(a,d){try{c.db=openDatabase(c.name,String(c.versio
n),c.description,c.size)}catch(a){return
d(a)c.db.transaction(function(e){R(e,c,function(){b._dbInfo=c,a()},fu
nction(a,b)\{d(b)\}\},d)\}; returnc. serializer=
Va,e function T(a,b,c,d,e,f) { a.execute Sql(c,d,e,function(a,g)) { g.code==
=g.SYNTAX ERR?a.executeSql("SELECT name
FROMsqlite masterWHEREtype='table'AND name
=?",[b.storeName],function(a,h){h.rows.length?f(a,g):R(a,b,function()}
a.executeSql(c,d,e,f)},f)f(a,g)f)fun
ction U(a,b){var c=this;a=j(a);var d=new
va(function(b,d){c.ready().then(function(){vare=c._dbInfo;e.db.transact
ion(function(c){T(c,e,"SELECT * FROM "+e.storeName+" WHERE
kev = ?
LIMIT1",[a],function(a,c){vard=c.rows.length?c.rows.item(0).value:nu
ll;d&&(d=e.serializer.deserialize(d)),b(d)
\{\{d(b)\}\}\}, catch(d)\{\{d(b)\}\}, return \{\{d(b)\}\}, function
V(a,b){var c=this,d=new
va(function(b,d){c.ready().then(function(){vare=c._dbInfo;e.db.transact
ion(function(c){T(c,e,"SELECT * FROM
"+e.storeName,[],function(c,d){for(varf=d.rows,g=f.length,h=0;h<g;h+
i=f.item(h),j=i.value;if(j&&(j=e.serializer.deserialize(j)),void0!==(j=a(j
,i.key,h+1)))return void
b(j)b(), function(a,b)\{d(b)\})\}).catch(d)\});return
h(d,b),d function W(a,b,c,d) { var e=this;a=j(a);var f=new
va(function(f,g){e.ready().then(function(){void
0===b&&(b=null);varh=b,i=e._dbInfo;i.serializer.serialize(b,function(
b,j){j?g(j):i.db.transaction(function(c)
{T(c,i,"INSERT
ORREPLACEINTO"+i.storeName+"(key,value)VALUES
(?,?)",[a,b],function(){f(h)},function(a,b){g(b)})},function(b){if(b.code)}
===b.QUOTA_ERR){if(d>0)returnvoid
f(W.apply(e,[a,h,c,d-1]));g(b)\}))).catch(g)});return h(f,c),f}function
X(a,b,c){returnW.apply(this,[a,b,c,1])}function Y(a,b){var
c=this;a=j(a);var d=newva(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"DELETE
FROM"+e.storeName+" WHERE key =
?",[a],function(){b()},function(a,b){d(b)})}).catch(d)});return
h(d,b),d function Z(a) { var b=this,c=new
va(function(a,c){b.ready().then(function(){vard=b._dbInfo;d.db.transac
tion(function(b){T(b,d,"DELETE
FROM"+d.storeName,[],function(){a()},function(a,b){c(b)})}).catch(
c)});return h(c,a),c}function
$(a){varb=this,c=new
```

```
va(function(a,c){b.ready().then(function(){vard=b. dbInfo;d.db.transac
tion(function(b){T(b,d,"SELECTCOUNT (key)as
cFROM"+d.storeName,[],function(b,c){var
d=c.rows.item(0).c;a(d), function(a,b){c(b)})}).catch(c)});returnh(c,a)
),c}function _(a,b){var c=this,d=new
va(function(b,d){c.ready().then(function(){vare=c. dbInfo;e.db.transact
ion(function(c){T(c,e,"SELECT key FROM "+e.storeName+" WHERE
id = ?
LIMIT1",[a+1],function(a,c){vard=c.rows.length?c.rows.item(0).key:n
ull;b(d), function(a,b){d(b)})}).catch(d)})
;return h(d,b),d}functionaa(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){vard=b._dbInfo;d.db.transac
tion(function(b){T(b,d,"SELECT key FROM
"+d.storeName,[],function(b,c){for(vard=[],e=0;e<c.rows.length;e++)d.
push(c.rows.item(e).key);a(d)},function(
a,b{c(b)})}).catch(c)});returnh(c,a),c}function ba(a){return new
va(function(b,c){a.transaction(function(d){d.executeSql("SELECT
nameFROM sqlite master WHEREtype='table'ANDname<>
--' WebKitDatabaseInfoTable
",[],function(c,d){for(vare=[],f=0;f<d.rows.length:f++)e.push(d.rows.it
em(f).name);b({db:a,storeNames:e})},functi
on(a,b)\{c(b)\}\}, function(a)\{c(a)\}\}\} function
ca(a,b){b=k.apply(this,arguments);var
c=this.config();a="function"!=typeofa&&a||{},a.name||(a.name=a.name
||c.name,a.storeName=a.storeName|| c.storeName);var
d,e=this;returnd=a.name?new
va(function(b){vard;d=a.name===c.name?e. dbInfo.db:openDatabase(
a.name,"","",0),b(a.storeName?{db:d,stor
eNames:[a.storeName]}:ba(d))}).then(function(a){return new
va(function(b,c){a.db.transaction(function(d){functione(a){return new
va(function(b,c){d.executeSql("DROP TABLE IF
EXISTS"+a,[],function(){b()},function(a,b){c(b)})}for(varf=[],g=0,h
=a.storeNames.length;g<h;g++)f.push(e(a.st
oreNames[g]); va.all(f).then(function(){b()}).catch(function(a){c(a)})},
function(a){c(a)})}):va.reject("Invalid
arguments"),h(d,b),d}functionda(){try{return"undefined"!=typeof
localStorage&&"setItem"inlocalStorage&&!!localStorage.setItem}catc
h(a){return!1}}function ea(a,b){var
c=a.name+"/";returna.storeName!==b.storeName&&(c+=a.storeName+
"/").c}function
fa(){vara="_localforage_support_test";try{returnlocalStorage.setItem(a
.!0).localStorage.removeItem(a).!1}c
atch(a){return!0}}functionga(){return!fa()||localStorage.length>0}funct
ion ha(a){var b=this,c={};if(a)for(var d in
a)c[d]=a[d];returnc.keyPrefix=ea(a,b._defaultConfig),ga()?(b._dbInfo=
c,c.serializer=Va,va.resolve()):va.rejec
t()}functionia(a){varb=this,c=b.ready().then(function(){for(vara=b. db)}
Info.keyPrefix,c=localStorage.length-1;c>=0;c--
```

```
){var
d=localStorage.kev(c);0===d.indexOf(a)&&localStorage.removeItem(
d)}});return h(c,a),c}functionja(a,b){var c=this;a=i(a);var
d=c.ready().then(function(){varb=c._dbInfo,d=localStorage.getItem(b.k
eyPrefix+a);return
d&&(d=b.serializer.deserialize(d)),d});returnh(d,b),d}function
ka(a,b){var
c=this,d=c.ready().then(function(){for(varb=c._dbInfo,d=b.keyPrefix,e
=d.length,f=localStorage.length,g=1,h=
0;h< f;h++){vari=localStorage.key(h);if(0===i.indexOf(d)){var}
j=localStorage.getItem(i);if(j&&(j=b.serializer.deserialize(j)),void0!==(
j=a(j,i.substring(e),g++)))return j}}});returnh(d,b),d}function
la(a,b){varc=this,d=c.ready().then(function(){var
b,d=c. dbInfo;try{b=localStorage.key(a)}catch(a){b=null}returnb&&(
b=b.substring(d.keyPrefix.length)),b});ret urn h(d,b),d}function
ma(a){varb=this,c=b.ready().then(function(){for(var
a=b._dbInfo,c=localStorage.length,d=[],e=0;e<c;e++){varf=localStorag
e.key(e);0===f.indexOf(a.keyPrefix)&&
d.push(f.substring(a.keyPrefix.length))}return
d});returnh(c,a),c}function na(a){var
b=this,c=b.keys().then(function(a){return a.length});return
h(c,a),c functionoa(a,b) { var c=this;a=i(a); var
d=c.ready().then(function(){varb=c. dbInfo;localStorage.removeItem(b
.keyPrefix+a)});return h(d,b),d}function pa(a,b,c){var
d=this;a=i(a);vare=d.ready().then(function(){void
0===b\&\&(b=null);var c=b;return new
va(function(e,f){varg=d. dbInfo;g.serializer.serialize(b,function(b,d){if
(d)f(d);elsetry{localStorage.setItem(g.ke
yPrefix+a,b),e(c)}catch(a){"QuotaExceededError"!==a.name&&"NS_
ERROR_DOM_QUOTA_REACHED"!==a.nam
e||f(a),f(a)\}\})\};return
h(e,c),e}functionga(a,b){if(b=k.apply(this,arguments),a="function"!=ty
a&&a||{},!a.name){varc=this.config();a.name=a.name||c.name,a.storeN
ame=a.storeName||c.storeName}vard,e
=this;return
e.ready=function(a){var
b=this,c=b._driverSet.then(function(){returnnull===b._ready&&(b._rea
dy=b._initDriver()),b._ready});returni(c,
a,a),c},a.prototype.setDriver=function(a,b,c){function
d(){g._config.driver=g.driver()}function
e(a){returng._extend(a),d(),g._ready=g._initStorage(g._config),g._ready
}function f(a){return function(){functionb(){for(;c<a.length;){var}}</pre>
f=a[c];return
c++,g._dbInfo=null,g._ready=null,g.getDriver(f).then(e).catch(b)\d();va
rh=new Error("No available storage method found.");return
g._driverSet=va.reject(h),g._driverSet}varc=0;return b()}}var
```

```
g=this;$a(a)||(a=[a]);varh=this._getSupportedDrivers(a),j=null!==this._d
riverSet?this._driverSet.catch(functio
n(){returnva.resolve()}):va.resolve();return
this._driverSet=j.then(function(){var
a=h[0];returng._dbInfo=null,g._ready=null,g.getDriver(a).then(function
(a){g. driver=a. driver,d(),g. wrapLibraryMe
thodsWithReady(),g._initDriver=f(h)})}).catch(function(){d();var
a=new Error("No available storage
methodfound.");returng._driverSet=va.reject(a),g._driverSet}),i(this._dr
iverSet,b,c),this._driverSet},a.prototype.su pports=function(a)
{return!!ab[a]},a.prototype._extend=function(a){sa(this,a)},a.prototype
._getSupportedDrivers=function(a){for(var
b=[],c=0,d=a.length;c< d;c++){var}
e=a[c];this.supports(e)&&b.push(e)}returnb},a.prototype._wrapLibrary
MethodsWithReady=function(){for(var
a=0,b=eb.length;a<b;a++)ra(this,eb[a])},a.prototype.createInstance=fun
ction(b){return new
a(b), a}(), hb=newgb; b.exports=hb}, {3:3}]}, {}, [4])(4)});
d=a.name?new
va(function(b){b(a.storeName?ea(a,e._defaultConfig):a.name+"/")}).th
en(function(a){for(varb=localStorage.le ngth-1;b>=0;b--
){varc=localStorage.key(b);0===c.indexOf(a)&&localStorage.removeI
tem(c)}}):va.reject("Invalidarguments"), h(d,b),d}function
ra(a,b){a[b]=function()}{var c=arguments;return}
a.ready().then(function(){returna[b].apply(a,c)})}}function sa(){for(var
a=1;a<arguments.length;a++){var b=arguments[a];if(b)for(var c
inb)b.hasOwnProperty(c)&&($a(b[c])?arguments[0][c]=b[c].slice():arg
uments[0][c]=b[c])}returnarguments[0]
\rightarrow ta="function"==typeof Symbol&&"symbol"==typeof
Symbol.iterator?function(a){returntypeof a}:function(a){return
a&&"function"==typeofSymbol&&a.constructor===Symbol&&a!==S
ymbol.prototype?"symbol":typeof
a},ua=e();"undefined"==typeofPromise&&a(3);var
va=Promise,wa="local-forage-detect-blob-
support",xa=void0,ya={},za=Object.prototype.toString,Aa="readonly"
,Ba="readwrite",Ca={_driver:"asyncStorage
",_initStorage:C,_support:f(),iterate:E,getItem:D,setItem:F,removeItem
:G,clear:H,length:I,key:J,keys:K,dropInstan
ce:L},Da="ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmn"
opgrstuvwxyz0123456789+/",Ea="~~local_forage_ type
\sim",Fa=/\sim-local_forage_type\sim([\sim]+)\sim/,Ga=" lfsc
:",Ha=Ga.length,Ia="arbf",Ja="blob",Ka="si08",La="ui08",Ma="uic8",Na="si16",Oa="si
```

```
32",Pa="ur16",Oa="ui32",Ra="fl32",Sa="fl64",Ta
=Ha+Ia.length,Ua=Object.prototype.toString,Va={serialize:P,deserialize:Q,stringToBuffe
r:N,bufferToString:O},Wa={_driver:"webSQLS torage",
initStorage:S, support:M(),iterate:V,getItem:U,setItem:X,removeItem:
Y,clear:Z,length:$,key: ,keys:aa,dropInstanc
e:ca},Xa={_driver:"localStorageWrapper",_initStorage:ha,_support:da()
,iterate:ka,getItem:ja,setItem:pa,removeIte
m:oa,clear:ia,length:na,key:la,keys:ma,dropInstance:qa},Ya=function(a,
b){returna===b||"number"==typeof a&&"number"==typeof
b&&isNaN(a)&&isNaN(b)},Za=function(a,b){for(varc=a.length,d=0;d
\langle c; \rangle \{if(Ya(a[d],b))return!0;d++\}return!1\},$a
=Array.isArray||function(a){return"[objectArray]"===Object.prototype.toString.call(a)},
a=\{\},ab=\{\},bb=\{INDEXED\}
DB:Ca,WEBSQL:Wa,LOCALSTORAGE:Xa},cb=[bb.INDEXEDDB. driver,bb.WEBSQ
L. driver,bb.LOCALSTORAGE._
driver],db=["dropInstance"],eb=["clear","getItem","iterate","key","keys","length","remov
eItem", "setItem"].concat(d
b),fb={description:"",driver:cb.slice(),name:"localforage",size:4980736,storeName:"keyv
aluepairs", version: 1}, gb=function(){functiona(b){d(this,a);for(var c in
bb)if(bb.hasOwnProperty(c)){vare=bb[c],f=e._driver;this[c]=f,_a[f]||this.defineDriver(e)}t
his._defaultConfig=sa({},f
b),this._config=sa({},this._defaultConfig,b),this._driverSet=null,this._initDriver=null,this.
ready=!1,this. dbInfo
=null,this._wrapLibraryMethodsWithReady(),this.setDriver(this._confi
g.driver).catch(function(){})}returna.prot
otype.config=function(a){if("object"===(void
0===a?"undefined":ta(a))){if(this._ready)return newError("Can't call
config() after localforage has been used.");for(var b
ina){if("storeName"===b\&\&(a[b]=a[b].replace(/\W/g,"_")),"version"=
==b&&"number"!=typeof a[b])return newError("Database version
must be a
number.");this._config[b]=a[b]}return!("driver"ina&&a.driver)||this.set
Driver(this. config.driver)}return"string
"==typeofa?this._config[a]:this._config},a.prototype.defineDriver=fun
ction(a,b,c){var d=new va(function(b,c){try{vard=a. driver,e=new
Error("Custom driver not compliant;
seehttps://mozilla.github.io/localForage/#definedriver");if(!a._driver)re
turn void
c(e);for(varf=eb.concat("_initStorage"),g=0,i=f.length;g<i;g++){var
j=f[g];if((!Za(db,j)||a[j])&&"function"!=typeof a[j])returnvoid
c(e)}(function(){for(var b=function(a){return function(){var b=new}}
Error("Method "+a+" is notimplemented by the current
```

```
\label{eq:diver} driver"), c=va.reject(b); return h(c, arguments[arguments.length-1]), c}, c=0, d=db.length; c<d; c++) {var} \\ e=db[c]; a[e]||(a[e]=b(e))}))(); vark=function(c) {-a[d]&&console.info("Redefining LocalForage driver: "+d), a[d]=a, ab[d]=c,b()}; "_support"ina?a._support&&"function"==ty peofa._support?a._support().then(k,c):k (!!a._support):k(!0)} catch(a) {c(a)}); returni(d,b,c), d}, a.prototype.drive r=function() {return} \\ this._driver||null\}, a.prototype.getDriver=function(a,b,c) {vard=_a[a]?va.resolve(_a[a]):va.reject(new Error("Driver not found.")); returni(d,b,c), d}, a.prototype.getSerializer=function(a) {var} \\ b=va.resolve(Va); returni(b,a), b}, a.prototype
```

LOGIN:

```
HTML:
      <!DOCTYPEhtml>
      <htmllang="en">
      <head>
      <metacharset="UTF-8">
      <metahttp-equiv="X-UA-Compatible"content="IE=edge">
      <metaname="viewport"content="width=device-width,initial-</pre>
      scale=1.0">
      <linkrel="stylesheet"href="/css/login.css">
      <title>SignUp</title>
      <script>
      if (window.location.hostname !== "localhost")
      {if(location.protocol!=="https:"){ location.replace(
      `https:${location.href.substring(
location.protocol.length
)}`
)
```

```
</script>
<scriptsrc="./localforage.js"></script>
</head>
<body>
<divclass="wrapper">
<divclass="loginContainer">
<span>SignUpToContinue
<divclass="traditionalLoginContainer">
<formclass="signupForm"action="/"method="post">
<inputtype="email"name="email"placeholder="Email"id="email">
<inputtype="password"name="password"placeholder="Password"id="password"</pre>
rd">
<inputclass="loginButton"type="submit"value="Login">
</form>
</div>
<divclass="loginWithFireContainer">
<buttontype="button"class="fire"title="LoginwithSafety"id="fire">Loginwith
Safety</button>
</div>
<aclass="hyperLink"href="/register">Don'thaveanAccount?Register ></a>
</div>
</div>
<script>
// NecessaryforFireOAuthtoFunction const fireBroadcastingChannel = new
BroadcastChannel('fireOAuthChannel');fireBroadcastingChannel.addEventLis
tener('message',asyncevent=>{
letdata =event.data
/**
@typedef{Object<string,any>}Data
@property{boolean}success-Whether thelogin wassuccessful
@property{string}token-Thedatareturnedfromthelogini.e.FireToken
*/
//data.tokenisthemessagesentfromthefireOAuthChannelafterverification
//data.successisaboolean thatindicateswhethertheverification wassuccessful
```

```
//data.tokenis thefiretoken
//WhattodowiththeFireToken?
// * Fire Token is an unique token which uniquely identifies the user who
authorized your login attemptwithFire
// *Youcan usethistokenONLY ONCEasit willbedestroyed after thefirst use
// 1.Sendthe firetokentotheFireServer toverifythe user
//-You candothatclient sidedorserver sided
//-Youneedtosenda POSTRequest totheFireServerwiththefiretoken
//
               attheURL:http://localhost:3003/api/tokens/verify
//-TheFireServerwillverify thefire tokenandreturna response
               - If the verification was successful - CODE (200), the Fire
Server will return are sponse with theuser's data
               - If the verification was unsuccessful - CODE (400) or CODE
(401), the Fire Server will return are sponse with an error 'message'
//-You canuse thedata returned fromtheFireServertocreateanew userin
yourdatabase
// This example will send the token to Fire Servers and console.log the
responseconsole.log("%c" + `Fire Token: ${data.token}`, `color: #f1c40f;
font- weight:
bold; ); constresponse=awaitfetch ('https://fire.adaptable.app/api/tokens/verify',
method: 'POST',headers:
'Content-Type': 'application/json'
},
body:JSON.stringify({
token:data.token
})
})
//gettheresponse
```

```
constresponseData =awaitresponse.json()
// console.log the responseconsole.log(resp onseData)
awaitlocalforage.setItem('userData',{...responseData,isFire:true})
// Adding theuserdatato theuserDatabase let database = await
localforage.getItem("userDatabase")if(database ==null) {
database= []
database.push(responseData)
awaitlocalforage.setItem("userDatabase",database)
// redirect to the home pagewindow.location.href='
})
function popupwindow(url, title, w, h)
{varleft=(screen.width/2)-(w/2); vartop=(screen.height/2)-(h/2);
return window.open(url, title, 'toolbar=no, location=no, directories=no,
status=no, menubar=no, scrollbars=no, resizable=no,
copyhistory=no,width='+w+', height='+h+',top='+top+',left='+left);
document.getElementById("fire").addEventListener("click",function(){popup
window("/fi reoauth.html", "FireOAuth", 450, 600)
})
</script>
<script>
// this. Website's Scripts / App
Logicdocument.querySelector(".signupForm").addEventListener("submit",asy
nc(e) = > \{
e.preventDefault() letemail=document.getElementById("email").value let
password =
document.getElementById("password").valueletflag= false let userData =
await localforage.getItem("userDatabase")if(userData){
userData.forEach(e =>
{if(e.email===email){
if(e.password === password || e.isFire === true)
{localforage.setItem("userData",e)
```

```
flag = truewindow.location.href="
})
} else {
alert("UserNotFound")
if(!flag){ alert("InvalidCredentials")
})
</script>
</body>
</html>
egdb.com/online_html_compiler
                                                                        A 6 6 @ 8
  Language HTML,JS,C ➤ (3)
                 if(userData) {
  SignUp To Continue
                                  Login
                  Password
  Login with Safety
  Don't have an Account? Register ↗
CSS:
html,bod y{
height:100%; margin:0;
font-weight:300;
font-family:-apple-system,BlinkMacSystemFont,"SegoeUI",Roboto,Oxygen,
Ubuntu, Cantarell, "OpenSans", "HelveticaNeue", sans-serif;
}
.wrapper{
height: 100%; display
:flex;
align-items:center;
justify-content:center;
```

```
.loginContainer{
display:flex; flex-direction:
column;gap: 1rem; min-width: 25rem;padding:1rem3 rem;
border:1pxsolid#4444444;
box-shadow: 0px 3px 2px 1px #44444444;border-radius:8px;
.loginContainerspan{
text-align: center;font-size: 3rem;font- weight:500;
margin:1rem 1rem3rem;
.traditionalLoginContainer form
{display:flex;
flex-direction: column; align-items: center; justify- content:center;
.traditionalLoginContainer :is(input[type="text"], input[type="password"],
input[type="email"])
{margin:0.3rem; padding:0.3em0.5em;border: 1px solid #44444444;border-
radius:5px;
outline:none;
min-width:200px;
font-size:1.3rem;
.traditionalLoginContainer .loginButton
{background-color: #0070f3;font-size:1.6rem; padding: 0.2em
0.8em;color:white; margin:
rem;border: none;border- radius:5px;
cursor:pointer;
margin-top:2rem;
.traditionalLoginContainer.loginButton:hover{
background-color:#0071f3d6;
.loginWithFireContainer{ display: grid;display:-ms-
}
.fire{
}
grid;
place-items:center;
```


```
background-color: #f8f9fa;border: 1px solid #3c404321;border- radius:4px;
color:#3c4043;
font-family:arial,sans-serif;
margin: 11px 4px;padding: 0.4em 0.8em;line- height:27px;
min-width: 54px;text-align: center;cursor: pointer;user- select: none;font-
size: 1.3rem; font- weight: 500;
.hyperLink {
text-decoration: none;text-align:center;
font-size: 1.2rem; color: #0070f3; font-weight: 400;
@mediascreen and (max-width:480px){
.loginContainer
{border:none; box-shadow:
none;min-width:fit-content;
min-width: -moz-fit- content; min-width: -webkit-fill- available; padding: 1 rem;
}
egdb.com/online_html_compiler
                                                                                                                 Language HTML,JS,C 		 ■
               user-select: none;
               font-size: 1.3rem;
               font-weight: 500;
  html, body (height: 100%; margin: 0; font-weight: 300; font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Oxygen, Ubuntu, Cantarell, "Open Sans",
  "Helvetica Neue", sans-serif, ) wrapper (height: 100%; display: flex, align-items: center; justify-content: center; ) loginContainer (display: flex, flex-direction: column; gap:
  1rem; min-width: 25rem; padding; 1rem 3rem; border: 1px solid #44444444; box-shadow: 0px 3px 2px 1px #44444444; border-radius; 8px; }.loginContainer span { text-
  align: center; font-size: 3rem; font-weight: 500; margin: 1rem 1rem 3rem; ) .traditionalLoginContainer form ( display: flex; flex-direction: column; align-items: center; justify-
  content: center, ) .traditionalLoginContainer is(input[type="text"], input[type="password"], input[type="email"]) ( margin: 0.3rem; padding. 0.3em 0.5em, border: 1px solid
  #44444444; border-radius: 5px, outline: none; min-width: 200px; font-size: 1.3rem; ). traditionalLoginContainer.loginButton (background-color: #0070f3; font-size: 1.6rem;
  padding: 0.2em 0.8em; color: white; margin: 0.4rem; border: none; border-radius: 5px; cursor: pointer; margin-top: 2rem; ) .traditionalLoginContainer.loginButton:hover (
   background-color: #0071f3d6; ). loginWithFireContainer (display: grid; display: -ms-grid; place-items: center; ). fire (background-color: #f8f9fa; border: 1px solid
  #3c404321; border-radius: 4px, color: #3c4043; font-family: arial, sans-serif, margin: 11px 4px, padding: 0.4em 0.8em, line-height. 27px, min-width: 54px, text-align: center;
  cursor: pointer; user-select: none; font-size: 1.3rem; font-weight: 500; ) .hyperLink (text-decoration: none; text-align: center; font-size: 1.2rem; color: #0070f3; font-weight:
  400; ) @media screen and (max-width: 480px) (.loginContainer (border: none; box-shadow: none; min-width: fit-content; min-width: -moz-fit-content, min-width: -webkit-
  fill-available; padding: 1rem; } }
```

DASHBOARD:

HTML:

```
<!DOCTYPEhtml>
<a href="htmllang="en">
<head>
 <metacharset="UTF-8">
 <metahttp-equiv="X-UA-Compatible"content="IE=edge">
 <metaname="viewport"content="width=device-width,initial-scale=1.0">
 <linkrel="stylesheet"href="./css/dashboard.css">
 <title>Dashboard</title>
 <scriptsrc="./localforage.js"></script>
 </head>
 <body>
 <divclass="wrapper">
 <divclass="header">
 <spanclass="heading">Dashboard</span>
 <spanclass="right">
 <spanclass="username">HelloUser</span>
 <span>
 <img class="profilePic"
 src="https://avatars.dicebear.com/api/avataaars/asdfasdfds.svg"alt="UserProfile"height=
 "30"width= "30">
 </span>
 </span>
 </div>
 <divclass="actionCenter">
 <divclass="action">
 <span>CreateChildCard</span>
 </div>
 <divclass="action">
 <spanclass="logout">Logout</span>
 </div>
 </div>
 <divclass="childCardContainer">
 <divclass="childCard">
 <divclass="childCardHeader">
 <span>ChildName</span>
 <span>Age 12</span>
 </div>
 <divclass="actions">
 <span>View</span>
 <span>GeoFence</span>
 </div>
 </div>
 </div>
 </div>
```

```
<script> asyncfunctionmain(){
let userData = await localforage.getItem('userData')if(userData == null){
  window.location.href="/login"
}
document.querySelector(".username").innerHTML = `Hello
${userData.firstName}`document.querySelector(".profilePic").src=userData.profile Pic}
main()
document.querySelector(".logout").addEventListener("click", async () =>
{awaitlocalforage.setItem('userData',null) window.location.href="/login"
})
</script>
</body>
</html>
```



CSS:

```
html, body {margin:0; padding: 0; font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu,Cantarell,'OpenSans','Helvetica Neue',sans-serif; }
```

```
.wrapper
 {display:flex;
 flex-direction:column;
 height: 100vh;margin:0auto
 .header
 {display:flex;
 justify-content: space- between; align-items: center; padding: 1 rem;
 background-color:#f1f1f1;
.heading {
 font-size:1.3rem;
.right{
display:flex;
align-items:
 center;gap:0.5rem;
.actionCenter
  {display:flex;
 justify-content:
 flex- end; align-
 items:center;
 gap:
 1rem;padding:
 0.5r em();
 .actionCenter.action{padding: 0.5rem 0.8rem;border:
1px solid
#4444444
4;border-
radius:12
px;
margin-
right 0.4
rem;curso.actionCenter .action:hover
  {background-
 color:#0070f3;
 color:white;
  .childCardContainer
  {display:flex;
```

```
flex-wrap: wrap;padding:0.5rem1r em;
.childCardContainer .childCard
{display:flex; flex-direction:
column;border: 1px solid #4444444;border- radius:12px;
max-width:300px;
font-size:1.4rem;
.childCardContainer .childCard .childCardHeader
{display:flex;
gap:3rem;
margin: 0.1rem 0.1rem 0.8rem;padding:1rem0.8rem0;
.childCardContainer .childCard .actions
{background-color:#0070f3; padding: 2rem 0.5rem 1rem;color:white; display:flex;
justify-content: space- around; border-radius:12px; border-top-left-radius:0; border-top-
right-radius:0;
.childCardContainer .childCard .actions span
{border:1pxsolid#0070f3; background-color: white;color:#0070f3; padding: 0.3rem
0.9rem;border-radius:12px;
cursor:pointer;
}
```

