ASSIGNMENT 4

Date	10 November 2022
Team ID	PNT2022TMID06157
Project Name	smart waste management system for
	metropolitan cities
Maximum Marks	4 Marks

Team ID: PNT2022TMID06151

Team Members:

- 1.Team leader-Nandhini S
- 2.Team member-Joshiva S
- 3.Team Member-Mala sri M
- 4.Team member-Nivetha R

QUESTION:


Write code and connections in wokwi for ultrasonic sensor. Whenever distance is less than 100 cms send "alert" to ibm cloud and display in device recent events.

```
CODE:
#include <WiFi.h>
#include
<PubSubClient.h>
                                      byte*
void callback(char*
                       subscribetopic,
                                               payload,
                                                          unsigned
payloadLength);
//----credentials of IBM Accounts-----
#define ORG "Ashfaq1824"//IBM ORGANITION ID
#define DEVICE_TYPE "ESP32"//Device type mentioned in ibm watson IOT Platform
#define DEVICE ID "12345"//Device ID mentioned in ibm watson IOT Platform
#define TOKEN "12345678" //Token
String data3;
                                                      ORG
char
                 server[]
".messaging.internetofthings.ibmcloud.com";
                                                       char
                         "iot-2/evt/Data/fmt/json";
publishTopic[]
                   =
                                                       char
subscribetopic[]
                         "iot-2/cmd/test/fmt/String";
                                                       char
authMethod[] = "use-token-auth";
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
WiFiClient wifiClient;
PubSubClient client(server, 1883, callback, wifiClient);
const int trigPin = 5;
const int echoPin = 18;
```


```
#define
            SOUND_SPEED
0.034 long duration; float
distance;
          void
                  setup()
Serial.begin(115200);
pinMode(trigPin, OUTPUT);
pinMode(echoPin, INPUT);
wificonnect(); mqttconnect();
       void
                loop()
digitalWrite(trigPin,
                      LOW);
delayMicroseconds(2);
digitalWrite(trigPin, HIGH);
delayMicroseconds(10);
digitalWrite(trigPin,
                      LOW);
duration = pulseIn(echoPin,
HIGH); distance = duration *
SOUND SPEED/2;
Serial.print("Distance (cm): ");
Serial.println(distance);
if(distance<100)
Serial.println("ALERT!!"
); delay(1000);
PublishData(distance);
delay(1000); if
(!client.loop()) {
mqttconnect();
} }
delay(1000
); }
void
         PublishData(float
                               dist)
                                        {
mqttconnect();
String payload = "{\"Distance\":";
payload += dist;
payload += ",\"ALERT!!\":""\"Distance less than 100cms\"";
payload += "}";
Serial.print("Sending payload: ");
Serial.println(payload);
if (client.publish(publishTopic, (char*) payload.c_str())) {
Serial.println("Publish ok");
} else {
Serial.println("Publish failed");
} void mqttconnect() {
                                  if
(!client.connected())
                                   {
Serial.print("Reconnecting client to
Serial.println(server);
while (!!!client.connect(clientId, authMethod, token)) {
Serial.print(".");
delay(500);
initManagedDevice();
```

```
Serial.println();
} }
void wificonnect()
Serial.println();
Serial.print("Connecting to ");
WiFi.begin("Wokwi-GUEST", "", 6);
while (WiFi.status() != WL_CONNECTED) {
delay(500);
Serial.print(".");
Serial.println("");
Serial.println("WiFi connected");
Serial.println("IP address: ");
Serial.println(WiFi.localIP());
}
void initManagedDevice() { if
(client.subscribe(subscribetopic)) {
Serial.println((subscribetopic));
Serial.println("subscribe to cmd OK");
} else {
Serial.println("subscribe to cmd FAILED");
} }
void
     callback(char*
                        subscribetopic,
                                          byte*
                                                   payload,
                                                              unsigned
payloadLength) {
Serial.print("callback invoked for topic:
"); Serial.println(subscribetopic); for (int
i = 0; i < payloadLength; i++) {
//Serial.print((char)payload[i]); data3 +=
(char)payload[i];
Serial.println("data:
                                data3);
data3="";
```

SCHEMATIC/CIRCUIT DIAGRAM:



IBM CLOUD OUTPUT:



WOKWI LINK:

https://wokwi.com/projects/347868005979390548