## **Delivery plan sprint-3**

TEAM ID: PNT2022TMID26030

PROJECT NAME: IOT-BASED SAFETY GADGET FOR CHILD SAFETY MONITORING

AND NOTIFICATION

## LOCAL FORAGE:

```
!function(a)
{if("object"==typeof exports&&"undefined"!=typeof module)module.exports=a();
else if("function"==typeof define&&define.amd)define([],a); else{var b;
    b="undefined"!=typeof window?window:"undefined"!=typeof global?global:"undefined"!=typeof
self?self:this,b.localforage=a()}}(function(){ return function a(b,c,d){ function
    e(g,h){if(!c[g]){if(!b[g]){ var i="function"==typeof require&&require; if(!h&&i)return
    i(g,!0);if(f)return f(g,!0); var j=new Error("Cannot find module ""+g+""");
        throw j.code="MODULE_NOT_FOUND",j}var k=c[g]={exports:{}};
        b[g][0].call(k.exports,function(a){
        var c=b[g][1][a];return e(c||a)},k,k.exports,a,b,c,d)}
return c[g].exports}
for(var f="function"==typeof require&&require,g=0;g<d.length;g++)e(d[g]);</pre>
```

```
return e}({1:[function(a,b,c){(function(a){"use strict";
                          function c(){k=!0;for(var a,b,c=l.length;c;){
for(b=l,l=[],a=-1;++a<c;)b[a]();c=l.length}k=!1}
                                                                       function
d(a){1!==l.push(a)||k||e()}var
e,f=a.MutationObserver||a.WebKitMutationObserver;
                         if(f){var g=0.h=new
f(c),i=a.document.createTextNode("");h.observe(i,{characterData:!0}),e=function(){i.data=g=++g%2}} else
if(a.setImmediate void ea.MessageChannel)e="document"in all"onreadystatechange in
a.document.createElement("script") function(){var b=a.
document.createElement("script");b.onreadystatechange-function()(c(),b.
onreadystatechange=null,b.parentNode.removeChild
(b),b=null),a.document.documentElement.appendChild(b)}:function() (setTimeout(c,8));else{var j-new
a.MessageChannel;j.port1.onmessage=c,e-function(){j.port2.postMessage(0)}}var k,1-[];b.exports-
d)).call(this, "undefined"!=typeof global?global: "undefined"!=typeof self?self: "undefined"!=typeof
window?window: {})},{}],2: [function(a,b,c){"use strict"; function d()() function e(a){if("function" I-typeof
a) throw new TypeError("resolver must be a function"); this.states, this.queue=[], this.outcome vald
0,aldi(this,a)} function f(a,b,c){this.promise-a, "function"==typeof b&&(this.onFulfilled-b,
this.callFulfilledthis.otherCallFulfilled), "function"typeof c&&(this.onRejected=c,
```

```
INDEX:
    <!DOCTYPE html>
    <html lang="en" style="height: 100%; margin: 0;">
         <head>
```

```
<meta charset="UTF-8" />
           <meta name="description" content="The Home Page after Logged In" />
           <meta name="viewport" content="width=device-width, initial-scale=1.0" />
           <title>IOT Based Safety Gadget for Child Safety Monitoring and Notification</title>
    <script src="./localforage.js"></script>
          <script>
                if (window.location.hostname !== "localhost") {
                      if (location.protocol !== "https:") {
                            location.replace(
                                  `https:${location.href.substring(
                                       location.protocol.length
                                  )}`
                async function check() {
        let data = localforage.getItem("userData")
if (data == null) {
          window.location.href = "/login"
      check()
          </script>
     </head>
                <body
     style="
```

```
height: 100%;
margin: 0;
font-weight: 300;
 font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu,
Cantarell, 'Open Sans', 'Helvetica Neue',
                      sans-serif;
           11
     >
           <div
                class="wrapper"
          style="
height: 90%;
                                  display:
flex;
                            flex-direction:
column;
                            align-items:
center;
                      justify-content: center;
        text-align: center;
          >
                <div
                      class="details"
           style="
display: flex;
flex-direction: column;
                            align-items: center;
                                             padding: 1rem;
          gap: 20px;
```

```
border-radius: 5px;
    box-shadow: 0 0 8px 0px #44444444;
                                                    max-width:
80%;
                      п
                >
                      <h1 class="name" style="margin: 0"></h1>
                      <div
                           class="imageContainer"
                           style="padding: 10px; height: 10rem; width: 10rem"
                      >
                           <img class="image" alt="profile picture" />
                      </div>
                      <h2 class="email" style="margin: 0"></h2>
        <a style="text-decoration: none;text-align: center;font-size: 1.2rem;color: #0070f3;font-weight:</pre>
400;" href="./dashboard">Go to Dashboard ?</a>
                </div>
          </div>
          <script>
                async function main() {
        let name = document.querySelector(".name")
let image = document.querySelector(".image")
                                                      let
email = document.querySelector(".email")
                                                  let
userData = await localforage.getItem("userData")
if(userData == null) {
          window.location.href = "/login"
```

```
}
    name.innerHTML = `Welcome ${userData.firstName} ${userData.lastName}!`
image.src = userData.profilePic
    email.innerHTML = `Your email is: <a style="text-decoration: none;color: #0072B5;"
href="mailto:${userData.email}">${userData.email}</a>`
    }
    main()
        </script>
    </body>
</html>
```