Project Development - Delivery Of Sprint-1

Date	14 November 2022
Team ID	PNT2022TMID39165
Project Name	IoT Based Safety Gadget for Child Safety
	Monitoring & Notification

INDEX

HTML CODE:

```
<!DOCTYPE html>
   <a href="https://en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wish.com/html/en.wis
<head>
    <meta charset="UTF-8"/>
                                                             <meta name="description" content="The Home Page after</pre>
   Logged In" />
                                                             <meta name="viewport" content="width=device-width, initial-</pre>
   scale=1.0"/>
                                                             <title>IOT Based Safety Gadget for Child Safety Monitoring and
    Notification</title>
                                <script src="./LOCALFORAGE.js"></script>
                                                             <script>
                                                                                          if (window.location.hostname !== "localhost")
                                                                                                                         {if (location.protocol !== "https:") {
                                                                                                                                                     location.replace(
                                                                                                                                                                                  `https:\{\location.href.substring(\location.pro
                                                                                                                                                                                                               tocol.length
  )}`
```

```
}
                   }
                   async function check() {
         let data = localforage.getItem("userData")if
         (data == null) {
           window.location.href = "/login"
         }
       }
      check()
      </script>
      </head>
      <br/>body
            style="
                   height: 100%;
                   margin: 0;
                   font-weight: 300;
                   font-family: -apple-system, BlinkMacSystemFont, 'Segoe
UI', Roboto,
                         Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica
Neue',
                         sans-serif;
```

```
<div
                  class="wrapper"
                  style="
                          height: 90%;
                          display: flex;
                          flex-direction: column;
                          align-items: center;
                          justify-content: center;
                                text-align: center;
            <div
                          class="details"
                          style="
                                display: flex;
                                flex-direction: column;
                                align-items: center; gap:
                                20px;
                                padding: 1rem;
                                border-radius: 5px;
                                box-shadow: 0 0 8px 0px #44444444;
                                max-width: 80%;
                          ••
                          <h1 class="name" style="margin: 0"></h1>
```

```
<div
                               class="imageContainer"
                               style="padding: 10px; height: 10rem; width:
10rem"
                        >
                               <img class="image" alt="profile picture" />
                         </div>
                         <h2 class="email" style="margin: 0"></h2>
        <a style="text-decoration: none;text-align: center;font-size:</pre>
1.2rem;color: #0070f3;font-weight: 400;" href="./dashboard">Go to
Dashboard / </a>
                  </div>
            </div>
            <script>
                  async function main() {
        let name = document.querySelector(".name") let
        image = document.querySelector(".image")let
        email = document.querySelector(".email")
        let userData = await localforage.getItem("userData")
        if(userData == null) {
           window.location.href = "/login"
        }
        name.innerHTML = `Welcome ${userData.firstName}
${userData.lastName}!`
        image.src = userData.profilePic
```

```
email.innerHTML = `Your email is: <a style="text-decoration: none;color: #0072B5;"
href="mailto:${userData.email}">${userData.email}</a>`
}
main()
</script>
</body>
```

OUTPUT:



LOCAL FORAGE:

```
!function(a)
   {if("object"==typeof exports&&"undefined"!=typeof
   module)module.exports=a();
    else if("function"==typeof define&&define.amd)define([],a);
    else {var b;
      b="undefined"!=typeof window?window:"undefined"!=typeof
   global?global:"undefined"!=typeof
   self?self:this,b.localforage=a()}}(function(){
    return function a(b,c,d){
     function e(g,h)\{if(!c[g])\{if(!b[g])\}
      var i="function"==typeof require&&require;
      if(!h\&\&i)return i(g,!0);if(f)return f(g,!0);
      var j=new Error("Cannot find module ""+g+""");
      throw j.code="MODULE NOT FOUND",j}var
                    k=c[g]=\{exports:\{\}\};
                    b[g][0].call(k.exports,function(a){
                     var c=b[g][1][a]; return e(c||a)}, k, k. exports, a, b, c, d)}
              return c[g].exports}
     for(var f="function"==typeof require&&require,g=0;g<d.length;g++)e(d[g]);
     return e}({1:[function(a,b,c){(function(a){"use strict";
                             function c(){k=!0;for(var a,b,c=l.length;c;){
                              for(b=1,1=[],a=-1;++a<c;)b[a]();c=1.length\}k=!1
                             function d(a)\{1!==1.push(a)||k||e()\}var
   e,f=a.MutationObserver||a.WebKitMutationObserver;
                             if(f){var g=0,h=new
   f(c),i=a.document.createTextNode("");h.observe(i,{characterData:!0}),e=f
   unction()\{i.data=g=++g\%2\}
                             else if(a.setImmediate||void
   0===a.MessageChannel)e="document"in a&&"onreadystatechange"in
   a.document.createElement("script")?function(){var
   b=a.document.createElement("script");b.onreadystatechange=function() { c(),
   b.onreadystatechange=null,b.parentNode.removeChild(b),b=null},a.d
   ocument.documentElement.appendChild(b)}:function(){setTimeout(c,0)};
   else {var i=new
   a.MessageChannel;j.port1.onmessage=c,e=function(){i.port2.postMessag
   e(0)}}var k,l=[];b.exports=d}).call(this,"undefined"!=typeof
   global?global:"undefined"!=typeof self?self:"undefined"!=typeof
   window?window: {})}, {{}],2:[function(a,b,c){"use strict";function
   d(){} function e(a){if("function"!=typeof a)throw new TypeError("resolver
   must be a function");this.state=s,this.queue=[],this.outcome=void
```

```
b&&(this.onFulfilled=b,this.callFulfilled=this.otherCallFulfilled),"function"
==typeof
c&&(this.onRejected=c,this.callRejected=this.otherCallRejected)} function
g(a,b,c){o(function()}{var d;try}{d=b(c)}catch(b)}{return}
p.reject(a,b)}d===a?p.reject(a,new TypeError("Cannot resolve promise
with itself")):p.resolve(a,d)})}function h(a){var
b=a&&a.then;if(a&&("object"==typeof a||"function"==typeof
a)&&"function"==typeof b)return
function(){b.apply(a,arguments)}}function i(a,b){function
c(b)\{f||(f=!0,p.reject(a,b))\} function d(b)\{f||(f=!0,p.resolve(a,b))\} function
e()\{b(d,c)\}\var f=!1,g=i(e);"error"===g.status&&c(g.value)\}function
j(a,b){var
c={};try{c.value=a(b),c.status="success"}catch(a){c.status="error",c.value
=a}return c}function k(a){return a instance of this?a:p.resolve(new
this(d),a) function l(a) {var b=new this(d);return p.reject(b,a)} function
m(a) {function b(a,b) {function
d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))\}c.resolve(a).then(d,function(j,g))
a) \{f | (f=!0, p.reject(j,a))\} \} var c=this;if("[object
Array]"!==Object.prototype.toString.call(a))return this.reject(new
TypeError("must be an array"));var e=a.length,f=!1;if(!e)return
this.resolve([]);for(var g=new Array(e),h=0,i=-1,j=new
this(d);++i < e;)b(a[i],i);return j} function n(a){function
b(a){c.resolve(a).then(function(a){f||(f=!0,p.resolve(h,a))},function(a){f||}
(f=!0,p.reject(h,a))}) var c=this;if("[object
Array]"!==Object.prototype.toString.call(a))return this.reject(new
TypeError("must be an array"));var e=a.length,f=!1;if(!e)return
this.resolve([]);for(var g=-1,h=new this(d);++g<e;)b(a[g]);return h}var
o=a(1),p={},q=["REJECTED"],r=["FULFILLED"],s=["PENDING"];b.exp
orts=e.
e.prototype.catch=function(a){return
this.then(null,a)},e.prototype.then=function(a,b){if("function"!=typeof
a&&this.state===r||"function"!=typeof b&&this.state===q)return this;var
c=new
this.constructor(d);if(this.state!==s){g(c,this.state===r?a:b,this.outcome)}
else this.queue.push(new f(c,a,b));return
c},f.prototype.callFulfilled=function(a){p.resolve(this.promise,a)},f.protot
ype.otherCallFulfilled=function(a){g(this.promise,this.onFulfilled,a)},f.pro
totype.callRejected=function(a){p.reject(this.promise,a)},f.prototype.oth
erCallRejected=function(a){g(this.promise,this.onRejected,a)},p.resolve=f
unction(a,b){var c=j(h,b);if("error"===c.status)return
```

 $0,a!==d\&\&i(this,a)\}$ function $f(a,b,c)\{this.promise=a,"function"==typeof$

```
p.reject(a,c.value);var
d=c.value;if(d)i(a,d);else{a.state=r,a.outcome=b;for(var e=-
1,f=a.queue.length;++e<f;)a.queue[e].callFulfilled(b)}return
a},p.reject=function(a,b){a.state=q,a.outcome=b;for(var c=-
1,d=a.queue.length;++c<d;)a.queue[c].callRejected(b);return
a},e.resolve=k,e.reject=l,e.all=m,e.race=n},{1:1}],3:[function(a,b,c){(function(a,b,c),c)}]
on(b){"use strict";"function"!=typeof
b.Promise&&(b.Promise=a(2))}).call(this,"undefined"!=typeof
global?global:"undefined"!=typeof self?self:"undefined"!=typeof
window?window:{})},{2:2}],4:[function(a,b,c){"use strict";function
d(a,b){if(!(a instanceof b))throw new TypeError("Cannot call a class as a
function") function e() {try {if("undefined"!=typeof indexedDB)return
indexedDB;if("undefined"!=typeof webkitIndexedDB)return
webkitIndexedDB;if("undefined"!=typeof mozIndexedDB)return
mozIndexedDB;if("undefined"!=typeof OIndexedDB)return
OIndexedDB;if("undefined"!=typeof msIndexedDB)return
msIndexedDB\catch(a)\{return\}\function
f(){try{if(!ua||!ua.open)return!1;var a="undefined"!=typeof
openDatabase&&/(Safari|iPhone|iPad|iPod)/.test(navigator.userAgent)
&&!/Chrome/.test(navigator.userAgent)&&!/BlackBerry/.test(navigator.
platform),b="function"==typeof fetch&&-
1!==fetch.toString().indexOf("[native
code");return(!a||b)&&"undefined"!=typeof
indexedDB&&"undefined"!=typeof
IDBKeyRange}catch(a){return!1}}function
g(a,b){a=a||[],b=b||{};try{return new}}
Blob(a,b)}catch(f){if("TypeError"!==f.name)throw f;for(var
c="undefined"!=typeof BlobBuilder?BlobBuilder:"undefined"!=typeof
MSBlobBuilder?MSBlobBuilder:"undefined"!=typeof
MozBlobBuilder?MozBlobBuilder:WebKitBlobBuilder,d=new
c,e=0;e<a.length;e+=1)d.append(a[e]);return d.getBlob(b.type)}}function
h(a,b){b&&a.then(function(a){b(null,a)},function(a){b(a)})}function
i(a,b,c){"function"==typeof b&&a.then(b),"function"==typeof
c&&a.catch(c)} function j(a){return"string"!=typeof a&&(console.warn(a+"
used as a key, but it is not a string."),a=String(a)),a}function
k(){if(arguments.length&&"function"==typeof
arguments[arguments.length-1])return arguments[arguments.length-
1] function l(a) {for(var b=a.length,c=new ArrayBuffer(b),d=new
Uint8Array(c),e=0;e<b;e++)d[e]=a.charCodeAt(e);return c} function
```

```
m(a){return new va(function(b){var
c=a.transaction(wa,Ba),d=g([""]);c.objectStore(wa).put(d,"key"),c.onabor
t=function(a){a.preventDefault(),a.stopPropagation(),b(!1)},c.oncomplete
=function(){var
a=navigator.userAgent.match(/Chrome\/(\d+)/),c=navigator.userAgent.
match(/EdgeV/);b(c||!a||parseInt(a[1],10)>=43)\}).catch(function()\{retu
rn!1})}function n(a){return"boolean"==typeof
xa?va.resolve(xa):m(a).then(function(a){return xa=a})}function o(a){var
b=ya[a.name],c={};c.promise=new
va(function(a,b){c.resolve=a,c.reject=b}),b.deferredOperations.push(c),b.
dbReady?b.dbReady=b.dbReady.then(function(){return
c.promise}):b.dbReady=c.promise}function p(a){var
b=ya[a.name],c=b.deferredOperations.pop();if(c)return
c.resolve(),c.promise} function q(a,b){var
c=ya[a.name],d=c.deferredOperations.pop();if(d)return
d.reject(b),d.promise} function r(a,b) {return new
va(function(c,d)\{if(ya[a.name]=ya[a.name]||B(),a.db)\{if(!b)return\}\}
c(a.db);o(a),a.db.close() var e=[a.name];b&&e.push(a.version);var
f=ua.open.apply(ua,e);b&&(f.onupgradeneeded=function(b){var
c=f.result;try{c.createObjectStore(a.storeName),b.oldVersion<=1&&c.cre
ateObjectStore(wa)\} catch(c) \{ if("ConstraintError"! == c.name) throw
c;console.warn('The database "'+a.name+" has been upgraded from version
'+b.oldVersion+" to version "+b.newVersion+', but the storage
"'+a.storeName+" already
exists.')}}),f.onerror=function(a){a.preventDefault(),d(f.error)},f.onsucces
s=function(){var
b=f.result;b.onversionchange=function(a){a.target.close()},c(b),p(a)}}}fun
ction s(a){return r(a,!1)}function t(a){return r(a,!0)}function
u(a,b){if(!a.db)return!0;var
c=!a.db.objectStoreNames.contains(a.storeName),d=a.version<a.db.versi
on,e=a.version>a.db.version;if(d&&(a.version!==b&&console.warn('The
database "'+a.name+"\" can't be downgraded from version "+a.db.version+"
to version "+a.version+"."),a.version=a.db.version),e||c){if(c){var
f=a.db.version+1;f>a.version&&(a.version=f)}return!0}return!1}function
v(a){return new va(function(b,c){var d=new
FileReader;d.onerror=c,d.onloadend=function(c){var
d=btoa(c.target.result||"");b({ local forage encoded blob:!0,data:d,ty
pe:a.type})},d.readAsBinaryString(a)})}function w(a){return
g([l(atob(a.data))], \{type:a.type\})\} function x(a)\{return\}
```

```
a&&a. local forage encoded blob} function y(a) {var
b=this,c=b. initReady().then(function(){var
a=ya[b. dbInfo.name];if(a&&a.dbReady)return a.dbReady});return
i(c,a,a),c function z(a) {o(a); for (var
b=ya[a.name],c=b.forages,d=0;d<c.length;d++){var
e=c[d];e. dbInfo.db&&(e. dbInfo.db.close(),e. dbInfo.db=null)}return
a.db=null,s(a).then(function(b){return
a.db=b,u(a)?t(a):b}).then(function(d){a.db=b.db=d;for(var
e=0;e<c.length;e++)c[e]. dbInfo.db=d}).catch(function(b){throw
q(a,b),b} function A(a,b,c,d){void 0===d&&(d=1);try{var}
e=a.db.transaction(a.storeName,b);c(null,e)}catch(e){if(d>0&&(!a.db||"I
nvalidStateError"===e.name||"NotFoundError"===e.name))return
va.resolve().then(function(){if(!a.db||"NotFoundError"===e.name&&!a.d
b.objectStoreNames.contains(a.storeName)&&a.version<=a.db.version)r
eturn a.db&&(a.version=a.db.version+1),t(a)}).then(function(){return}
z(a).then(function(){A(a,b,c,d-1)})).catch(c);c(e)}}function
B(){return{forages:[],db:null,dbReady:null,deferredOperations:[]}}function
C(a){function b(){return va.resolve()}var c=this,d={db:null};if(a)for(var e
in a)d[e]=a[e];var
f=ya[d.name];f||(f=B(),ya[d.name]=f),f.forages.push(c),c. initReady||(c.
initReady=c.ready,c.ready=y);for(var g=[],h=0;h<f.forages.length;h++){var
i=f.forages[h];i!==c&&g.push(i. initReady().catch(b))}var
j=f.forages.slice(0);return va.all(g).then(function(){return
d.db=f.db,s(d)}).then(function(a){return
d.db=a,u(d,c. defaultConfig.version)?t(d):a}).then(function(a){d.db=f.db=
a,c. dbInfo=d;for(var b=0;b<j.length;b++){var
e=i[b]:e!==c&&(e. dbInfo.db=d.db.e. dbInfo.version=d.version)}}}functi
on D(a,b){var c=this;a=i(a);var d=new
va(function(b,d){c.ready().then(function(){A(c. dbInfo,Aa,function(e,f){if(
e)return d(e);try{var
g=f.objectStore(c. dbInfo.storeName),h=g.get(a);h.onsuccess=function(){ v
ar a=h.result;void
0 === a\&\&(a=null), x(a)\&\&(a=w(a)), b(a)\}, h.onerror=function()\{d(h.error)\}\}
atch(a){d(a)}).catch(d)); return h(d,b),d function E(a,b){var
c=this,d=new
va(function(b,d){c.ready().then(function(){A(c. dbInfo,Aa,function(e,f){if(
e)return d(e);try{var
g=f.objectStore(c. dbInfo.storeName),h=g.openCursor(),i=1;h.onsuccess=
function(){var c=h.result;if(c){var d=c.value;x(d)&&(d=w(d));var
e=a(d,c.key,i++);void 0!==e?b(e):c.continue()else
```

```
b(), h.onerror=function(){d(h.error)}}catch(a){d(a)}}).catch(d)});return
h(d,b),d function F(a,b,c) {var d=this;a=j(a);var e=new va(function(c,e)) {var
f;d.ready().then(function(){return f=d. dbInfo,"[object
Blob]"===za.call(b)?n(f.db).then(function(a){return
a?b:v(b)}):b}).then(function(b){A(d. dbInfo,Ba,function(f,g){if(f)return}}
e(f);try{var h=g.objectStore(d. dbInfo.storeName);null===b&&(b=void
0);var i=h.put(b,a);g.oncomplete=function(){void
0===b&&(b=null),c(b)},g.onabort=g.onerror=function(){var
a=i.error?i.error:i.transaction.error;e(a)}}catch(a){e(a)}})}).catch(e)});retu
rn h(e,c),e}function G(a,b){var c=this;a=j(a);var d=new
va(function(b,d){c.ready().then(function(){A(c. dbInfo,Ba,function(e,f){if(
e)return d(e);try{var
g=f.objectStore(c. dbInfo.storeName),h=g.delete(a);f.oncomplete=functi
on(){b()},f.onerror=function(){d(h.error)},f.onabort=function(){var
a=h.error?h.error:h.transaction.error;d(a)}catch(a){d(a)}}).catch(d)});re
turn h(d,b),d function H(a) {var b=this,c=new
va(function(a,c){b.ready().then(function(){A(b. dbInfo,Ba,function(d,e){if
(d)return c(d);try{var
f=e.objectStore(b. dbInfo.storeName),g=f.clear();e.oncomplete=function(
){a()},e.onabort=e.onerror=function(){var
a=g.error?g.error:g.transaction.error;c(a)}catch(a){c(a)}}).catch(c)});ret
urn h(c,a),c function I(a) {var b=this,c=new
va(function(a,c){b.ready().then(function(){A(b. dbInfo,Aa,function(d,e){if
(d)return c(d);try{var
f=e.objectStore(b. dbInfo.storeName),g=f.count();g.onsuccess=function()
\{a(g.result)\},g.onerror=function()\{c(g.error)\}\} catch(a)\{c(a)\}\}\}).catch(c)\{c(g.error)\}
r eturn h(c,a),c} function J(a,b){var c=this,d=new
va(function(b,d){if(a<0)return void
b(null);c.ready().then(function(){A(c. dbInfo,Aa,function(e,f){if(e)return}}
d(e);try{var
g=f.objectStore(c. dbInfo.storeName),h=!1,i=g.openKeyCursor();i.onsucc
ess=function(){var c=i.result;if(!c)return void
b(null);0===a?b(c.key):h?b(c.key):(h=!0,c.advance(a))},i.onerror=function(
\{d(i.error)\}\ catch(a)\{d(a)\}\}\}.catch(d)\{);return h(d,b),d\} function
K(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){A(b. dbInfo,Aa,function(d,e){if
(d)return c(d);try{var
f=e.objectStore(b. dbInfo.storeName),g=f.openKeyCursor(),h=[];g.onsucc
ess=function(){var b=g.result;if(!b)return void
a(h);h.push(b.key),b.continue()},g.onerror=function(){c(g.error)}}catch(a){
```

```
c(a)})).catch(c)});return h(c,a),c}function
L(a,b){b=k.apply(this,arguments);var c=this.config();a="function"!=typeof
a&&a||{},a.name||(a.name=a.name||c.name,a.storeName=a.storeNam
e||c.storeName);var d,e=this;if(a.name){var
f=a.name===c.name&&e. dbInfo.db,g=f?va.resolve(e. dbInfo.db):s(a).th
en(function(b){var c=ya[a.name],d=c.forages;c.db=b;for(var
e=0;e<d.length;e++)d[e]. dbInfo.db=b;return
b});d=a.storeName?g.then(function(b){if(b.objectStoreNames.contains(a.
storeName)){var c=b.version+1;o(a);var
d=ya[a.name],e=d.forages;b.close();for(var f=0;f<e.length;f++){var
g=e[f];g. dbInfo.db=null,g. dbInfo.version=c}return new
va(function(b,d){var
e=ua.open(a.name,c);e.onerror=function(a){e.result.close(),d(a)},e.onupg
radeneeded=function(){e.result.deleteObjectStore(a.storeName)},e.onsu
ccess=function(){var
a=e.result; a.close(),b(a)).then(function(a){d.db=a;for(var)
b=0;b < e.length;b++) {var}
c=e[b];c. dbInfo.db=a,p(c. dbInfo))).catch(function(b)\{throw(q(a,b)||va.
resolve()).catch(function(){}),b})}}):g.then(function(b){o(a);var
c=ya[a.name],d=c.forages;b.close();for(var
e=0;e<d.length;e++){d[e]. dbInfo.db=null}return new va(function(b,c){var}
d=ua.deleteDatabase(a.name);d.onerror=function(){var
a=d.result;a&&a.close(),c(d.error)},d.onblocked=function(){console.warn('
dropInstance blocked for database "'+a.name+" until all open connections
are closed')},d.onsuccess=function(){var
a=d.result;a&&a.close(),b(a)}).then(function(a){c.db=a;for(var)})
b=0;b<d.length;b++)p(d[b]. dbInfo).catch(function(b){throw(q(a,b)||va.
resolve()).catch(function(){}),b})}else d=va.reject("Invalid
arguments");return h(d,b),d} function M(){return"function"==typeof
openDatabase} function N(a) {var
b,c,d,e,f,g=.75*a.length,h=a.length,i=0;"="===a[a.length-1]&&(g--
"="==a[a.length-2]&&g--);var j=new ArrayBuffer(g),k=new
Uint8Array(j);for(b=0;b<h;b+=4)c=Da.indexOf(a[b]),d=Da.indexOf(a[b+1])
e=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+3]),k[i++]=c<<2|d>>4,k[i++]=(15)
&d)<<4|e>>2,k[i++]=(3\&e)<<6|63\&f;return j}function O(a){var b,c=new
Uint8Array(a),d="";for(b=0;b<c.length;b+=3)d+=Da[c[b]>>2],d+=Da[(3&c)
[b] < 4|c[b+1] >> 4], d+=Da[(15&c[b+1]) < 2|c[b+2] >> 6], d+=Da[63&c[b+2]
eturn c.length%3==2?d=d.substring(0,d.length-
1)+"=":c.length\%3==1&&(d=d.substring(0,d.length-2)+"=="),d}function
P(a,b){var c="";if(a&&(c=Ua.call(a)),a&&("[object])
```

```
ArrayBuffer]"===c||a.buffer&&"[object
ArrayBuffer]"===Ua.call(a.buffer))){var d,e=Ga;a instanceof
ArrayBuffer?(d=a,e+=Ia):(d=a.buffer,"[object
Int8Array]"===c?e+=Ka:"[object Uint8Array]"===c?e+=La:"[object
Uint8ClampedArray]"===c?e+=Ma:"[object
Int16Array]"===c?e+=Na:"[object Uint16Array]"===c?e+=Pa:"[object
Int32Array]"===c?e+=Oa:"[object Uint32Array]"===c?e+=Qa:"[object
Float32Array]"===c?e+=Ra:"[object Float64Array]"===c?e+=Sa:b(new
Error("Failed to get type for BinaryArray"))),b(e+O(d))}else if("[object
Blob]"===c){var f=new FileReader; f.onload=function(){var
c=Ea+a.type+"~"+O(this.result);b(Ga+Ja+c)},f.readAsArrayBuffer(a)}else
try{b(JSON.stringify(a))}catch(c){console.error("Couldn't convert value
into a JSON string: ",a),b(null,c)}}function
Q(a){if(a.substring(0,Ha)!==Ga)return JSON.parse(a);var
b,c=a.substring(Ta),d=a.substring(Ha,Ta);if(d===Ja\&\&Fa.test(c)){var
e=c.match(Fa);b=e[1],c=c.substring(e[0].length)\}var f=N(c);switch(d)\{case
Ia:return f;case Ja:return g([f],{type:b});case Ka:return new
Int8Array(f); case La:return new Uint8Array(f); case Ma:return new
Uint8ClampedArray(f); case Na:return new Int16Array(f); case Pa:return new
Uint16Array(f); case Oa:return new Int32Array(f); case Qa:return new
Uint32Array(f); case Ra:return new Float32Array(f); case Sa:return new
Float64Array(f);default:throw new Error("Unkown type: "+d)}}function
R(a,b,c,d){a.executeSql("CREATE TABLE IF NOT EXISTS
"+b.storeName+" (id INTEGER PRIMARY KEY, key unique,
value)",[],c,d)}function S(a){var b=this,c={db:null};if(a)for(var d in
a)c[d]="string"!=typeof a[d]?a[d].toString():a[d];var e=new
va(function(a,d){try{c.db=openDatabase(c.name,String(c.version),c.descri
ption,c.size)}catch(a){return
d(a)c.db.transaction(function(e){R(e,c,function(){b. dbInfo=c,a()},function(){b. dbInfo=c,a()},function(){b. dbInfo=c,a()}
n(a,b)\{d(b)\}\},d)\}; return c.serializer=Va,e} function
T(a,b,c,d,e,f){a.executeSql(c,d,e,function(a,g){g.code===g.SYNTAX ERR?}
a. executeSql("SELECT name FROM sqlite master WHERE type='table'
AND name
= ?",[b.storeName],function(a,h){h.rows.length?f(a,g):R(a,b,function(){a.e
xecuteSql(c,d,e,f), f); f(a,g), f) function U(a,b) {var c=this; a=i(a); var
d=new va(function(b,d){c.ready().then(function(){var
e=c. dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM
"+e.storeName+" WHERE key = ? LIMIT 1",[a],function(a,c){var
d=c.rows.length?c.rows.item(0).value:null;d&&(d=e.serializer.deserialize(d)
),b(d), function(a,b){d(b)})}).catch(d)});return h(d,b),d}function
```

```
V(a,b){var c=this,d=new va(function(b,d){c.ready().then(function(){var
e=c. dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM
"+e.storeName,[],function(c,d){for(var
f=d.rows,g=f.length,h=0;h< g;h++){var
i=f.item(h),j=i.value;if(j&&(j=e.serializer.deserialize(j)),void
0!==(i=a(i,i.kev,h+1)))return void
b(j)}b()},function(a,b){d(b)})}).catch(d)});return h(d,b),d}function
W(a,b,c,d){var e=this;a=i(a);var f=new
va(function(f,g) \{e.ready().then(function() \{void 0 === b \& \& (b = null); var \})\}
h=b,i=e. dbInfo;i.serializer.serialize(b,function(b,j){j?g(j):i.db.transaction(f
unction(c){T(c,i,"INSERT OR REPLACE INTO "+i.storeName+" (key,
value) VALUES
(?,?)",[a,b],function(){f(h)},function(a,b){g(b)})},function(b){if(b.code===
b.QUOTA ERR){if(d>0)return void f(W.apply(e,[a,h,c,d-
1]));g(b)})}).catch(g)});return h(f,c),f}function X(a,b,c){return
W.apply(this,[a,b,c,1]) function Y(a,b) {var c=this;a=i(a);var d=new
va(function(b,d){c.ready().then(function(){var
e=c. dbInfo;e.db.transaction(function(c){T(c,e,"DELETE FROM
"+e.storeName+" WHERE key
= ?",[a],function()\{b()\},function(a,b)\{d(b)\})\}).catch(d)\});return
h(d,b),d function Z(a) {var b=this,c=new
va(function(a,c){b.ready().then(function(){var
d=b. dbInfo;d.db.transaction(function(b){T(b,d,"DELETE FROM
"+d.storeName,[],function()\{a()\},function(a,b)\{c(b)\}\}).catch(c)\});return
h(c,a),c function (a) {var b=this,c=new
va(function(a,c){b.ready().then(function(){var
d=b. dbInfo;d.db.transaction(function(b){T(b,d,"SELECT COUNT(key) as
c FROM "+d.storeName,[],function(b,c){var
d=c.rows.item(0).c;a(d), function(a,b){c(b)})}).catch(c)});return
h(c,a),c function (a,b) {var c=this,d=new
va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT key FROM
"+e.storeName+" WHERE id = ? LIMIT 1",[a+1],function(a,c){var
d=c.rows.length?c.rows.item(0).key:null;b(d){,function(a,b){d(b){)}}}.catc
h(d));return h(d,b),dfunction aa(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){var
d=b. dbInfo;d.db.transaction(function(b){T(b,d,"SELECT key FROM
"+d.storeName,[],function(b,c){for(var
d=[],e=0;e<c.rows.length;e++)d.push(c.rows.item(e).key);a(d)\},function(a,
b) \{c(b)\}\}.catch\{c(c)\}; return \{c(c,a),c\} function \{c(c,a),c\}
```

```
va(function(b,c){a.transaction(function(d){d.executeSql("SELECT name
FROM sqlite master WHERE type='table' AND name <>
'__WebKitDatabaseInfoTable__''',[],function(c,d){for(var
e=[],f=0;f<d.rows.length;f++)e.push(d.rows.item(f).name);b({db:a,storeN
ames:e\})\},function(a,b)\{c(b)\})\},function(a)\{c(a)\})\})\}function
ca(a,b){b=k.apply(this,arguments);var c=this.config();a="function"!=typeof
a&&a||{},a.name||(a.name=a.name||c.name,a.storeName=a.storeNam
e||c.storeName);var d,e=this;return d=a.name?new va(function(b){var
d;d=a.name===c.name?e. dbInfo.db:openDatabase(a.name,"","",0),b(a.s
toreName?{db:d,storeNames:[a.storeName]}:ba(d))}).then(function(a){re
turn new va(function(b,c){a.db.transaction(function(d){function e(a){return}}
new va(function(b,c){d.executeSql("DROP TABLE IF EXISTS
"+a,[],function()\{b()\},function(a,b)\{c(b)\})\})for(var
f=[],g=0,h=a.storeNames.length;g<h;g++)f.push(e(a.storeNames[g]));va.al
l(f).then(function()\{b()\}).catch(function(a)\{c(a)\})\},function(a)\{c(a)\})\}):v
a.reject("Invalid arguments"),h(d,b),d} function
da(){try{return"undefined"!=typeof localStorage&&"setItem"in
localStorage&&!!localStorage.setItem}catch(a){return!1}}function
ea(a,b){var c=a.name+"/";return
a.storeName!==b.storeName&&(c+=a.storeName+"/"),c}function fa(){var
a=" localforage support test";try{return
localStorage.setItem(a,!0),localStorage.removeItem(a),!1}catch(a){return
!0}} function ga(){return!fa()||localStorage.length>0} function ha(a){var
b=this,c=\{\};if(a)for(var d in a)c[d]=a[d];return
c.keyPrefix=ea(a,b. defaultConfig),ga()?(b. dbInfo=c,c.serializer=Va,va.re
solve()):va.reject()}function ia(a){var
b=this,c=b.ready().then(function(){for(var
a=b. dbInfo.keyPrefix,c=localStorage.length-1;c>=0;c--){var
d=localStorage.key(c);0===d.indexOf(a)&&localStorage.removeItem(d)}})
;return h(c,a),c function ja(a,b) {var c=this;a=j(a);var
d=c.ready().then(function(){var
b=c. dbInfo,d=localStorage.getItem(b.keyPrefix+a);return
d&&(d=b.serializer.deserialize(d)),d});return h(d,b),d}function ka(a,b){var
c=this,d=c.ready().then(function(){for(var
b=c. dbInfo,d=b.keyPrefix,e=d.length,f=localStorage.length,g=1,h=0;h<f;h
++){var i=localStorage.key(h);if(0===i.indexOf(d)){var
j=localStorage.getItem(i);if(j&&(j=b.serializer.deserialize(j)),void
0!==(j=a(j,i.substring(e),g++)))return j}}};return
h(d,b),d}functionla(a,b){var c=this,d=c.ready().then(function(){var
```

```
b,d=c. dbInfo;try{b=localStorage.key(a)}catch(a){b=null}return
b&&(b=b.substring(d.keyPrefix.length)),b});return h(d,b),d}function
ma(a) {var b=this,c=b.ready().then(function() {for(var
a=b. dbInfo,c=localStorage.length,d=[],e=0;e<c;e++){var}
f=localStorage.key(e);0===f.indexOf(a.keyPrefix)&&d.push(f.substring(a.k
eyPrefix.length))}return d});return h(c,a),c}function na(a){var
b=this,c=b.keys().then(function(a){return a.length});return h(c,a),c}function
oa(a,b){var c=this;a=i(a);var d=c.ready().then(function(){var
b=c. dbInfo;localStorage.removeItem(b.keyPrefix+a)});return
h(d,b),d function pa(a,b,c) {var d=this;a=j(a);var
e=d.ready().then(function(){void 0===b&&(b=null);var c=b;return new
va(function(e,f){var
g=d. dbInfo;g.serializer.serialize(b,function(b,d){if(d)f(d);else
try{localStorage.setItem(g.keyPrefix+a,b),e(c)}catch(a){"QuotaExceededE
rror"!==a.name&&"NS ERROR DOM QUOTA REACHED"!==a.name||
f(a
(a)});return (e,c),e} function
qa(a,b){if(b=k.apply(this,arguments),a="function"!=typeof
a\&\&a||\{\},!a.name\} var
c=this.config();a.name=a.name||c.name,a.storeName=a.storeName||c.st
oreName}var d,e=this;return d=a.name?new
va(function(b){b(a.storeName?ea(a,e. defaultConfig):a.name+"/")}).then
(function(a){for(var b=localStorage.length-1;b>=0;b--){var
c=localStorage.key(b);0===c.indexOf(a)&&localStorage.removeItem(c)}}):
va.reject("Invalid arguments"),h(d,b),d function ra(a,b){a[b]=function(){var
c=arguments;return a.ready().then(function(){return
a[b].apply(a,c)} function sa(){for(var a=1;a<arguments.length;a++){var}
b=arguments[a];if(b)for(var c in
b)b.hasOwnProperty(c)&&($a(b[c])?arguments[0][c]=b[c].slice():argumen
ts[0][c]=b[c])}return arguments[0]}var ta="function"==typeof
Symbol&&"symbol"==typeof Symbol.iterator?function(a){return typeof
a\:function(a)\{return a&&"function"==typeof
Symbol&&a.constructor===Symbol&&a!==Symbol.prototype?"symbol":t
ypeof a},ua=e();"undefined"==typeof Promise&&a(3);var
va=Promise,wa="local-forage-detect-blob-support",xa=void
0,ya={},za=Object.prototype.toString,Aa="readonly",Ba="readwrite",Ca={
 driver: "asyncStorage", initStorage:C, support:f(),iterate:E,getItem:D,set
Item:F,removeItem:G,clear:H,length:I,key:J,keys:K,dropInstance:L},Da="A
BCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123
4567
89+/",Ea="\simlocal forage type\sim",Fa=/\sim\simlocal forage type\sim([\sim]+)\sim/,Ga
```

```
=" lfsc :",Ha=Ga.length,Ia="arbf",Ja="blob",Ka="si08",La="ui08",Ma="
uic8",Na="si16",Oa="si32",Pa="ur16",Qa="ui32",Ra="fl32",Sa="fl64",Ta=
Ha+Ia.length, Ua=Object.prototype.toString, Va={serialize:P,deserialize:Q,s
tringToBuffer:N,bufferToString:O},Wa={ driver:"webSQLStorage", initSt
orage:S, support:M(),iterate:V,getItem:U,setItem:X,removeItem:Y,clear:Z
,length:\$,key: ,keys:aa,dropInstance:ca\},Xa=\{ driver: "localStorageWrapp
er", initStorage:ha, support:da(),iterate:ka,getItem:ja,setItem:pa,remov
eItem:oa,clear:ia,length:na,key:la,keys:ma,dropInstance:qa},Ya=function(a,b)
{return a===b||"number"==typeof a&&"number"==typeof
b&&isNaN(a)&&isNaN(b)},Za=function(a,b){for(var
c=a.length,d=0;d< c; {if(Ya(a[d],b))return!0;d++}return!1},$a=Array.isArra
y||function(a){return"[object
Array]"===Object.prototype.toString.call(a)}, a={},ab={},bb={INDEXEDD
Ca, WEBSQL: Wa, LOCALSTORAGE: Xa}, cb=[bb.INDEXEDDB. driver, bb.
WEBS
QL. driver,bb.LOCALSTORAGE. driver],db=["dropInstance"],eb=["clear",
    getItem", "iterate", "key", "keys", "length", "removeItem", "setItem"].conca
t(db),fb={description:"",driver:cb.slice(),name:"localforage",size:4980736
,storeName:"keyvaluepairs",version:1},gb=function(){function
a(b){d(this,a);for(var c in bb)if(bb.hasOwnProperty(c)){var
e=bb[c],f=e. driver;this[c]=f, a[f]||this.defineDriver(e)}this. defaultConfi
g=sa({},fb),this. config=sa({},this. defaultConfig,b),this. driverSet=null,th
is. initDriver=null,this. ready=!1,this. dbInfo=null,this. wrapLibraryMet
hodsWithReady(),this.setDriver(this. config.driver).catch(function(){})}ret
urn a.prototype.config=function(a){if("object"===(void
0===a?"undefined":ta(a))){if(this. ready)return new Error("Can't call
config() after localforage has been used.");for(var b in
a) \{if("storeName"===b\&\&(a[b]=a[b].replace(\land W/g,"")), "version"===b\&
&"number"!=typeof a[b])return new Error("Database version must be a
number.");this. config[b]=a[b]}return!("driver"in
a&&a.driver)||this.setDriver(this. config.driver)}return"string"==typeof
a?this. config[a]:this. config},a.prototype.defineDriver=function(a,b,c){v
ar d=new va(function(b,c){try{var d=a. driver,e=new Error("Custom driver
not compliant; see
https://mozilla.github.io/localForage/#definedriver");if(!a. driver)return
void c(e);for(var f=eb.concat(" initStorage"),g=0,i=f.length;g<i;g++){var</pre>
i=f[g];if((!Za(db,j)||a[j])&&"function"!=typeof a[j])return void
c(e)}(function(){for(var b=function(a){return function(){var b=new}}
Error("Method "+a+" is not implemented by the current
driver"),c=va.reject(b);return h(c,arguments[arguments.length-
1]),c}},c=0,d=db.length;c<d;c++)\{var e=db[c];a[e]||(a[e]=b(e))}})();var
```

```
k=function(c){ a[d]&&console.info("Redefining LocalForage driver:
"+d), a[d]=a,ab[d]=c,b();" support"in a?a. support&&"function"==typeof
a. support?a. support().then(k,c):k(!!a. support):k(!0)} catch(a){c(a)}});re
turn i(d,b,c),d},a.prototype.driver=function(){return
this. driver||null\},a.prototype.getDriver=function(a,b,c)\{var
d= a[a]?va.resolve( a[a]):va.reject(new Error("Driver not found."));return
i(d,b,c),d},a.prototype.getSerializer=function(a){var
b=va.resolve(Va);return i(b,a),b},a.prototype.ready=function(a){var
b=this,c=b. driverSet.then(function(){return
null===b. ready&&(b. ready=b. initDriver()),b. ready});return
i(c,a,a),c},a.prototype.setDriver=function(a,b,c){function
d(){g. config.driver=g.driver()} function e(a){return
g. extend(a),d(),g. ready=g. initStorage(g. config),g. ready}function
f(a){return function(){function b(){for(;c<a.length;)}{var f=a[c];return}}
c++,g. dbInfo=null,g. ready=null,g.getDriver(f).then(e).catch(b)\d();var
h=new Error("No available storage method found.");return
g. driverSet=va.reject(h),g. driverSet\var c=0;return b()\}\var
g=this;$a(a)||(a=[a]);var
h=this. getSupportedDrivers(a),j=null!==this. driverSet?this. driverSet.c
atch(function(){return va.resolve()}):va.resolve();return
this. driverSet=j.then(function(){var a=h[0];return
g. dbInfo=null,g. ready=null,g.getDriver(a).then(function(a){g. driver=a.
 driver,d(),g. wrapLibraryMethodsWithReady(),g. initDriver=f(h)}).catc
h(function(){d();var a=new Error("No available storage method
found.");return
g. driverSet=va.reject(a),g. driverSet}),i(this. driverSet,b,c),this. driverS
et},a.prototype.supports=function(a){return!!ab[a]},a.prototype. extend
=function(a){sa(this,a)},a.prototype. getSupportedDrivers=function(a){fo
r(\text{var b}=[],c=0,d=\text{a.length};c<\text{d};c++)\{\text{var }
e=a[c];this.supports(e)&&b.push(e)}return
b},a.prototype. wrapLibraryMethodsWithReady=function(){for(var
a=0,b=eb.length;a<b;a++)ra(this,eb[a])},a.prototype.createInstance=funct
ion(b){return new a(b)},a}(),hb=new gb;b.exports=hb},{3:3}]},{},[4])(4)});
```