Project Development - Delivery Of Sprint-1

Date	14 November 2022
Team ID	PNT2022TMID39165
Project Name	IoT Based Safety Gadget for Child Safety Monitoring & Notification

DASHBORAD

HTML CODE:

```
!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta http-equiv="X-UA-Compatible"
content="IE=edge">

    <meta name="viewport" content="width=device-width,initial-scale=1.0">

    <link rel="stylesheet" href="./DASHBOARD.css">

    <title>Dashboard</title>

    <script src="./LOCALFORAGE.js"></script>

</head>
<body>
    <div class="wrapper">

        <div class="header">

            <span class="heading">Dashboard</span>

            <span class="right">

                <span class="username">Hello User</span>

                <span>

                    <img class="profilePic"
src="https://avatars.dicebear.com/api/avataaars/asdfasdfds.svg" alt="User Profile"
height="30" width="30">

                </span>
```

```html
        </span>
    </div>

    <div class="actionCenter">
        <div class="action">
            <span>Create Child Card</span>
        </div>
        <div class="action">
            <span class="logout">Log out</span>
        </div>
    </div>

    <div class="childCardContainer">
        <div class="childCard">
            <div class="childCardHeader">
                <span>Gowsa</span>
                <span>Age 10</span>
            </div>
            <div class="actions">
                <span>View</span>
                <span>GeoFence</span>
            </div>
        </div>
    </div>
</div>
<script>
    async function main() {
        let userData = await localforage.getItem('userData')if(userData ==
        null) {
            window.location.href = "/login"
        }
```

```
        document.querySelector(".username").innerHTML =
`Hello ${userData.firstName}`
        document.querySelector(".profilePic").src =
userData.profilePic

    }

    main()


document.querySelector(".logout").addEventListener("click", async () => {

        await localforage.setItem('userData', null)

        window.location.href = "/login"

    })
</script>
</body>
</html>
```

CSS CODE:

```
html, body
    {margin: 0;

    padding: 0;

    font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI',
Roboto, Oxygen, Ubuntu,Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;

}

.wrapper { display:

    flex;

    flex-direction: column;height:

    100vh;

    margin: 0 auto;

}
```

```css
.header { display: flex;
    justify-content: space-between;align-items:
    center;
    padding: 1rem; background-color:
    #f1f1f1;
}
.heading {
    font-size: 1.3rem;

}
.right {
    display: flex;
    align-items: center;gap:
    0.5rem;
}
.actionCenter {

    display: flex;
    justify-content: flex-end;align-
    items: center;
    gap: 1rem; padding:
    0.5rem 0;
}


.actionCenter .action { padding: 0.5rem
    0.8rem; border: 1px solid #44444444;
    border-radius: 12px;
    margin-right: 0.5rem;cursor:
    pointer;
}
```

```css
.actionCenter .action:hover
    { background-color: #0070f3;color:
    white;
}


    .childCardContainer {display:
    flex;
    flex-wrap: wrap; padding:
    0.5rem 1rem;
}



.childCardContainer .childCard {display:
    flex;
    flex-direction: column; border: 1px
    solid #44444444;border-radius: 12px;
    max-width: 300px;font-
    size: 1.4rem;
}

.childCardContainer .childCard .childCardHeader {display: flex;
    gap: 3rem;
    margin: 0.1rem 0.1rem 0.8rem;padding:
    1rem 0.8rem 0;
}

.childCardContainer .childCard .actions
    {background-color: #0070f3;
```

```css
        padding: 2rem 0.5rem 1rem;color:
        white;
        display: flex;
        justify-content: space-around;border-
        radius: 12px;
        border-top-left-radius: 0;
        border-top-right-radius: 0;
}


.childCardContainer .childCard .actions span {border: 1px
        solid #0070f3;
        background-color: white;color:
        #0070f3;
        padding: 0.3rem 0.9rem;border-
        radius: 12px; cursor: pointer;
}
```