

## PROJECT DEVELOPMENT PHASE

### SPRINT-1 SOURCE CODE

Date	01 November 2022
Team ID	PNT2022TMID49483
Project Name	Digital Naturalist – AI Enabled Tools for Biodiversity Researchers.
Maximum Marks	8 Marks

### Index.php

<!-- Code by Brave Coder - <https://youtube.com/BraveCoder> -->

<?php

session\_start();

if (isset(\$\_SESSION['SESSION\_EMAIL'])) {

header("Location: welcome.php"); die();

}

include 'config.php';

\$msg = "";

if (isset(\$\_GET['verification'])) {

if (mysqli\_num\_rows(mysqli\_query(\$conn, "SELECT \* FROM users WHERE  
code='{\$\_GET['verification']}'")) > 0) {

\$query = mysqli\_query(\$conn, "UPDATE users SET code=" WHERE  
code='{\$\_GET['verification']}'");

if (\$query) {

\$msg = "<div class='alert alert-success'>Account verification has been successfully  
completed.</div>";

```

}
} else {
header("Location: index.php");
}
}

if (isset($_POST['submit'])) {
$email = mysqli_real_escape_string($conn, $_POST['email']);
$password = mysqli_real_escape_string($conn, md5($_POST['password']));

$sql = "SELECT * FROM users WHERE email='{ $email}' AND
password='{ $password}'";
$result = mysqli_query($conn, $sql);

if (mysqli_num_rows($result) === 1) {
$row = mysqli_fetch_assoc($result);

if (empty($row['code'])) {
$_SESSION['SESSION_EMAIL'] = $email;
header("Location: welcome.php");
} else {
$msg = "<div class='alert alert-info'>First verify your account and try again.</div>";
}
} else {
$msg = "<div class='alert alert-danger'>Email or password do not match.</div>";
}
}
?>

```

```

<!DOCTYPE html>

```

```

<html lang="zxx">

```



<span class="fa fa-close"></span>

</div>

<div class="w3l\_form align-self">

<div class="left\_grid\_info">



</div>

</div>

<div class="content-wthree">

<h2>Login Now</h2>

<?php echo \$msg; ?>

<form action="" method="post">

<input type="email" class="email" name="email" placeholder="Enter Your Email  
required>

<input type="password" class="password" name="password" placeholder="Enter Your  
Password" style="margin-bottom: 2px;" required>

<p><a href="forgot-password.php" style="margin-bottom: 15px; display: block; text-  
align: right;">Forgot Password?</a></p>

<button name="submit" name="submit" class="btn" type="submit">Login</button>

</form>

<div class="social-icons">

<p>Create Account! <a href="register.php">Register</a>.</p>

</div>

</div>

</div>

</div>

<!-- //form -->

</div>

</section>

<!-- //form section start -->

```
<script src="js/jquery.min.js"></script>

<script>

$(document).ready(function (c) {

$('.alert-close').on('click', function (c) {

$('.main-mockup').fadeOut('slow', function (c) {

                $('.main-mockup').remove();

            });

        });

    });

</script>
```

```
</body>
```

```
</html>
```

## **logout.php**

```
<?php
```

```
session_start(); session_unset(); session_destroy();
```

```
header("Location: index.php");
```

```
?>
```

## **Register.php**

```
<!-- Cod by BraveCoder - https://youtube.com/BraveCoder -->
```

```

<?php

//Import PHPMailer classes into the global namespace
//These must be at the top of your script, not inside a function use PHPMailer\PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\SMTP; use PHPMailer\PHPMailer\Exception;

session_start();

if (isset($_SESSION['SESSION_EMAIL'])) {
header("Location: welcome.php"); die();
}

//Load Composer's autoloader require 'vendor/autoload.php';

include 'config.php';

$msg = "";

if (isset($_POST['submit'])) {
$name = mysqli_real_escape_string($conn, $_POST['name']);
$email = mysqli_real_escape_string($conn, $_POST['email']);
$password = mysqli_real_escape_string($conn, md5($_POST['password']));
$confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
$code = mysqli_real_escape_string($conn, md5(rand()));

if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE email='{ $email }'"))
    > 0) {

$msg = "<div class='alert alert-danger'>{ $email } - This email address has been already exists.</div>";

```

```

    } else {

        if ($password === $confirm_password) {

            $sql = "INSERT INTO users (name, email, password, code) VALUES ('{$name}', '{$email}',
            '{$password}', '{$code}')";

            $result = mysqli_query($conn, $sql);

            if ($result) {

                echo "<div style='display: none;'>";

                //Create an instance; passing `true` enables exceptions

                $mail = new PHPMailer(true);

                try {

                    //Server settings

                    $mail->SMTPDebug = SMTP::DEBUG_SERVER;                //Enable verbose debug
output

                    $mail->isSMTP();                //Send using SMTP

                    $mail->Host      = 'smtp.gmail.com';                //Set the SMTP server to send through

                    $mail->SMTPAuth  = true;                //Enable SMTP authentication

                    $mail->Username  = 'biodiversityresearchers@gmail.com';                //SMTP
username

                    $mail->Password  = 'bzfbnhugqobvvbcj';                //SMTP password

                    $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;                //Enable implicit TLS
encryption

                    $mail->Port      = 465;                //TCP port to connect to; use 587 if you have set `SMTPSecure =
PHPMailer::ENCRYPTION_STARTTLS`

                    //Recipients

                    $mail->setFrom('biodiversityresearchers@gmail.com');

                    $mail->addAddress($email);

                    //Content

                    $mail->isHTML(true);                //Set email format to HTML

```

```

$mail->Subject = 'no reply';

$mail->Body = 'Here is the verification link <b><a
href="http://localhost/login/?verification='.$code.'"> verification Link</a></b>';

$mail->send();

echo 'Message has been sent';

} catch (Exception $e) {

echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";

}

echo "</div>";

$msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";

} else {

$msg = "<div class='alert alert-danger'>Something wrong went.</div>";

}

} else {

$msg = "<div class='alert alert-danger'>Password and Confirm Password do not
match</div>";

}

}

}

?>

<!DOCTYPE html>

<html lang="zxx">

<head>

<title>D-Naturalist</title>

<!-- Meta tag Keywords -->

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta charset="UTF-8" />

```



```
<meta name="keywords" content="Login Form" />
```

```
<!-- //Meta tag Keywords -->
```

```
<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
      rel="stylesheet">
```

```
<!--/Style-CSS -->
```

```
<link rel="stylesheet" href="css/style.css" type="text/css" media="all" />
```

```
<!--//Style-CSS -->
```

```
<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
```

```
</head>
```

```
<body>
```

```
<!-- form section start -->
```

```
<section class="w3l-mockup-form">
```

```
      <div class="container">
```

```
<!-- /form -->
```

```
<div class="workinghny-form-grid">
```

```
      <div class="main-mockup">
```

```
<div class="alert-close">
```

```
<span class="fa fa-close"></span>
```

```
</div>
```

```
<div class="w3l_form align-self">
```

```
<div class="left_grid_info">
```

```

```

```
</div>
```

</div>

<div class="content-wthree">

<h2>Register Now</h2>

<?php echo \$msg; ?>

<form action="" method="post">

<input type="text" class="name" name="name" placeholder="Enter Your Name" value="<?php if (isset(\$\_POST['submit'])) { echo \$name; } ?>" required>

<input type="email" class="email" name="email" placeholder="Enter Your Email" value="<?php if (isset(\$\_POST['submit'])) { echo \$email; } ?>" required>

<input type="password" class="password" name="password" placeholder="Enter Your Password" required>

<input type="password" class="confirm-password" name="confirm-password" placeholder="Enter Your Confirm Password" required>

<button name="submit" class="btn" type="submit">Register</button>

</form>

<div class="social-icons">

<p>Have an account! <a href="index.php">Login</a>.</p>

</div>

</div>

</div>

</div>

<!-- //form -->

</div>

</section>

<!-- //form section start -->

<script src="js/jquery.min.js"></script>

<script>

\$(document).ready(function (c) {

\$('.alert-close').on('click', function (c) {

```
$('.main-mockup').fadeOut('slow', function (c) {  
  
    $('.main-mockup').remove();  
  
    });  
  
});  
  
});  
</script>
```

```
</body>
```

```
</html>
```

## Welcome.php

```
<?php  
  
session_start();  
  
if (!isset($_SESSION['SESSION_EMAIL'])) {  
    header("Location: index.php"); die();  
}  
  
include 'config.php';  
  
$query = mysqli_query($conn, "SELECT * FROM users WHERE  
email='{$_SESSION['SESSION_EMAIL']}'");  
  
if (mysqli_num_rows($query) > 0) {  
  
    $row = mysqli_fetch_assoc($query);
```

```
        echo "Welcome " . $row['name'] . " <a href='logout.php'>Logout</a>";
    }
?>
```

## Forget Password.php

```
<!-- Code by Brave Coder - https://youtube.com/BraveCoder -->
```

```
<?php session_start();
```

```
if (isset($_SESSION['SESSION_EMAIL'])) {
    header("Location: welcome.php"); die();
}
```

```
//Import PHPMailer classes into the global namespace
```

```
//These must be at the top of your script, not inside a function
```

```
use PHPMailer\PHPMailer\PHPMailer;
```

```
use PHPMailer\PHPMailer\SMTP; use
```

```
PHPMailer\PHPMailer\Exception;
```

```
//Load Composer's autoloader require 'vendor/autoload.php';
```

```
include 'config.php';
```

```

$msg = "";

if (isset($_POST['submit'])) {

$email = mysqli_real_escape_string($conn, $_POST['email']);

$code = mysqli_real_escape_string($conn, md5(rand()));

if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE email='{ $email }'")) >
0) {

$query = mysqli_query($conn, "UPDATE users SET code='{ $code }' WHERE email='{ $email }'");

if ($query) {

echo "<div style='display: none;'>";

//Create an instance; passing `true` enables exceptions
$mail = new PHPMailer(true);

        try {

            //Server settings

            $mail->SMTPDebug = SMTP::DEBUG_SERVER;           //Enable verbose debug
output
            $mail->isSMTP();                                   //Send using SMTP

            $mail->Host      = 'smtp.gmail.com';               //Set the SMTP server to send through

            $mail->SMTPAuth  = true;                           //Enable SMTP authentication

            $mail->Username  = 'biodiversityresearchers@gmail.com'; //SMTP username

            $mail->Password  = 'bzfbnhugqobvvbcj';             //SMTP password

            $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;    //Enable implicit TLS
encryption
            $mail->Port      = 465;                             //TCP port to connect to; use 587 if you have set
`SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`

            //Recipients

            $mail->setFrom('biodiversityresearchers@gmail.com');

```

```

$mail->addAddress($email);

//Content

$mail->isHTML(true);           //Set email format to HTML

$mail->Subject = 'no reply';

$mail->Body = 'Here is the verification link <b><a href="http://localhost/login/change-
password.php?reset='.$code.'">Reset Password</a></b>';

$mail->send();

echo 'Message has been sent';

} catch (Exception $e) {

echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";

}

echo "</div>";

$msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";

}

} else {

$msg = "<div class='alert alert-danger'>$email - This email address do not
found.</div>";

}

}

?>

```

```

<!DOCTYPE html>

```

```

<html lang="zxx">

```

```

<head>

```

```

<title>D-Naturalist</title>

```

```

<!-- Meta tag Keywords -->

```

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta charset="UTF-8" />

<meta name="keywords" content="Login Form" />

<!-- //Meta tag Keywords -->

<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap" rel="stylesheet">

<!--/Style-CSS -->

<link rel="stylesheet" href="css/style.css" type="text/css" media="all" />

<!--//Style-CSS -->

<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

<!-- form section start -->

<section class="w3l-mockup-form">

<div class="container">

<!-- /form -->

<div class="workinghny-form-grid">

<div class="main-mockup">

<div class="alert-close">

<span class="fa fa-close"></span>

</div>

<div class="w3l\_form align-self">

<div class="left\_grid\_info">

```


</div>

</div>

<div class="content-wthree">

    <h2>Forgot Password</h2>

    <?php echo $msg; ?>

    <form action="" method="post">

        <input type="email" class="email" name="email" placeholder="Enter Your Email"
required>

        <button name="submit" class="btn" type="submit">Send Reset Link</button>

    </form>

    <div class="social-icons">

        <p>Back to! <a href="index.php">Login</a>.</p>

    </div>

</div>

</div>

</div>

<!-- //form -->

</div>

</section>

<!-- //form section start -->

<script src="js/jquery.min.js"></script>

<script>

    $(document).ready(function (c) {

        $('alert-close').on('click', function (c) {

            $('main-mockup').fadeOut('slow', function (c) {

                $('main-mockup').remove();

            });

        });

    });

});
```



```
        });  
    });  
</script>
```

```
</body>
```

```
</html>
```

## Change password.php

```
<?php  
  
$msg = "";  
  
include 'config.php';  
  
if (isset($_GET['reset'])) {  
    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE  
code='{$_GET['reset']}'")) > 0) {  
        if (isset($_POST['submit'])) {  
            $password = mysqli_real_escape_string($conn, md5($_POST['password']));  
            $confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));  
  
            if ($password === $confirm_password) {  
                $query = mysqli_query($conn, "UPDATE users SET password='{ $password}', code=" WHERE  
code='{$_GET['reset']}'");
```

```
        if ($query) {

header("Location: index.php");

        }

    } else {

$msg = "<div class='alert alert-danger'>Password and Confirm Password do not match.</div>";

    }

    }

    } else {

$msg = "<div class='alert alert-danger'>Reset Link do not match.</div>";

    }

    } else {

header("Location: forgot-password.php");

    }


```

?>

<!DOCTYPE html>

<html lang="zxx">

<head>

<title>D-Naturalist</title>

<!-- Meta tag Keywords -->

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta charset="UTF-8" />

<meta name="keywords" content="Login Form" />

<!-- //Meta tag Keywords -->

<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"

rel="stylesheet">

<!--/Style-CSS -->

<link rel="stylesheet" href="css/style.css" type="text/css" media="all" />

<!--//Style-CSS -->

<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

<!-- form section start -->

<section class="w3l-mockup-form">

<div class="container">

<!-- /form -->

<div class="workinghny-form-grid">

<div class="main-mockup">

<div class="alert-close">

<span class="fa fa-close"></span>

</div>

<div class="w3l\_form align-self">

<div class="left\_grid\_info">



</div>

</div>

<div class="content-wthree">

<h2>Change Password</h2>

<p>Lorem ipsum dolor sit amet consectetur adipisicing elit. </p>

<?php echo \$msg; ?>

```
<form action="" method="post">

<input type="password" class="password" name="password" placeholder="Enter Your Password" required>

<input type="password" class="confirm-password" name="confirm-password" placeholder="Enter Your Confirm Password" required>

<button name="submit" class="btn" type="submit">Change Password</button>

</form>

<div class="social-icons">

<p>Back to! <a href="index.php">Login</a>.</p>

</div>

</div>

</div>

</div>

<!-- //form -->

</div>

</section>

<!-- //form section start -->


<script src="js/jquery.min.js"></script>

<script>

$(document).ready(function (c) {

$('.alert-close').on('click', function (c) {

$('.main-mockup').fadeOut('slow', function (c) {

$('.main-mockup').remove();

});

});

});

</script>

</body>
```

</html>

## Style.css

```
html {  
  scroll-behavior: smooth;  
}
```

```
body, html {  
  margin: 0;  
  padding: 0;  
  font-family: 'Poppins', sans-serif;  
}
```

```
* {  
  box-sizing: border-box;  
}
```

```
.d-grid { display: grid;  
}
```

```
.d-flex { display: flex;  
  display: -webkit-flex;
```

```
}
```

```
.text-center {  
text-align: center;  
}
```

```
.text-left {  
text-align: left;  
}
```

```
.text-right {  
text-align: right;  
}
```

```
button, input, select {  
-webkit-appearance: none; outline:  
none;  
font-family: 'Poppins', sans-serif;  
}
```

```
button,  
.btn, select {  
cursor: pointer;  
}
```

```
a {  
text-decoration: none;
```

```
}
```

```
img {  
max-width: 100%;  
}
```

```
ul {  
margin: 0;  
padding: 0  
}
```

```
h1,  
h2,  
h3,  
h4,  
h5,  
h6,  
p {  
margin: 0;  
padding: 0  
}
```

```
p {  
color: #666; font-  
size: 16px;  
line-height: 25px;  
opacity: .6;  
}
```

```
.p-relative {
```

```
position: relative;  
}
```

```
.p-absolute { position:  
absolute;  
}
```

```
.p-fixed { position: fixed;  
}
```

```
.p-sticky { position: sticky;  
}
```

```
.btn, button,  
.actionbg, input {  
border-radius: 4px;  
-webkit-border-radius: 4px;  
-moz-border-radius: 4px;  
-o-border-radius: 4px;  
-ms-border-radius: 4px;  
}
```

```
.btn:hover, button:hover {  
transition: 0.5s ease;  
-webkit-transition: 0.5s ease;
```



```
-o-transition: 0.5s ease;
-ms-transition: 0.5s ease;
-moz-transition: 0.5s ease;
}
```

```
/*-- wrapper start --*/
.wrapper { width: 100%;
padding-right: 15px;
padding-left: 15px; margin-
right: auto; margin-left:
auto;
}
```

```
@media (min-width:
576px) {
.wrapper {
    max-width: 540px;
}
}
```

```
@media (min-width:
768px) {
.wrapper {
    max-width: 720px;
}
}
```

```
@media (min-width:
992px) {
.wrapper {
    max-width: 960px;
```

```
}
```

```
@media (min-width: 1200px) {
```

```
.wrapper {
```

```
    max-width: 1140px;
```

```
}
```

```
}
```

```
.wrapper-full { width: 100%;
```

```
padding-right: 15px; padding-left:
```

```
15px; margin-right: auto; margin-left:
```

```
auto;
```

```
}
```

```
/*-- //wrapper start --*/
```

```
/*-- form styling --*/
```

```
.w3l-mockup-form { position: relative;
```

```
min-height: 100vh; z-index: 0;
```

```
background: rgba(99, 194, 110, 0.1);
```

```
padding: 40px 40px;
```

```
}
```

```
.container {
```

```
max-width: 890px; margin: 0 auto;
```

```
}
```

```
.w3l_form { padding: 0px; flex-basis: 50%;  
-webkit-flex-basis: 50%; background: #6acdf0;  
padding: 100px 50px; border-top-left-radius: 8px;  
border-bottom-left-radius: 8px; display: flex;  
justify-content: center; align-items: center;  
}
```

```
.content-wthree { flex-basis: 60%;  
-webkit-flex-basis: 60%; box-sizing: border-box;  
padding: 3em 3.5em; background: #fff;  
box-shadow: 2px 9px 49px -17px rgba(0, 0, 0, 0.1);  
border-top-right-radius: 8px;  
border-bottom-right-radius: 8px;  
}
```

```
.w3l-workinghny-form .logo { text-align: center;  
}
```

```
.w3l-mockup-form .main-mockup {  
    position: relative;  
display: -webkit-box; display: -  
    moz-box; display: -ms-flexbox;  
    display: -webkit-flex; display:  
    flex;  
margin: 40px 0;  
}
```

```
.w3l-mockup-form .alert-close {  
    cursor: pointer;  
height: 35px; width: 35px;  
line-height: 35px; position:  
    absolute; right: -5px;  
top: -5px; background: #6acdf0;  
    border-radius: 50px; color: #fff;  
text-align: center;  
}
```

```
.w3l-mockup-form form { margin-  
    top: 30px; margin-bottom: 30px;  
}
```

```
.social-icons {
```

```
text-align: center;
}
```

```
.w3l-mockup-form h1 {
text-align: center; font-
size: 40px;
font-weight: 500; color:
#3b3663;
}
```

```
.w3l-mockup-form h2 {
display: inline-block;
font-size: 25px;
line-height: 35px;
margin-bottom: 5px;
font-weight: 600; color:
#3b3663;
}
```

```
.w3l-mockup-form
input { outline: none;
margin-bottom: 15px;
font-size: 16px; color:
#999;
text-align: left;
padding: 14px 20px;
width: 100%; display:
inline-block;
box-sizing: border-box;
border: none;
```

```
outline: none; background:
transparent; border: 1px solid
#e5e5e5; transition: 0.3s all ease;
}
```

```
.w3l-mockup-form input:focus {
border-color: #6acdf0;
}
```

```
.w3l-mockup-form button { font-
size: 18px;
color: #fff; width: 100%;
background: #6acdf0; border: none;
padding: 14px 15px; font-weight:
500; transition: .3s ease;
-webkit-transition: .3s ease;
-moz-transition: .3s ease;
-ms-transition: .3s ease;
-o-transition: .3s ease;
}
```

```
.w3l-mockup-form button:hover {
background: #6acdf0;
}
```

```
.w3l-mockup-form .social-icons ul
li {
```

```
list-style: none; display: inline-block;
```

```
}
```

```
.w3l-mockup-form .social-icons ul li a { padding:
```

```
8px;
```

```
}
```

```
.w3l-mockup-form .social-icons ul li a:hover {
```

```
opacity: 0.8;
```

```
transition: 0.5s ease;
```

```
-webkit-transition: 0.5s ease;
```

```
-o-transition: 0.5s ease;
```

```
-ms-transition: 0.5s ease;
```

```
-moz-transition: 0.5s ease;
```

```
}
```

```
.w3l-mockup-form .social-icons ul span.fa { color:
```

```
#696687;
```

```
font-size: 18px; opacity: .8;
```

```
}
```

```
.w3l-mockup-form .social-icons ul li a.facebook
```

```
span { color: #3b5998;
```

```
}
```

```
.w3l-mockup-form .social-icons ul li a.twitter span {
```

```
color: #1da1f2;
```

```
}
```

```
.w3l-mockup-form .social-icons ul li a.pinterest span {  
    color: #e60023;  
}
```

```
.copyright p {  
text-align: center; font-size:  
17px; line-height: 26px; color:  
#607863;  
opacity: 1;  
}
```

```
p.copy-footer-29 a { color:  
#517856;  
}
```

```
p.copy-footer-29 a:hover {  
color: #6acdf0; transition: 0.5s  
ease;  
-webkit-transition: 0.5s ease;  
-o-transition: 0.5s ease;  
-ms-transition: 0.5s ease;  
-moz-transition: 0.5s ease;  
}
```

```
.alert {  
padding: 1rem; border-radius:  
5px;
```



```
color: white; margin: 1rem 0;

}
```

```
.alert-success {
background-color: #6acdf0;
}
```

```
.alert-danger {
background-color: #fc5555;
}
```

```
.alert-info {
background-color: #2E9AFE;
}
```

```
.alert-warning {
background-color: #ff9966;
}
```

```
/*-- responsive design --*/
```

```
@media (max-width:736px) {
.w3l-mockup-form .main-mockup {
flex-direction: column;
}
```

```
.w3l_form { order: 2; padding:
50px;
```

```
border-radius: 0;
border-bottom-left-radius: 8px;
border-bottom-right-radius: 8px;
}
```

```
.content-wthree { order: 1;

border-radius: 0;
border-top-left-radius: 8px;
border-top-right-radius: 8px;

}
}
```

```
@media (max-width:568px) {
.w3l-mockup-form h1 { font-
size: 30px;
}
```

```
.w3l-mockup-form .main-
mockup { margin: 30px 0;
}
```

```
.content-wthree { padding:
2.5em;
}
}
```

```
@media (max-width: 415px) {
.w3l-mockup-form { padding:
40px 30px;
```

```
}
```

```
}
```

```
@media (max-  
width:384px) {  
.w3l-mockup-form {  
padding: 30px 15px;  
}
```

```
.content-wthree { padding:  
2em;  
}
```

```
.w3l-mockup-form h1 {  
font-size: 28px;  
}
```

```
.w3l-mockup-form h2 {  
font-size: 22px;  
    line-height: 32px;  
}
```

```
.copyright p { font-size:  
16px;  
}  
}
```

```
/*-- //responsive design --*/
```

```
/*-- //form styling --*/
```

## Login.sql

-- phpMyAdmin SQL Dump

-- version 5.1.1

-- <https://www.phpmyadmin.net/>

--

-- Host: 127.0.0.1

-- Generation Time: Aug 14, 2021 at 07:07 PM

-- Server version: 10.4.20-MariaDB

-- PHP Version: 8.0.9

SET SQL\_MODE = "NO\_AUTO\_VALUE\_ON\_ZERO";

START TRANSACTION;

SET time\_zone = "+00:00";

/\*!40101 SET @OLD\_CHARACTER\_SET\_CLIENT=@@CHARACTER\_SET\_CLIENT \*/;

/\*!40101 SET @OLD\_CHARACTER\_SET\_RESULTS=@@CHARACTER\_SET\_RESULTS \*/;

/\*!40101 SET @OLD\_COLLATION\_CONNECTION=@@COLLATION\_CONNECTION \*/;

/\*!40101 SET NAMES utf8mb4 \*/;

--

-- Database: `login`

--

-- -----

--

```
-- Table structure for table `users`

--

CREATE TABLE `users` (
  `id` int(11) NOT NULL,
  `name` varchar(255) NOT NULL,
  `email` varchar(255) NOT NULL,
  `password` varchar(255) NOT NULL,
  `code` text NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

--

-- Indexes for dumped tables

--

-- Indexes for table `users`

--

ALTER TABLE `users`

  ADD PRIMARY KEY (`id`);

--

-- AUTO_INCREMENT for dumped tables

--

--

-- AUTO_INCREMENT for table `users`

--

ALTER TABLE `users`

  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT;
```

COMMIT;

/\*!40101 SET CHARACTER\_SET\_CLIENT=@OLD\_CHARACTER\_SET\_CLIENT \*/;

/\*!40101 SET CHARACTER\_SET\_RESULTS=@OLD\_CHARACTER\_SET\_RESULTS \*/;

/\*!40101 SET COLLATION\_CONNECTION=@OLD\_COLLATION\_CONNECTION \*/;