

Assignment -2

IBM CLOUD DB2

Assignment Date	29 September 2022
Student Name	KANCHARLAPALLI BALAKRISHNA
Student Roll Number	311019104032
Maximum Marks	2 Marks

Questions:

1. Create User table with user with email, username, roll number, password.


The first screenshot shows the IBM Db2 on Cloud console interface. The 'Tables' tab is selected, and a search for 'USERTABLE' in the 'DTP46044' schema has been performed. The 'Table definition' panel on the right shows the structure of the 'USERTABLE' table:

Name	Data type	Nullable	Length	Scale
USERNAME	CHAR	Y	5	0
ROLLNUMBER	INTEGER	Y		0
EMAIL	CHAR	Y	5	0
PASSWORD	VARCHAR	Y	32	0

The second screenshot shows the 'View data' page for the 'DTP46044.USERTABLE' table. The table structure is displayed at the top with columns: USERNAME, ROLLNUMBER, EMAIL, and PASSWORD. Below the structure, a message states: 'There is no data here yet'.

2. Perform UPDATE,DELETE Queries with user table.

UPDATE TABLE:-




The screenshot shows the IBM Db2 on Cloud console. On the left, the 'Data objects' pane shows a database named 'DTP46044'. The main editor area shows a SQL script titled '*Untitled - 1' with the following content:

```
1 INSERT INTO USERTABLE VALUES('BK',29,'BALAKRISHNA32@GMAIL.COM',1234)
2
```

Below the script editor, the 'History' pane shows the execution history:

Script	Date	Status	Runtime
Untitled - 1	Oct 10, 2022 12:51:13 PM	✓ 1	0.018 s
INSERT INTO USERTABLE VALUES('BK',29,'BALAKRISHNA32@GMAIL.COM',1234)		✓	0.018 s



The screenshot shows the IBM Db2 on Cloud console displaying the contents of the 'DTP46044.USERTABLE' table. The table has the following columns: USERNAME, ROLLNO, EMAIL, and PASSWORD. The data is as follows:

USERNAME	ROLLNO	EMAIL	PASSWORD
Kancharlapalli balakrishna	32	balakrishna32@gmail.com	1234

DELETE TABLE:-

The screenshot shows the IBM Db2 on Cloud web interface. The 'Tables' tab is selected, displaying the table 'DTP46044.UsERTABLE'. The table structure is as follows:

USERNAME	ROLLNO	EMAIL	PASSWORD
Kancharlappalli balakrishna	32	balakrishna32@gmail.com	1234

Buttons for 'Back' and 'Export to CSV' are visible. The browser address bar shows the URL: <https://bpe61bfd0365e9u4psdglite.db2.cloud.ibm.com/cm%3Av1%3Abluemix%3Apublic%3Adashdb-for-transactions%3Aus-south%3Aa%2F4bf...>

The screenshot shows the IBM Db2 on Cloud web interface with the SQL editor open. The 'Data objects' panel on the left shows the table 'DTP46044'. The SQL editor contains the following statement:

```
1 DELETE FROM UsERTABLE WHERE ROLLNO = 23 ;
```

The 'History' tab is selected, showing a list of executed scripts:

Script	Date	Status	Runtime
Untitled - 1	Oct 10, 2022 1:02:49 PM	✓ 1	0.006 s
DELETE FROM UsERTABLE WHERE ROLLNO = 23		✓	0.006 s
Untitled - 1	Oct 10, 2022 1:00:11 PM	✓ 1	0.007 s
INSERT INTO UsERTABLE VALUES ('VK',23,'VK@gmail.com','12034')		✓	0.007 s
Untitled - 1	Oct 10, 2022 12:59:55 PM	✗ 1	0.044 s

The browser address bar shows the URL: <https://bpe61bfd0365e9u4psdglite.db2.cloud.ibm.com/cm%3Av1%3Abluemix%3Apublic%3Adashdb-for-transactions%3Aus-south%3Aa%2F4bf...>

The screenshot shows the IBM Db2 on Cloud web interface. The table 'DTP46044.USERTABLE' is displayed with the following data:

USERNAME	ROLLNO	EMAIL	PASSWORD
Kancharlapalli balakrishna	32	balakrishna32@gmail.com	1234

3.Connect python code to db2.

NOTE:- Question 4 contains Question 3 answer

4. Create a flask app with registration page, login page and welcome page. By default load the registration page once the user enters all the fields store the data in database and navigate to login page authenticate user username and password. If the user is valid show the welcome page

Answers

App.py

```
from flask import Flask, render_template, request, redirect, url_for, session
import ibm_db
import re

app = Flask(__name__)

app.secret_key = 'a'

conn = ibm_db.connect(
    "DATABASE=bludb;HOSTNAME=fbd88901-ebdb-4a4f-a32e-9822b9fb237b.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=32731;USERNAM
E=dt46044;PASSWORD=95soX0sZGhb4ToUj;SECURITY=SSL;SSLSERVERCERTIFICATE=DigiCer
tGlobalRootCA.crt;", "", "")

@app.route("/", methods=['GET', 'POST'])
def register():
    msg = ''
    if request.method == 'POST':
        username = request.form['username']
```

```

email = request.form['email']
password = request.form['password']
sql = "SELECT * FROM users WHERE username =?"
stmt = ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt, 1, username)
ibm_db.execute(stmt)
account = ibm_db.fetch_assoc(stmt)
print(account)
if account:
    msg = 'Account already exists !'
elif not re.match(r'^@+@[^@]+\.[^@]+', email):
    msg = 'Invalid email address !'
elif not re.match(r'[A-Za-z0-9]+', username):
    msg = 'name must contain only characters and numbers !'
else:
    insert_sql = "INSERT INTO users VALUES (?, ?, ?)"
    prep_stmt = ibm_db.prepare(conn, insert_sql)
    ibm_db.bind_param(prepare_stmt, 1, username)
    ibm_db.bind_param(prepare_stmt, 2, email)
    ibm_db.bind_param(prepare_stmt, 3, password)
    ibm_db.execute(prepare_stmt)
    msg = 'You have successfully registered !'
elif request.method == 'POST':
    msg = 'Please fill out the form !'
return render_template('register.html', msg=msg)

```

```
@app.route('/login', methods=['GET', 'POST'])
```

```
def login():
```

```
    global userid
```

```
    msg = ''
```

```
    if request.method == 'POST':
```

```
        username = request.form['username']
```

```
        password = request.form['password']
```

```
        sql = "SELECT * FROM users WHERE username =? AND password=?"
```

```
        stmt = ibm_db.prepare(conn, sql)
```

```
        ibm_db.bind_param(stmt, 1, username)
```

```
        ibm_db.bind_param(stmt, 2, password)
```

```
        ibm_db.execute(stmt)
```

```
        account = ibm_db.fetch_assoc(stmt)
```

```
        print(account)
```

```
        if account:
```

```
            session['loggedin'] = True
```

```
            session['id'] = account['USERNAME']
```

```
            userid = account['USERNAME']
```

```
            session['username'] = account['USERNAME']
```

```
            msg = 'Logged in successfully !'
```

```

        msg = 'Logged in successfully !'
        return render_template('dashboard.html', msg=msg)
    else:
        msg = 'Incorrect username / password !'
        return render_template('login.html', msg=msg)

if __name__ == '__main__':
    app.run(host='0.0.0.0')
    # app.run(debug=True)

```

Register.html

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Smart Fashion register</title>

    <!-- bootstrap css cdn -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
"
        integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet" href="/static/css/style.css">
    <!-- font styles cdn -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>

<body>
    <!-- bootstrap navbar -->
    <!-- navbar ends -->
    <!-- Login form -->
    <div class="login text-center mt-5">

```

```

        <form action="/" method="post">
            <h2 class="form-text-h2"> Register Form </h2>
            <div class="msg">{{ msg }}</div>
            <input type="text" class="form-control" name="username"
placeholder="Enter Your Username" id="username"
                required>
            <input type="email" class="form-control" name="email"
placeholder="Enter Your Email ID" id="email" required>
            <input type="password" class="form-control" name="password"
placeholder="Enter Your Password" id="password"
                required>
            <button type="submit" id="button" class="btn btn-primary">
Register </button>
            <div class="note mt-3 text-center">
                <!--Register form -->
                <p> already have an account ? please login <a
href="/login">login! </a> </p>

            </div>
        </form>

    </div>

</body>

</html>

```

Login.html

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Smart Fashion Login</title>
    <!-- favicon -->
    <!-- <link rel="shortcut icon" href="/assets/img/favicon.ico"
type="image/x-icon"> -->
    <!-- <link rel="icon" href="/assets/img/favicon.ico" type="image/x-icon">
-->
    <link rel="icon" type="image/png" sizes="16x16" href="/assets/img/favicon-
32x32.png">
    <!-- bootstrap css cdn -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
    "

```

```

        integrity="sha384-
JcKb8q3iqJ61gNV9KgB8thSsNjpsL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet" href="/static/css/style2.css">
    <!-- font styles cdn -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>

<body>

    <div class="login text-center mt-5">

        <form action="/login" method="post">
            <h2 class="form-text-h2"> Login Form </h2>
            <div class="msg">{{ msg }}</div>
            <div class="form-group mb-3">
                <label class="label" for="username">Username</label>
                <input type="text" class="form-control" placeholder="Username"
name="username" required>
            </div>
            <div class="form-group mb-3">
                <label class="label" for="password">Password</label>
                <input type="password" class="form-control"
placeholder="Password" name="password" required>
            </div>

            <button type="submit" id="button" class="btn btn-primary"> Login
</button>

            <div class="note mt-3 text-center">
                <!--Register form -->
                <p> Don't have an account yet? Click here to <a
href="/">register! </a> </p>
            </div>
        </form>
    </div>

</body>

</html>

```


Style.css

```
* {
  margin: 0;
  padding: 0;
}

body {
  background-color: aqua !important;
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
}

form {
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  background-color: white;
  width: 40%;
  height: 450px;
  border-radius: 50px;
  margin: 100px;
  gap: 25px;
}

h2 {
  font-size: large;
  font-weight: bolder;
}


input {
  width: 80% !important;
}

div {
  display: flex;
  align-items: center;
  justify-content: center;
  flex-direction: column;
  width: 90%;
}

.form-text-vk {
  font-size: small;
  padding-bottom: 10px;
}
```


```
}  
  
.form-text-h2 {  
  font-size: x-large;  
  padding-top: 10px;  
}
```

Output:- registration page:-




The screenshot shows a web browser window with the URL `192.168.202.55:5000`. The page has a solid blue background. In the center, there is a white rounded rectangle titled "Register Form". Inside the form, there are three input fields: the first contains "Kancharlapalli balakrishna", the second contains "balakrishna32@gmail.com", and the third is labeled "Enter Your Password". Below these fields is a blue "Register" button. At the bottom of the form, there is a link that says "already have an account ? please login [login!](#)". The browser's taskbar at the bottom shows various application icons and the system clock indicating 20:56 on 11-10-2022.

Login Page:-



The screenshot shows a web browser window with the URL `192.168.202.55:5000/login`. The page has a solid blue background. In the center, there is a white rounded rectangle titled "Login Form". Inside the form, there are two input fields: the first is labeled "Username" and contains "Kancharlapalli balakrishna", and the second is labeled "Password" and contains six asterisks. Below these fields is a blue "Login" button. At the bottom of the form, there is a link that says "Don't have an account yet? Click here to [register!](#)". The browser's taskbar at the bottom shows various application icons and the system clock indicating 20:57 on 11-10-2022.

Welcome Page:-



Data Base Table :-

The screenshot displays the IBM Db2 on Cloud console interface. The top navigation bar includes options like 'Load Data', 'Load History', 'Tables', 'Views', 'Indexes', 'Aliases', 'MQTs', 'Sequences', and 'Application objects'. The 'Tables' section is selected, showing a table named 'DTP46044.USERS'. A 'Back' button is visible in the top right corner of the table view. Below the table name, there is an 'Export to CSV' button. The table structure is as follows:

USERNAME	EMAIL	PASSWORD
Kancharlapalli balakrishna	balakrishna32@gmail.com	123432

The left sidebar contains icons for different database objects, and the bottom taskbar shows the same system information as the first screenshot.