

Assignment Date	28 September 2022
Student Name	R I KISHOR
Student Roll Number	913119104048
Maximum Marks	2 Marks

ASSIGNMENT 2

Question-1:

Download the dataset

Question-2:

Load the dataset:

File Edit View Insert Runtime Tools Help [All changes saved](#)

+ Code + Text

```
[ ] import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

```
[ ] df=pd.read_csv("Churn_Modelling.csv")
```

	RowNumber	CustomerId	Surname	CreditScore	Geography	Gender	Age	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember	EstimatedSalary	Exited
0	1	15634602	Hargrave	619	France	Female	42	2	0.00	1	1	1	101348.88	1
1	2	15647311	Hill	608	Spain	Female	41	1	83807.86	1	0	1	112542.58	0
2	3	15619304	Onio	502	France	Female	42	8	159660.80	3	1	0	113931.57	1
3	4	15701354	Boni	699	France	Female	39	1	0.00	2	0	0	93826.63	0
4	5	15737888	Mitchell	850	Spain	Female	43	2	125510.82	1	1	1	79084.10	0
...
9995	9996	15606229	Obijaku	771	France	Male	39	5	0.00	2	1	0	96270.64	0
9996	9997	15669892	Johnstone	516	France	Male	35	10	57369.61	1	1	1	101699.77	0
9997	9998	15584532	Liu	709	France	Female	36	7	0.00	1	0	1	42085.58	1
9998	9999	15682355	Sabbatini	772	Germany	Male	42	3	75075.31	2	1	0	92888.52	1
9999	10000	15628319	Walker	792	France	Female	28	4	130142.79	1	1	0	38190.78	0

Question-3:

Perform Below Visualizations.


Univariate Analysis

Bi - Variate Analysis

Mult - Variate Analysis

```
File Edit View Insert Runtime Tools Help All changes saved
+ Code + Text
df.boxplot("CreditScore")
```

<matplotlib.axes._subplots.AxesSubplot at 0x7fe5b6015ad0>




File Edit View Insert Runtime Tools Help [All changes saved](#)

+ Code + Text

```
df.boxplot("CreditScore", "Tenure")
```

```
/usr/local/lib/python3.7/dist-packages/matplotlib/cbook/__init__.  
X = np.atleast_1d(X.T if isinstance(X, np.ndarray) else np.asa  
<matplotlib.axes._subplots.AxesSubplot at 0x7fe5b5a4fc90>
```




File Edit View Insert Runtime Tools Help [All changes saved](#)

+ Code + Text

```
[ ] sns.scatterplot(x='CreditScore', y='Balance', data=df, palette='bri
```

```
<matplotlib.axes._subplots.AxesSubplot at 0x7fe5b57aaf50>
```



Question-4:
Perform descriptive statistics on the dataset

Question-5:
Handle the Missing values

+ Code + Text

Connect

[] df.describe()

{x}

	RowNumber	CustomerId	CreditScore	Age	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember	EstimatedSalary	Exited
count	10000.00000	1.000000e+04	10000.000000	10000.000000	10000.000000	10000.000000	10000.000000	10000.00000	10000.000000	10000.000000	10000.000000
mean	5000.50000	1.569094e+07	650.528800	38.921800	5.012800	76485.889288	1.530200	0.70550	0.515100	100090.239881	0.203700
std	2886.89568	7.193619e+04	96.653299	10.487806	2.892174	62397.405202	0.581654	0.45584	0.499797	57510.492818	0.402769
min	1.00000	1.556570e+07	350.000000	18.000000	0.000000	0.000000	1.000000	0.00000	0.000000	11.580000	0.000000
25%	2500.75000	1.562853e+07	584.000000	32.000000	3.000000	0.000000	1.000000	0.00000	0.000000	51002.110000	0.000000
50%	5000.50000	1.569074e+07	652.000000	37.000000	5.000000	97198.540000	1.000000	1.00000	1.000000	100193.915000	0.000000
75%	7500.25000	1.575323e+07	718.000000	44.000000	7.000000	127644.240000	2.000000	1.00000	1.000000	149388.247500	0.000000
max	10000.00000	1.581569e+07	850.000000	92.000000	10.000000	250898.090000	4.000000	1.00000	1.000000	199992.480000	1.000000

+ Code + Text

Connect

df.fillna(5)

{x}

	RowNumber	CustomerId	Surname	CreditScore	Geography	Gender	Age	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember	EstimatedSalary	Exited
0	1	15634602	Hargrave	619	France	Female	42	2	0.00	1	1	1	101348.88	1
1	2	15647311	Hill	608	Spain	Female	41	1	83807.86	1	0	1	112542.58	0
2	3	15619304	Onio	502	France	Female	42	8	159660.80	3	1	0	113931.57	1
3	4	15701354	Boni	699	France	Female	39	1	0.00	2	0	0	93826.63	0
4	5	15737888	Mitchell	850	Spain	Female	43	2	125510.82	1	1	1	79084.10	0
...
9995	9996	15606229	Obijaku	771	France	Male	39	5	0.00	2	1	0	96270.64	0
9996	9997	15569892	Johnstone	516	France	Male	35	10	57369.61	1	1	1	101699.77	0
9997	9998	15584532	Liu	709	France	Female	36	7	0.00	1	0	1	42085.58	1
9998	9999	15682355	Sabbatini	772	Germany	Male	42	3	75075.31	2	1	0	92888.52	1
9999	10000	15628319	Walker	792	France	Female	28	4	130142.79	1	1	0	38190.78	0

10000 rows x 14 columns

Question-6:

Find the outliers & replace the outliers

```
+ Code + Text

upper = out.iloc[1]+1.5*iqr
upper

RowNumber      8.750125e+03
CustomerId     1.578405e+07
CreditScore    7.540000e+02
Age            4.450000e+01
Balance        2.429964e+05
EstimatedSalary 1.739816e+05
dtype: float64

lower = out.iloc[0]-1.5*iqr
lower

RowNumber      -1.248875e+03
CustomerId     1.553521e+07
CreditScore    4.820000e+02
Age            2.450000e+01
Balance        -1.457978e+05
EstimatedSalary -2.278560e+04
dtype: float64

[ ] df['CreditScore']= np.where(df['CreditScore']>756, 650.5288,df['CreditScore'])
df['Age']=np.where(df['Age']>62, 38.9218, df['Age'])
```

Question-7:

Check for Categorical columns and perform encoding

Question-8:

```
+ Code + Text

from sklearn.preprocessing import OneHotEncoder
e= OneHotEncoder(sparse=False)
e= e.fit_transform(df)
e

array([[1., 0., 0., ..., 0., 0., 1.],
       [0., 1., 0., ..., 0., 1., 0.],
       [0., 0., 1., ..., 0., 0., 1.],
       ...,
       [0., 0., 0., ..., 0., 0., 1.],
       [0., 0., 0., ..., 0., 0., 1.],
       [0., 0., 0., ..., 0., 1., 0.]])
```

Split the data into dependent and independent variables.

```
+ Code + Text

[ ] x=df.iloc[:, :-1].values
x

array([[1, 15634602, 'Hargrave', ..., 1, 1, 101348.88],
       [2, 15647311, 'Hill', ..., 0, 1, 112542.58],
       [3, 15619304, 'Onio', ..., 1, 0, 113931.57],
       ...,
       [9998, 15584532, 'Liu', ..., 0, 1, 42085.58],
       [9999, 15682355, 'Sabbatini', ..., 1, 0, 92888.52],
       [10000, 15628319, 'Walker', ..., 1, 0, 38190.78]], dtype=object)

[ ] y=df.iloc[:, -1].values
y

array([1, 0, 1, ..., 1, 1, 0])
```

Question-9:

Scale the independent variables

+ Code + Text

Contr

[]

from sklearn.preprocessing import StandardScaler

{x}

df.head()

df

	RowNumber	CustomerId	Surname	CreditScore	Geography	Gender	Age	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember	EstimatedSalary	Exited
0	1	15634602	Hargrave	619.0000	France	Female	42.0	2	0.00	1	1	1	101348.88	1
1	2	15647311	Hill	608.0000	Spain	Female	41.0	1	83807.86	1	0	1	112542.58	0
2	3	15619304	Onio	502.0000	France	Female	42.0	8	159660.80	3	1	0	113931.57	1
3	4	15701354	Boni	699.0000	France	Female	39.0	1	0.00	2	0	0	93826.63	0
4	5	15737888	Mitchell	650.5288	Spain	Female	43.0	2	125510.82	1	1	1	79084.10	0

Question-10:

Split the data into training & testing

+ Code + Text

[]

from sklearn.model_selection import train_test_split
x_train,x_test,y_train,y_test = train_test_split(x,y, random_state=0, train_size=.75)

{x}

print(x_train.shape)
print(x_test.shape)
print(y_train.shape)
print(y_test.shape)

(7500, 13)
(2500, 13)
(7500,)
(2500,)