

## Sprint - 4

### Docker – Convert into Image and Container

```
C:\Windows\System32\cmd.exe
Microsoft Windows [Version 10.0.22621.819]
(c) Microsoft Corporation. All rights reserved.

C:\Users\kishore kumar\Desktop\Pda>docker build -t pda .
[*] Building 219.5s (11/11) FINISHED
=> [internal] load build definition from Dockerfile                                0.0s
=> == transferring dockerfile: 208B                                              0.0s
=> [internal] load .dockerignore                                                 0.0s
=> == transferring context: 2B                                                  0.0s
=> [internal] load metadata for docker.io/library/python:3.10.6                1.8s
=> [internal] load build context                                                0.0s
=> == transferring context: 3.33kB                                              0.0s
=> [1/6] FROM docker.io/library/python:3.10.6@sha256:745efd7b7e4aac9a8422bd8c62d8bc35a693e8979a240d29677cb83e6aa 0.0s
=> CACHED [2/6] WORKDIR /app                                                    0.0s
=> CACHED [3/6] COPY requirements.txt ./                                         0.0s
=> CACHED [4/6] RUN pip install -r requirements.txt                             0.0s
=> [5/6] RUN pip install ibm_db                                                216.5s
=> [6/6] COPY . .                                                              0.1s
=> exporting to image                                                          1.0s
=> exporting layers                                                            1.0s
=> writing image sha256:13a3f96dea2de5af79dc3f04d957524f9aa54912be56b1db9bb3104eb024bdac 0.0s
=> naming to docker.io/library/pda                                             0.0s



Use 'docker scan' to run Snyk tests against images to find vulnerabilities and learn how to fix them

C:\Users\kishore kumar\Desktop\Pda>
```

```
C:\Windows\System32\cmd.exe
=> [internal] load .dockerignore                                0.0s
=> == transferring context: 2B                                0.0s
=> [internal] load metadata for docker.io/library/python:3.10.6 1.8s
=> [internal] load build context                                0.0s
=> == transferring context: 3.33kB                            0.0s
=> [1/6] FROM docker.io/library/python:3.10.6@sha256:745efd7b7e4aac9a8422bd8c62d8bc35a693e8979a240d29677cb83e6aa 0.0s
=> CACHED [2/6] WORKDIR /app                                  0.0s
=> CACHED [3/6] COPY requirements.txt ./                      0.0s
=> CACHED [4/6] RUN pip install -r requirements.txt           0.0s
=> [5/6] RUN pip install ibm_db                              216.5s
=> [6/6] COPY . .                                            0.1s
=> exporting to image                                        1.0s
=> exporting layers                                          1.0s
=> writing image sha256:13a3f96dea2de5af79dc3f04d957524f9aa54912be56b1db9bb3104eb024bdac 0.0s
=> naming to docker.io/library/pda                          0.0s

Use 'docker scan' to run Snyk tests against images to find vulnerabilities and learn how to fix them

C:\Users\kishore kumar\Desktop\Pda>docker run -p 5000:5000 pda
* Serving Flask app 'app'
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on all addresses (0.0.0.0)
* Running on http://127.0.0.1:5000
* Running on http://172.17.0.3:5000
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!
* Debugger PIN: 877-205-231
```



## Running at Localhost

