

CODE :

```
import RPi.GPIO as GPIO # Import Raspberry Pi GPIO library
from time import sleep # Import the sleep function from the time module
```

```
GPIO.setwarnings(False) # Ignore warning for now
```

```
GPIO.setmode(GPIO.BOARD) # Use physical pin numbering
```

```
GPIO.setup(8, GPIO.OUT, initial=GPIO.LOW) # Set pin 8 to be an output pin and set initial
value to low (off)
```

```
while True: # Run forever
```

```
    GPIO.output(8, GPIO.HIGH) # Turn on
```

```
    sleep(1) # Sleep for 1 second
```

```
    GPIO.output(8, GPIO.LOW) # Turn off
```

```
    sleep(1) # Sleep for 1 second
```

```
import RPi.GPIO as GPIO # Import Raspberry Pi GPIO library
```

```
from time import sleep # Import the sleep function from the time module
```

```
GPIO.setwarnings(False) # Ignore warning for now
```

```
GPIO.setmode(GPIO.BOARD) # Use physical pin numbering
```

```
GPIO.setup(8, GPIO.OUT, initial=GPIO.LOW) # Set pin 8 to be an output pin and set initial value
to low (off)
```

```
while True: # Run forever
```

```
    GPIO.output(8, GPIO.HIGH) # Turn on
```

```
    sleep(1) # Sleep for 1 second
```

```
    GPIO.output(8, GPIO.LOW) # Turn off
```

```
    sleep(1) # Sleep for 1 second
```