Assignment -4

Write code and connections in work for the ultrasonic sensor. Whenever the distance is less than 100 cms send an "alert" to the IBM cloud and display in the device recent events. Upload document with work share link and images of IBM cloud

Program:

```
#include <WiFi.h>
#include < PubSubClient.h >
WiFiClientwifiClient;
String data3;
#define ORG "v6wg8x"
#define DEVICE TYPE "nodeMcu"
#define DEVICE ID "NodeMCU"
#define TOKEN "123456789"
#define speed 0.034
#define led 14
void callback(char* topic, byte* playload,
unsigned intpayloadLength);
char server[] = ORG
".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-
2/evt/Data/fmt/json";
char topic[] = "iot-2/cmd/test/fmt/String";
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE TYPE ":"
DEVICE ID;
PubSubClient client(server, 1883, callback,
wifiClient);
void publishData();
constinttrigpin=5;
constintechopin=18;
```

```
String command;
String data="";
long duration;
float dist;
void setup()
Serial.begin(115200);
pinMode(led, OUTPUT);
pinMode(trigpin, OUTPUT);
pinMode(echopin, INPUT);
wifiConnect();
mqttConnect();
Void loop() {
bool is Nearby = dist< 100;
digitalWrite(led, isNearby);
publishData();
delay(500);
if (!client.loop()) {
mqttConnect();
}
void wifiConnect() {
Serial.print("Connecting to ");
Serial.print("Wifi");
WiFi.begin("Wokwi-GUEST", "", 6);
while (WiFi.status() != WL CONNECTED) {
delay(500);
Serial.print(".");
}
Serial.print("WiFi connected, IP address: ");
Serial.println(WiFi.localIP());
}
void mqttConnect() {
if (!client.connected()) {
```

```
Serial.print("Reconnecting MQTT client to ");
Serial.println(server);
while (!client.connect(clientId, authMethod,
token)) {
Serial.print(".");
delay(500);
initManagedDevice();
Serial.println();
}
void initManagedDevice() {
if (client.subscribe(topic)) {
// Serial.println(client.subscribe(topic));
Serial.println("IBM subscribe to cmd OK");
} else {
Serial.println("subscribe to cmd FAILED");
void publishData()
{
digitalWrite(trigpin,LOW);
digitalWrite(trigpin,HIGH);
delayMicroseconds(10);
digitalWrite(trigpin,LOW);
duration=pulseIn(echopin,HIGH);
dist=duration*speed/2;
if(dist<100){
String payload = "{\"Normal Distance\":";
payload += dist;
payload += "}";
Serial.print("\n");
Serial.print("Sending payload: ");
Serial.println(payload);
if (client.publish(publishTopic, (char*)
```

```
payload.c str())) {
Serial.println("Publish OK");
if(dist>101 &&dist<111){
String payload = "{\"Alert distance\":";
payload += dist;
payload += "}";
Serial.print("\n");
Serial.print("Sending payload: ");
Serial.println(payload);
if(client.publish(publishTopic, (char*)
payload.c_str())) {
Serial.println("Warning crosses 110cm -- it
automaticaly of the loop");
digitalWrite(led,HIGH);
}else {
Serial.println("Publish FAILED");
void callback(char* subscribeTopic, byte*
payload, unsigned intpayloadLength){
Serial.print("callback invoked for topic:");
Serial.println(subscribeTopic);
for(inti=0; i<payloadLength; i++){</pre>
dist += (char)payload[i];
}
Serial.println("data:"+ data3);
if(data3=="lighton"){
Serial.println(data3);
digitalWrite(led,HIGH);
data3="";
```

Output:

Recent Events

The recent events listed show the live stream of data that is coming and going from this device.


Event	Value	Format	Last Received
Data	{"Normal Distance":85.99}	json	a few seconds ago
Data	{"Normal Distance":85.99}	json	a few seconds ago
Data	{"Normal Distance":85.99}	json	a few seconds ago
Data	{"Normal Distance":85.95}	json	a few seconds ago
Data	{"Alert distance":110.98}	json	a few seconds ago

```
Sending payload: {"Normal Distance":99.98}
Publish OK

Sending payload: {"Normal Distance":99.98}
Publish OK

Sending payload: {"Alert distance":110.98}
Warning crosses 110cm -- it automaticaly of the loop

Sending payload: {"Normal Distance":85.95}
Publish OK
```



Connection Information

Basic connection information about this device.

Device ID NodeMCU

Device Type nodeMcu


Date Added Nov 1, 2022 7:27 PM

Added By 312319104058@smartinternz.com

Connection Status Disconnected

Last Connected: Nov 1, 2022 7:58 PM Client Address: 145.40.94.93 Insecure

Duration: a few seconds Data Transferred: 1.5 KB



Raja Gopal B

Srikanth S

Rashad H

Tharun V