IOT Based Smart Crop Protection System for Agriculture.

Team ID - PNT2022TMID16680.

DEVELOPING PYTHON SCRIPT

LOCATION DATA:

```
import wiotp.sdk.device
import time import random
myConfig={
"identity": (
"orgId": "gagtey",
"typeId": "GPS",
"deviceId":"12345"},
"auth": {
"token": "12345678"
}}
def myCommandCallback (cmd):
print ("Message received from IBM IoT Platform: %s" %
cmd.data['command']) m-cmd.data['command'] client=
wiotp.sdk.device.DeviceClient (config=myConfig,
```

```
logHandlers=None) client.connect() def pub (data):
client.publishEvent (eventId="status", msgFormat="json",
data=myData, gos=0, print("Published data Successfully: %s",
myData) while True:
myData={'name': 'Train1', 'lat': 17.6387448, 'lon':
78.4754336) pub
(myData) time.sleep
(3)
#myData('name': 'Train2', 'lat': 17.6387448, 'lon':
78.4754336)
#pub (myData) #time.sleep (3) myData={'name':
'Train1', 'lat': 17.6341908, 'lon':
78.4744722) pub
(myData) time.sleep(3)
myData={'name': 'Trainl', 'lat': 17.6340889, lon': 78.4745052)
pub (myData) time.sleep(3)
myData={'name': 'Trainl', 'lat': 17.6248626, 'lon': 78.4720259)
pub (myData) time.sleep (3)
myData={'name': 'Trainl', 'lat': 17.6188577, 'lon': 78.4698726)
pub (myData) time.sleep (3) myData={'name': 'Train1', 'lat':
17.6132382, 'lon':
```

```
78.4707318) pub
(myData) time.sleep
(3)
client.commandCallback = myCommandCallback
client.disconnect()
```

QR SCANNER CODE:

Import cv2 import numpy as np import time

Import pyzbar.pyzbar as pyzbar

from ibmcloudant.cloudant_v1 import CloudantV1 from ibmcloudant import CouchDbSessionAuthenticator from ibm_cloud_ sdk_core.authenticators import BasicAuthenticator authenticator= BasicAuthenticator ('apikey-v2-16u3crmdpkghhxefdikvpssoh5fwezrmuup5fv5g3ubz', 'b0ab119f45d3e6255eabb978

service Cloudant V1 (authenticator-authenticator)
service.set_service_url('https://apikeyv216u3crmdpkghhxefdikvpssoh5fwezrmuup5fv5g3ubz:b0ab
119 f45d3e6255eabb978e7e2f0 cap= cv2.VideoCapture (0)
font cv2.FONT HERSHEY PLAIN while True:

```
frame cap.read()
decodedobjects pyzbar.decode (frame) for
obj in decodedObjects: #print
("Data", obj.data) aobj.data.decode('UTF-8')
cv2.putText (frame, "Ticket", (50, 50), font, 2,
(255, 0, 0), 3) #print
(a)
try: response = service.get_document ( db='booking,
doc id = a ).get result()
print (response) time.sleep(5) except
Exception as e:
print ("Not a Valid Ticket") time.sleep
(5) cv2.imshow("Frame", frame) if
cv2.waitKey(1) & 0xFF==ord('q'):
break cap.release() cv2.destroyAllWindows
() client.disconnect()
```