SMART WASTE MANAGEMENT FOR METROPOLITAN CITIES

TEAM ID:PNT2022TMID26000

DOMAIN: INTERNET OF THINGS

Abstract:

A big challenge in the urban cities is that of waste management as there is a rapid

growth in the rate of urbanization and thus there is a need of sustainable urban

development plans. As the concept of smart cities is very much trending these days and

the smart cities cannot be complete without smart waste management system. There

needs to be system that gives prior information of the filling of the bin that alerts the

municipality so that they can clean the bin on time and safeguard the environment. To

avoid all such situations we intend to propose a solution for this problem "Smart

Garbage Bin", which will alarm and inform the authorized person when the garbage bin

is about to fill. Then message will be send to the authorized person to collect the

garbage from the particular area. The authorized person will sends the message from his

web application to the garbage collectors by sending a SMS. This system maintain a dry

waste and a wet waste separately. This will help to reduce the overflow of the garbage

bin and thus keeping environment clean

INTRODUCTION:

Internet of Things is nothing but the applications performing with the help of internet access.. IoT Communication over the internet has grown from user - user interaction to device — device interactions these days. The IoT concepts were proposed years back but still it's in the initial stage of commercial deployment. Home automation industry and transportation industries are seeing rapid growth with IoT. The basic project idea is to design a smart waste detection system which would automatically notify the officials about the current status of various garbage bins in the city, would have real-time monitoring capabilities, which would be remotely controlled using IOT techniques.

This paper introduces you to the use of IoT on one such area, that is, Garbage Detection in smart ways using IoT and see how this can also be a major part of developing a city into a smart city

EXISTING WORKS:

In the existing system garbage is collected by corporation by weekly once or by 2 days once. Though the garbage shrinks and overflows the garbage bin and spread over the roads and pollutes the environment. The smell will be heavy and produces air pollution and spreads disease. The street dogs and animals eat the waste food and spreads over the area and creates dirty environment to avoid such situation we are planning to design IOT Based Garbage Management For Smart Cities.

Disadvantages of existing system

- ➤ Time consuming and less effective: trucks go and empty containers whether they are full or not.
- High costs.

- Unhygienic Environment and look of the city.
- Bad smell spreads and may cause illness to human beings.
- More traffic and Noise

PROPOSED SYSTEM:

In this proposed system there are multiple dustbins located through the city or the campus, these dustbins are provided with low cost embedded device which helps in tracking the level of the garbage bins and an unique ID will be provided for every dustbin in the city so that it is easy to identify which garbage bin is fill. When the level reaches the threshold limit, the device will transmit the level along with the unique ID provided. These details can be accessed by the concern authorities from their place with the help of internet and an immediate action can be made to clean the dustbins.

LITERATURE SURVEY:

The idea of smart garbage bins and systems have been in discussion for quite a long time. The technologies used at disposal to develop this smart system have also evolved, Internet of Things (IoT). Each idea seems to be similar but is slightly different at its core and our proposed work is no exception from the same. After the IoT field, finding its hold in our lives, this is our original plan for designing a smart garbage collection system which has provision for citizen participation and analysis of data for better decision making. At hardware level, the smart system is a garbage bin with ultrasonic sensor, a micro-controller and Wi-Fi module for transmission of data

The worldwide implementation of Internet of Things is possible with a Cloud centric vision. This work exploits the future possibilities, key technologies and application that are likely to drive IoT research. But a strong foundation to our work is provided, where

the basics and applications of Arduino board is explained. It is quite interesting as it implements a GAYT (Get As You Throw) system concept as a way to encourage recycling among citizens. As we would discuss further, the citizen participation part of our system is quite influenced by their work.

PROPOSED WORK:

The main objective of our project involves applying IoT technology (electronics and applications) to the current urban waste management scenario and enables a two way communication between the infrastructures deployed in the city and the operators/administrators. A centralized system for real-time monitoring is our goal to achieve. In this way both the municipal and citizens benefit from an optimized system which results in major cost savings and less urban pollution.

PROPOSED SOLUTION:

S.No.	Parameter	Description
1.	Problem Statement (Problem to	A historical backlog of waste services
	be solved)	for, especially, urban informal areas,
		tribal areas and rural formal areas.
		Although 61%10 of all South African
		households had access to kerbside
		domestic waste collection services in
		2007, this access remains highly
		skewed in favour of more affluent
		and urban communities. Inadequate
		waste services lead to unpleasant
		living conditions and a polluted,
		unhealthy environment
2.	Idea / Solution description	The Proposed system consists of
		main subsystems namely Smart Trash
		System(STS) and Smart Monitoring
		and Controlling Hut(SMCH). In the
		proposed system, whenever the
		waste bin gets filled this is
		acknowledged by placing the circuit
		at the waste bin, which transmits it
		to the receiver at the desired place in
		the area or spot.

3.	Novelty / Uniqueness	In mega cities due to comparatively more population along with the rapid urbanization the collection of garbage is becoming a big task. Waste management is a matter of concern, equal involvement of the Government and the citizens is a must to manage and overcome waste
		management issues.

4.	Social Impact / Customer	Public and social health are
4.	Satisfaction	
	Jausiaction	paramount not only to individual
		governments in the world, but the
		United Nations (UN) as well. The
		world body, in a bid to achieve the
		Millennium Development Goals
		(MDGs), encourages governments to
		implement social intervention
		programs that lead to improvement
		in basic services for health,
		education, water and sanitation. In
		September 2015, Heads of State and
		Governments adopted the 2030
		Agenda for Sustainable Development
		which includes the 17 Sustainable
		Development Goals (SDGs). The SDGs
		builds on the success of the MDGs.
		The Goal 6 of the SDGs is to ensure
		availability and sustainable
		management of water and
_		sanitation.
5.	Business Model (Revenue	Waste Management generates
	Model)	revenue through the provision of
		various waste management and
		disposal services and recycling
		solutions to residential, commercial,
		industrial, and municipal clients. The
		Company derives its revenue in the
		form of various fees associated with
		its service offerings.
6.	Scalability of the Solution	Sensoneo's smart waste
		management solution empowers
		cities to manage and battle
		evergrowing volumes of urban and
		municipal waste. The growing
		volumes of waste are largely caused
		by two factors: large-scale
		urbanization and industry growth.
		The modern lifestyle around the
		globe produces much more waste
		per citizen than only a decade ago.
		•
		The United Nations projects 66% of
		the world's population will live in
		cities by 2050. To sustain all these
		factors, problems and challenges,
		cities need a sophisticated and
		efficient tool to manage waste,
		monitor bins with sensors, and
		optimize capacity and collection
		routes.
	1	

PROPOSED SOLUTION FIT:

Define CS, fit into CC	1. CUSTOMER SEGMENT(S) . workers who are working in corporation . automatic sensor based operation with zero manual invention	6. CUSTOMER CONSTRAINTS . recycling might be inexpensive _insufficient data collection	5. AVAILABLE SOLUTIONS . Based on IOT technology smart waste management aims to optimize resource allocation, reduce running costs, and increases the sustainability of waste services.
Focus on J&P, tap into BE, understand RC	2. JOBS-TO-BE-DONE / PROBLEMS . Due to lack of proper collections of waste and garbage ends up in polluting the environment	9. PROBLEM ROOT CAUSE The greatest problem regarding waste management in developing countries begins at the very starting point of the process Process	7. BEHAVIOUR . All based smart waste bin, designed for public places enabling them to monitor and manage BE . Top into BE, understand RC
	3. TRIGGERS . Al recycling robots & solar-power trash compactor Digitally improvement cities . smart waste bins	10. YOUR SOLUTION . The garbage bins are <u>build</u> with a sensor module(Ultrasonic sensor)which continuously monitors the garbage level inside the garbage bin and sends an alert message to the garbage collector.	8. CHANNELS of BEHAVIOUR 8.1 ONLINE Garbage collector can monitor the level of the dustbinustor the sensor 8.2 OFFLINE They have to manually check the garbage level each and every day. So that they have to spend for fuel every day
	4. EMOTIONS: BEFORE / AFTER . If the garbage bin is full in it may pollute the city and when we inhale such kind of hazardous smell_that will lead to breathing problems . So when we collect the garbage properly there won't be any such kind of issues		

REQUIREMENT ANALYSIS:

Functional Requirements:

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-
		Task
FR-1	User Registration	Registration through Form
		Registration through Gmail
		Registration through LinkedIn
FR-2	User Confirmation	Confirmation via Email
		Confirmation via OTP
FR-3	User verification	The user should receive a
		verification e-mail which they
		have to confirm to complete
		the registration.
FR-4	Authentication	The data inside the device is
		need to be authenticated to
		ensure the privacy of the users.
FR-5	Legal Requirements	Proper Medical Certificate is
		produced to ensure the
		integrity of the users.
FR-6	Database	Information of the location
		area will be stored in the
		database.

Non-functional Requirements:


FR No.	Non-Functional Requirement	Description
NFR-1	Usability	It can be widely used in
		metropolitan cities with time
		management.
NFR-2	Security	stored We are using login for the
		admin and the information will be
		in IBM cloud
NFR-3	Reliability	It will be reliable that it can update
		with very time period so that the
		accuracy will be good
NFR-4	Performance	It will be perform fast and secure
		even at the lower bandwidth.
NFR-5	Availability	Smart Waste Management System
		will be available in every
		Metropolitan Cities
NFR-6	Scalability	It is scalable that we are going to
		use data in kb so that the quite
		amount of storage is satisfied.

PROJECT DESIGN:

Data Flow Diagrams:

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.

Flow




- User configures credentials for the Watson Natural Language Understanding service and starts the app.
- 2. User selects data file to process and load.
- Apache Tika extracts text from the data file.
- 4. Extracted text is passed to Watson NLU for enrichment.
- 5. Enriched data is visualized in the UI using the D3.js library.

Solution Architecture:

Solution architecture: A complicated with numerous sub-processes, – solution architecture connects technological remedy to business issue. Its objectives are to

- Find the best tech solution to solve existing business problems.
- Explain to project stakeholders the structure, traits, behaviour, and other features of the software.
- Specify the project's features, development stages, and solution needs.
- Offer the requirements by which the solution is created, handled, and given to the clients.



User Stories:

User Type	Functional Requirement	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user)	(Epic) Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my	I can access my account / dashboard	High	Sprint-1
Customer (Web user)		USN-2	password. As a user, I will receive confirmation email once I have registered for the application	I can receive confirmation email & click confirm	High	Sprint-1
		USN-3	As a user, I can register	I can register & access the	Low	Sprint-2
			for the application through Facebook	dashboard with Facebook Login		
Customer Care Executive		USN-4	As a user, I can register for the application through Gmail		Medium	Sprint-1
Administrator	Login	USN-5	As a user, I can log into the application by entering email & password		High	Sprint-1

COMPONENTS AND COMPATIBILITY:

For small scale simulation purposes we need the following components – **Wi-Fi Module:**

802.11b/g/n protocol, Wi-Fi Direct (P2P), soft-AP, Integrated TCP/IP protocol stack. Wi-Fi Module helps us to send the details of the dustbin at the receiver side.

Arduino Atmega328

Arduino is an open-source prototyping platform based on easy-to-use hardware and software.

Arduino boards are able to read inputs - light on a sensor, anger on a button, or a Twitter message and turn it into an output - activating a motor, turning on an LED, publishing something online.

Resistors

AVR family microcontroller Embedded C language Arduino software Ultrasonic sensors

CONCLUSION:

This project work is the implementation of smart garbage management system using IR sensor, microcontroller and Wi-Fi module. This system assures the cleaning of dustbins soon when the garbage level reaches its maximum. If the dustbin is not cleaned in specific time, then the record issent to the higher authority who can take appropriate action against the concerned contractor Therefore, the smart garbage management system makes the garbage collection more efficient. Such systems are vulnerable to plundering of components in the system in different ways which needs to be worked on.

FUTURE ENHANCEMENT:

Smart dustbin helps us to reduce the pollution. Many times garbage dustbin is overflow and many animals like dog or rat enters inside or near the dustbin. This creates a bad scene. Also some birds are also trying to take out garbage from dustbin. This project can avoid such situations. And the message can be sent directly to the cleaning vehicle instead of the contractor's office

REFRENCES:

- [1] Ikuo Ihara; Nagaoka University of Technology; Ultrasonic Sensing: Fundamentals and Its Applications to Non-destructive Evaluation.
- [2] Arduino, "Available at http://www.arduino.cc," 2010.
- [3] M. Batty, "Smart Cities, Big Data," Environment and Planning B: Planning and Design 2012, vol. 39, pp. 191–93.
- [4] Xu Li, Student Member, IEEE, Performance Evaluation of Vehicle-Based Mobile Sensor Networks for Traffic Monitoring.
- [5] Yusuf Abdullahi Badamasi, The Working Principle Of An Arduino, Electronics, Computer and Computation (ICECCO), 2014 11th International Conference on

29 Sept.-1 Oct. 2014.

[6] Pedro Reis, Rui Pitarma, Celistino Goncalves, Intelligent System for Valorizing
Solid Urban Waste, Filipe Caetano Faculty of Engineering UBI University of

Beira Interior Covilha, Portugal, 2015.

- [7] Adnan Aijaz, Member, IEEE; Cognitive Machine-to-Machine Communications for Internet-of-Things: A Protocol Stack Perspective
- [8] IEEE; INTERNET OF THINGS JOURNAL.
- [9] Dr. K.G. Srinivasa Head of the Department; Department of Computer Science; M S Ramaiah Institute of Technology
- [10] Ni-Bin Chang, Smart and Green Urban Solid Waste Collection Systems: Advances, Challenges, and perspectives