Import the necessary libraries

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import LabelEncoder
from keras.models import Model
from keras.layers import LSTM, Activation, Dense, Dropout, Input, Embedding
from keras.optimizers import RMSprop
from keras.preprocessing.text import Tokenizer
from keras.preprocessing import sequence
from keras.utils import to_categorical
from keras.callbacks import EarlyStopping
%matplotlib inline
```

Load the data into Pandas dataframe

df = pd.read_csv('/content/spam.csv',delimiter=',',encoding='latin-1')
df.head()

	v1	v2	Unnamed: 2	Unnamed: 3	Unnamed: 4
0	ham	Go until jurong point, crazy Available only	NaN	NaN	NaN
1	ham	Ok lar Joking wif u oni	NaN	NaN	NaN
2	spam	Free entry in 2 a wkly comp to win FA Cup fina	NaN	NaN	NaN
3	ham	U dun say so early hor U c already then say	NaN	NaN	NaN
4	ham	Nah I don't think he goes to usf, he lives aro	NaN	NaN	NaN

df.tail()


	v1	v2	Unnamed: 2	Unnamed: 3	Unnamed: 4
5567	spam	This is the 2nd time we have tried 2 contact u	NaN	NaN	NaN
5568	ham	Will i _ b going to esplanade fr home?	NaN	NaN	NaN
5569	ham	Pity, * was in mood for that. Soany other s	NaN	NaN	NaN
5570	ham	The guy did some bitching but I acted like i'd	NaN	NaN	NaN
5571	ham	Rofl. Its true to its name	NaN	NaN	NaN

```
Assignment-4 (Sanjay G).ipynb - Colaboratory
01/11/22, 12:46 PM
    # Checking datatype
    df.info()
         <class 'pandas.core.frame.DataFrame'>
         RangeIndex: 5572 entries, 0 to 5571
         Data columns (total 5 columns):
                          Non-Null Count Dtype
              Column
              ----
                           -----
          0
              v1
                          5572 non-null
                                           object
          1
              v2
                          5572 non-null
                                           object
          2
              Unnamed: 2 50 non-null
                                           object
              Unnamed: 3 12 non-null
                                           object
              Unnamed: 4 6 non-null
                                           object
         dtypes: object(5)
         memory usage: 217.8+ KB
    df.drop(['Unnamed: 2', 'Unnamed: 3', 'Unnamed: 4'],axis=1,inplace=True)
    df.info()
         <class 'pandas.core.frame.DataFrame'>
         RangeIndex: 5572 entries, 0 to 5571
         Data columns (total 2 columns):
              Column Non-Null Count Dtype
                      _____
          0
              v1
                      5572 non-null
                                       object
          1
              v2
                      5572 non-null
                                       object
         dtypes: object(2)
         memory usage: 87.2+ KB
    sns.countplot(df.v1)
    plt.xlabel('Label')
    plt.title('Number of ham and spam messages')
```

```
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass t
    FutureWarning
sns.countplot(df.v1)
plt.xlabel('Label')
plt.title('Number of ham and spam messages')
```

/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass t FutureWarning

Text(0.5, 1.0, 'Number of ham and spam messages')



```
# Convert list into array
x_train,y_train = np.array(x_train),np.array(y_train)

# Building model

from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import LSTM, Dense

model = Sequential()
model.add(LSTM(50, input_shape=(60, 1),return_sequences=True))
model.add(LSTM(50,return_sequences=True))
model.add(LSTM(50,return_sequences=True))
model.add(LSTM(50,return_sequences=True))
model.add(Dense(1))

model.compile(optimizer='adam',loss='mse')

# save model
model.save('LSTM.h5')
```

Colab paid products - Cancel contracts here

0s

completed at 12:44

×