



Vel Tech Multi Tech
Dr.Rangarajan Dr.Sakunthala Engineering College
An Autonomous Institution

SMART FASHION RECOMMENDER APPLICATION

A PROJECT REPORT

Submitted by

Team ID: PNT2022TMID22495

Team Members :

SUTHARSAN S	113119UG04105
DINESH K	113119UG04025
GUNALAN S	113119UG04031
VIGNESH B	113119UG04110

CONTENTS

1. INTRODUCTION

1.1 Project Overview

1.2 Purpose

2. LITERATURE SURVEY

2.1 Existing problem

2.2 References

2.3 Problem Statement Definition

3. IDEATION & PROPOSED SOLUTION

3.1 Empathy Map Canvas

3.2 Ideation & Brainstorming

3.3 Proposed Solution

3.4 Problem Solution fit

4. REQUIREMENT ANALYSIS

4.1 Functional requirement

4.2 Non-Functional requirements

5. PROJECT DESIGN

5.1 Data Flow Diagrams

5.2 Solution & Technical Architecture

5.3 User Stories

6. PROJECT PLANNING & SCHEDULING

6.1 Sprint Planning & Estimation

6.2 Sprint Delivery Schedule

6.3 Reports from JIRA

7. CODING & SOLUTIONING (Explain the features added in the project along with code)

7.1 Feature 1

7.2 Feature 2

7.3 Database Schema (if Applicable)

8. TESTING

8.1 Test Cases

8.2 User Acceptance Testing

9. RESULTS

9.1 Performance Metrics

10. ADVANTAGES & DISADVANTAGES

11. CONCLUSION

12. FUTURE SCOPE

13. APPENDIX

Source Code

GitHub & Project Demo Link

1.

INTRODUCTION

1.1. Project Overview

We live in a world powered by AI, where all human activities are simplified with machinery. The AI takes control of almost any area. In this project, we included one such powerful tool, a chatbot, that helps recommend goods to customers. The proposed project is about building a fashion website and integrate a chatbot that picks up fashion goods for the users with less time. Instead of checking out so many products and spending lot of time on the internet before buying stuff to fill your wardrobe, get the help of our fashion recommender by simply listing out your preferences. The chatbot is built in such a way that it collects user's likes and dislike by asking them a few questions, pick up the best matches from warehouse and piles up their window with products that they cannot reject. All the products it picks up will never fail to convince the in terms of price, quality and fashion.

1.2. Purpose

The primary motive of the proposed system is to recommend fashion products through recommendations. Online shopping makes one to spend less time on buying products as it does not take time to commute, choose shops, check for the quality of the product, and stand in queues to bill them. Users can save money because of better deals and cheaper price. Money transactions are simpler in online shopping. It brings goods at users' door step. Since the proposed project comes with a chatbot, it has an added advantage of picking up fashion goods faster. The built-in chatbot assists customers to make a better and a quick decision to purchase a product as it recommends stuff based on user preferences. Through this, the vendor knows what is desired by their customers and knows their expectations so that they can increase sales.

2. LITERATURE SURVEY

2.1. Existing problem

While doing online shopping, people are checking out various products. In fact, the number of products they are checking out is very much greater than number of products they are purchasing. Customers have to go through every product to discover the one best thing that satisfies their desire. It automatically takes a long time and can result in the purchase of a product that was not intended for purchase. Sometimes, just to advantage of free shipping customers end up shopping more than they need.

2.2. References

- [1] A Review of Modern Fashion Recommender Systems
- [2] Fashion Recommendation System
- [3] Product Recommender Chatbot
- [4] Image-based fashion recommender systems
- [5] A Survey on Conversational Recommender Systems

2.3. Problem Statement Definition

To come up with a new innovative solution through which user can directly do online shopping based on their choice without any search. It can be done by using the chatbot. It recommends fashion based on user desire.

Table 2.3.1: Problem Statements

Problem Statement (PS)	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	Common man	Buy clothes at cheap rate	Buying cheaper clothes at shops near meraises quality issues.	At cheaper rate, unrecognized brandproducts are sold	Disappointed
PS-2	Fashionista	Buy trendy and branded clothes	Availability of desired products is notassured.	The clothes are notup to my expectations	Frustrated
PS-3	Celebrity	Buy clothes like normal people	Due to paparazzi, I cannot do so.	Being a celebrity, people are curiousabout my personal life	My privacy is invaded
PS-4	Fashion Stylist	Informed about the latest fashion trends	I am not getting apt recommendations from websites.	Sometimes the collections are poorand sometimes the price is high	Upset

3. IDEATION & PROPOSED SOLUTION

3.1. Empathy Map Canvas





Figure 3.1.1: Empathy Map Canvas

3.2. Ideation & Brainstorming



**Brainstorm
& idea prioritization**

Use this template in your own brainstorming sessions so your team can unleash their imagination and start shaping concepts even if you're not sitting in the same room.

🕒 10 minutes to prepare
🕒 1 hour to collaborate
👤 2-8 people recommended

[Share template feedback](#)

➔

Before you collaborate

A little bit of preparation goes a long way with this session. Here's what you need to do to get going.

🕒 10 minutes

A Team gathering
Define who should participate in the session and send an invite. Share relevant information or pre-work ahead.

B Set the goal
Think about the problem you'll be focusing on solving in the brainstorming session.

C Learn how to use the facilitation tools
Use the Facilitation Superpowers to run a happy and productive session.

[Open article](#) ➔

1


Define your problem statement

To build a new innovative solution through which a user can directly do their online shopping based on their choice without any search by using a chatbot.

🕒 5 minutes

PROBLEM

How might we build a smart fashion recommender application that comes with a chatbot?



Key rules of brainstorming

To run a smooth and productive session

🗣️ Stay in topic.	💡 Encourage wild ideas.
⏸️ Defer judgment.	👂 Listen to others.
🗣️ Go for volume.	👁️ If possible, be visual.

Figure 3.2.1: Brainstorming & Idea Prioritization




Figure 3.2.2: Brainstorming & Idea Prioritization



Figure 3.2.3: Brainstorming & Idea Prioritization

3.3. Proposed Solution

Table 3.3.1: Proposed Solution

S.No.	Parameter	Description
1	Problem Statement (Problem to be solved)	To recommend fashion products based on customer's choice without any search on a fashion website.
2	Idea / Solution description	To build a new innovative solution through which a user can directly make their online purchases based on their choice, without any search using a chatbot.
3	Novelty / Uniqueness	Searching or filtering of products can be done with ease using chatbot.
4	Social Impact / Customer Satisfaction	Customers can get their products easily through chatbot without not being redirected to multiple pages.
5	Business Model (Revenue Model)	Shipping charges, and advertisement.
6	Scalability of the Solution	More number of users can be managed effectively, since entire application is hosted on cloud.

3.4. Problem Solution Fit




Figure 3.4.1: Problem Solution Fit

4. REQUIREMENT ANALYSIS

4.1. Functional requirement

Table 4.1.1: Functional Requirements

FR No.	Functional Requirement (Epic)	Sub Requirement (Story/ Sub-Task)
FR-1	User Registration	Registration through Form.
FR-2	User Confirmation	Confirmation via Email.
FR-3	User Search	Through search box and chatbot.
FR-4	User payment	Through UPI/Net banking/COD.
FR-5	Chatbot recommendation	Recommends products according to user commands.

4.2. Non-Functional requirement

Table 4.1.2: Non-Functional Requirements

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	User friendly interface that makes them easy to access.
NFR-2	Security	Data will not be misused by any third party applications.
NFR-3	Reliability	Resetting password if user is unable to login (forget password option)
NFR-4	Performance	Chatbot for apt recommendation and quicker search.
NFR-5	Availability	New collections are available according to the trend.
NFR-6	Scalability	More number of users can be managed effectively, since entire application is hosted on cloud.

5. PROJECT DESIGN

5.1. Data Flow Diagram




Figure 5.1.1: Data Flow Diagram

5.2. Solution & Technical Architecture

Solution Architecture




Figure 5.2.1: Solution Architecture

Technical Architecture




Figure 5.2.2: Technical Architecture

5.3. User Stories

Table 5.3.1: User Stories

User Type	Functional Requirement (Epic)	User story Number	User Story / Task	Acceptance Criteria	Priority	Release
Customer (Web user)	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account or redirect to the next process.	High	Sprint-1
		USN-2	As a user, I will receive a confirmation email, once I have registered for the application.	I can receive confirmation email & click confirm	High	Sprint-1
	Login	USN-3	As a user, I can log into the application by entering email & password	I can be redirected to the dashboard.	High	Sprint-1

	Dashboard	USN-4	As a user, I can explore the products on the site.	I can ask recommendations from the chatbot.	High	Sprint-1
				I can view the offers and deals.		
	Chatbot	USN-5	As a user, I can find my desired products through recommendation.	I can save my time in exploring the products.	High	Sprint-2
	Wish list	USN-6	As a user, I can add the products to my wish list.	I can save products for future reference.	Medium	Sprint-2
	Payment	USN-7	As a user, I can make payment.	I will receive mail after successful payment.	High	Sprint-3
	Payment Confirmation	USN-8	As a user, I will receive a confirmation email.	I can be assured of secured payment.	High	Sprint-3
	Coupon Generation	USN-9	As a user, I will be provided with customized coupons on my birthday.	I will be contented and saving money on my special day.	Low	Sprint-4
	Shipping	USN-10	As a user, I will be able to view the estimated time of delivery.	I can track my orders.	Medium	Sprint-4
Administrator	Login	USN-11	As an admin, I can register for the application by entering my email, password, and confirming my password.	I can track users' purchases.	High	Sprint-4
				I can check the database of the stock.		

6. PROJECT PLANNING & SCHEDULING

6.1. Sprint Planning & Estimation

Table 6.1.1: Sprint Planning & Estimation

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	2	High	SUTHARSAN
Sprint-1		USN-2	As a user, I will receive confirmation email once I have registered for the application	3	High	DINESH K
Sprint-1	Login (User)	USN-3	As a user, I can log into the application by entering email and password	2	High	VIGNESH B
Sprint-1	Dashboard	USN-4	As a user, I can explore the products on the site.	5	High	GUNALAN S & DINESH K
		USN-5	As a user, I can view offers.	3	Medium	GUNALAN S
Sprint-2	Chatbot	USN-6	As a user, I can find my desired products through recommendation.	8	High	SUTHARSAN , VIGNESH B
		USN-7	As a user, I can ask queries and get clarified.	5	High	SUTHARSAN S & VIGNESH B

		USN-8	As a user, I can get suggestion on color combinations.	2	Medium	DINESH K
Sprint-3	Wish-list	USN-9	As a user, I can add the products to my wish list.	2	Medium	SUTHARSAN S
Sprint-3	Payment	USN-10	As a user, I can make payment.	8	High	GUNALAN S & VIGNESH B
Sprint-3	Order confirmation	USN-11	As a user, I will receive a confirmation email.	5	High	SUTHARSAN S & DINESH K
Sprint-4	Coupon generation	USN-12	As a user, I will be provided with customized coupons on my birthday.	8	Low	GUNALAN S & DINESH K
Sprint-4	Shipping	USN-13	As a user, I will be able to view the estimated time of delivery.	3	Medium	SUTHARSAN S
Sprint-4	Login (Administrator)	USN-14	As an admin, I can register for the application by entering my email, password, and confirming my password.	2	High	VIGNESH B
		USN-15	As an admin, I can check out the database about the stock and have a track of all the things that the users are purchasing.	2	Medium	SUTHASRSAN

6.2. Sprint Delivery Schedule

Table 6.2.1: Sprint Delivery Schedule

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	15	6 Days	24 Oct 2022	29 Oct 2022	29 Oct 2022	29 Oct 2022
Sprint-2	15	6 Days	31 Oct 2022	05 Nov 2022	06 Nov 2022	05 Nov 2022
Sprint-3	15	6 Days	07 Nov 2022	12 Nov 2022	12 Nov 2022	12 Nov 2022
Sprint-4	15	6 Days	14 Nov 2022	19 Nov 2022	19 Nov 22	19 Nov 2022

6.3. Reports from JIRA

Roadmap




Figure 6.3.1: Roadmap

Sprint 1 Report

Date - October 24th, 2022 - October 29th, 2022




Figure 6.3.2: Sprint 1 Report

Sprint 2 Report

Date - October 21st, 2022 - November 5th, 2022




Figure 6.3.3: Sprint 2 Report

Sprint 3 Report

Date - November 7th, 2022 - November 12th, 2022




Figure 6.3.2: Sprint 3 Report

Sprint 4 Report

Date - November 14th, 2022 - November 19th, 2022




Figure 6.3.4: Sprint 4 Report

7. CODING & SOLUTIONING

7.1. Feature 1

Chatbot:

A chatbot has been integrated with the application for recommending fashion products based on the user's preference. For this, IBM Watson Assistant has been used. The chatbot, before suggesting products, asks the user few questions to learn about what the user wants. The chatbot retrieves the product details from the cloud, according to the customer responses to the questions being asked.

Code:

home.html

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title> GDSV Vogue</title>
  <link rel="icon" type="image/jpeg" href="{ {url_for('redirect_to',link='https://s3.jp-tok.cloud-object-storage.appdomain.cloud/smartfashion2001/logo.jpeg') }}" sizes="200x200">
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" integrity="sha384-xOoIHfLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N" crossorigin="anonymous">
  <link rel="stylesheet" href="{ {url_for('static',filename='styles/styles.css') }}" type="text/css">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Jost:wght@500&family=Quicksand:wght@300&family=Courgette&display=swap" rel="stylesheet">
  <script src="https://kit.fontawesome.com/0a56e63d65.js" crossorigin="anonymous"></script>
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
</head>
<body
  style="background:url({ {url_for('redirect_to',link='https://s3.jp-tok.cloud-object-storage.appdomain.cloud/smartfashion2001/hmbg.png') }});background-repeat: no-repeat;
background-attachment: fixed; background-position: center; background-size: cover; ">
  {% from 'nav.html' import usedalot %}
  {{ usedalot(uname) }}
```

```

    {% if uname!= None: %}
    <div style="display:flex;">
    <h4 style="font-family: 'Courgette', cursive;text-align: left;font-size: xx-large;margin-top:
8%;margin-left: 5%;font-weight: 100">Welcome {{uname}},</h4>
    </div>
    {% endif %}
    {% if uname== None: %}
    <div id="carouselExampleIndicators" class="carousel slide" style="margin:8% 3%;" data-
ride="carousel">
    {% else: %}
    <div id="carouselExampleIndicators" class="carousel slide" style="margin:3%;" data-ride="carousel">
    {% endif %}
    <ol class="carousel-indicators">
    <li data-target="#carouselExampleIndicators" data-slide-to="0" class="active"></li>
    <li data-target="#carouselExampleIndicators" data-slide-to="1"></li>
    <li data-target="#carouselExampleIndicators" data-slide-to="2"></li>
    <li data-target="#carouselExampleIndicators" data-slide-to="3"></li>
    <li data-target="#carouselExampleIndicators" data-slide-to="4"></li>
    <li data-target="#carouselExampleIndicators" data-slide-to="5"></li>
    <li data-target="#carouselExampleIndicators" data-slide-to="6"></li>
    <li data-target="#carouselExampleIndicators" data-slide-to="7"></li>
    </ol>
    <div class="carousel-inner">
    <div class="carousel-item ">
    <a href="{{url_for('products_page',category='Kids',type='Boys T-Shirts')}}"></a>
    </div>
    <div class="carousel-item active">
    
    </div>
    <div class="carousel-item">
    <a href="{{url_for('products_page',category='Women',type='Ethnic Wear')}}">
    </a>
    </div>

```

```

<div class="carousel-item">
  <a href="{ {url_for('products_page',category='Women',type='Ethnic Wear')}}">
  </a>
</div>
<div class="carousel-item">
  <a href="{ {url_for('products_page',category='Footwears',type='Men')}}">
  </a>
</div>
<div class="carousel-item">
  <a href="{ {url_for('products_page',category='Men',type='Formals')}}">
  </a>
</div>
<div class="carousel-item">
  <a href="{ {url_for('products_page',category='Accessories',type='Men watches')}}">
  </a>
</div>
<div class="carousel-item">
  <a href="{ {url_for('products_page',category='Women',type='Saree')}}">
  </a>
</div>
</div>
<a class="carousel-control-prev" href="#carouselExampleIndicators" role="button" data-slide="prev">
  <span class="carousel-control-prev-icon" aria-hidden="true"></span>
  <span class="sr-only">Previous</span>
</a>
<a class="carousel-control-next" href="#carouselExampleIndicators" role="button" data-slide="next">
  <span class="carousel-control-next-icon" aria-hidden="true"></span>
  <span class="sr-only">Next</span>
</a>
</div>
<div class="container">
  <div class="row">

```

```

<div class="col-sm-12">
  <div class="section-title">
    <div class="divider"></div>
  </div>
</div>
</div>
</div>
<section id="featuresec">
  <h1 style="text-align:center;      text-align: center;padding: 2%;font-weight: bolder;"
class="h1style">F E A T U R E S</h1>
  <div class="container">
    <div class="row">
      <div class="col-sm">
        <h4>Free Shipping</h4>
        
        <h4>Get Free shipping on all orders</h4>
      </div>
      <div class="col-sm">
        <h4>Easy Returns</h4>
        
        <h4>7 days Return Policy</h4>
      </div>
      <div class="col-sm">
        <h4>Customer Support</h4>
        
        <h4>24/7 Customer Support By our experts</h4>
      </div>
    </div>
  </div>
</div>
</section>
<div class="container">
  <div class="row">
    <div class="col-sm-12">
      <div class="section-title">
        <div class="divider"></div>
      </div>
    </div>
  </div>

```



```

</div>
</div>
<!--chatbot script -->
{ % from 'footer.html' import footer % }
{{ footer() }}
<script>
window.watsonAssistantChatOptions = {
  integrationID: "7f845c17-275d-493b-882e-dbdce1fc2652", // The ID of this integration.
  region: "au-syd", // The region your integration is hosted in.
  serviceInstanceID: "e50c449b-c969-4e8c-aa16-fbb43cadce5f", // The ID of your service instance.
  onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
});
</script>
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"
integrity="sha384-
OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JkI"
crossorigin="anonymous"></script>
<script src="{ {url_for('static',filename='script.js')} }" />
<script src="https://kit.fontawesome.com/0a56e63d65.js" crossorigin="anonymous"></script>
</body>
</html>

```

7.2. Feature 2

Coupon Generation:

The application generates coupons based on the bill amount and birthday of a customer. It is user's wish to apply coupon for deduction in the amount or they can save it for later. If applied, the amount is reduced from the bill amount generated and the net price is paid by the customer.

Code:

main.py

```
#payment page
@app.route("/payment",methods=('GET','POST'))def
payment_pg():
    userid = session.get('logged_in_userid', None)
    uname = session.get('logged_in_username', None)
    arr = fetch_cartarr(userid)
    actualmon=datetime.date.today().month
    actualday=datetime.date.today().day
    amtarr = totamtcalculation(arr)
    print(amtarr)
    if request.method == 'POST': #coupon generation if bill amount > 1000
        print("success")
        couponcode=request.form['couponcode']
        print(couponcode)
        address=request.form['address']
        print(amtarr)
        updateaddr="UPDATE user SET address='"+address+"' WHERE userid='"+userid+"'"
        ibm_db.exec_immediate(conn, updateaddr)
        if(len(arr)!=0): #birthdaycoupon generation
            if (couponcode == 'shop25sv'):
                amtarr[2] = amtarr[2] - (amtarr[2] * 0.25)
            elif (couponcode == 'shi30obd'):
                amtarr[2] = amtarr[2] - (amtarr[2] * 0.3)
            elif (couponcode == 'sash50sma'):
                amtarr[2] = amtarr[2] - (amtarr[2] * 0.5)
            elif (couponcode == 'HBD60SAN'):
                amtarr[2] = amtarr[2] - (amtarr[2] * 0.6)
            print(amtarr)

        query="select DOB,address from user where userid='"+userid+"'"
        stmt = ibm_db.exec_immediate(conn, query)
        res = ibm_db.fetch_tuple(stmt)
        userdob=datetime.datetime.strptime(str(res[0]), "%Y-%m-%d")
        userdobmon=userdob.month
```

```
userdobday=userdob.day
```

```
if(userdobmon == actualmon and userdobday == actualday):  
    birthdaycoupon=True  
else:  
    birthdaycoupon=False
```

```
return
```

```
render_template("payment.html",netamt=amtarr[2],birthdaycoupon=birthdaycoupon,userid=userid,res  
=res,uname=uname)
```

7.3. Database Schema




Figure 7.3.1: Database Schema Diagram

8. TESTING

8.1 Test Cases

Sprint 1

Table 8.1.1: Sprint 1 Test Cases

Test case ID	LoginPage_TC_OO2	LoginPage_TC_OO3	LoginPage_TC_OO4	LoginPage_TC_OO5
Feature Type	UI	Functional	Functional	Functional
Component	Home Page	Home page	Login page	Login page
Test Scenario	Verify if if the UI elements in Login/Signup popup	Verify if user is able to log into application with Valid credentials	Verify if user is able to log into application with InValid credentials	Verify if user is able to log into application with InValid credentials
Pre-Requisite	The user must know his/her login credentials like username and password.	The user must know his/her login credentials like username and password.	Credentials	Credentials
Steps To Execute	<ol style="list-style-type: none"> 1. Enter URL and click go. 2. Click on My Account dropdown button. 3. Verify if login/Singup popup with below UI elements: <ol style="list-style-type: none"> a. email text box b. password text box c.Login button d.New customer? Create account link 	<ol style="list-style-type: none"> 1. Enter URL(websiteurl) and click go. 2. Click on My Account dropdown button. 3. Enter Valid username/email in Email text box. 4. Enter valid password in password text box. 5. Click on login button. 	<ol style="list-style-type: none"> 1. Enter URL(https://shopenzer.com/) and click go. 2. Click on My Account dropdown button. 3. Enter InValid username/email in Email text box. 4. Enter valid password in password text box. 5. Click on login button. 	<ol style="list-style-type: none"> 1. Enter URL(https://shopenzer.com/) and click go. 2. Click on My Account dropdown button. 3.Enter InValid username/email in Email text box. 4. Enter Invalid password in password text box. 5. Click on login button.

Test Data	http://159.122.181.169:32087/	Username: shirlsrocks password: 123	Username: shirleyrocks password: 123	Username: shirleyrocks password:345
Expected Result	Application should show below UI elements: a.username text box b.password text box c.Login button with orange colour d.New customer? Create account link	User should be able to go to home page of the website with the username displayed in the home page.	Application should show 'Invalid credentials. Please enter corect details' validation message.	Application should show 'Invalid credentials. Please enter corect details' validation message.
Actual Result	Working as expected	Working as expected	Working as expected	Working as expected
Status	Pass	Pass	Pass	Pass
Comments	The login page elements are as mentioned.	-	-	-
TC for Automatio n(Y/N)	-	-	-	-
BUG ID	-	-	-	-
Executed By	SUTHARSAN S	VIGNESH B	DINESH K	GUNALAN S

Sprint 2

Table 8.1.2: Sprint 2 Test Cases

Test case ID	Product_Det_Pag e_TC_OO1	Product_Page_TC _OO2	Home_Page_TC_ 003	Home_Page_TC_0 04
Feature Type	Functional	UI	Functional	Functional

Component	Product Detail Page	Product page	Chatbot	Chatbot
Test Scenario	Adding Products to the cart	Verify if the user can view the product details	Verify if whether the chatbot is recommending the products	Verify if whether the user is provided with alternative combinations if the user is not satisfied with the recommendations
Pre-Requisite	Users should register with the website to add products to the cart	-	-	-
Steps To Execute	1. Enter URL and click go 2. Explore the products and add them to the cart.	1. Enter URL (website URL) and click go 2. Click the product you want to view	1. Enter URL (website URL) and click go 2. Click the chatbot 3. Ask some questions.	1. Enter URL (website URL) and click go 2. Click the chatbot 3. Tell I'm not satisfied
Test Data	http://159.122.181.169:32087/	http://159.122.181.169:32087/	http://159.122.181.169:32087/	http://159.122.181.169:32087/
Expected Result	The application should show below UI elements: a. Product details	Users should be able to go to the home page of our website with the username displayed on the home page.	A chatbot is recommending the products	Chatbot is recommending alternatives.
Actual Result	Working as expected	Working as expected	Working as expected	Working as expected
Status	Pass	Pass	Pass	Pass
Comments	-	-	-	-
TC for Automation (Y/N)	-	-	-	-

BUG ID	-	-	-	-
Executed By	SUTHARSAN S	VIGNESH B	DINESH K	GUNALAN S

Sprint 3

Table 8.1.3: Sprint 3 Test Cases

Test case ID	Product_Page_TC_OO1	Payment_Page_TC_OO2	PaymentPage_TC_OO3
Feature Type	Functional	Functional	Functional
Component	Products Page	Payment page	Payment page
Test Scenario	Verify if if the user can add products to the wish list	Verify if if the user can make payment at the checkout page.	Verify if if the user can receive an order confirmation mail
Pre-Requisite	User should have signed in the website.	1. User should have signed in the website. 2. User should have facilities for netbanking to use 3rd party payment services.	1. User should have signed in the website. 2. User should have email ID.
Steps To Execute	1. Enter URL and click go. 2. Explore the products. 3. Add the products to the wish list.	1. Enter URL (website URL) and click go. 2. Click on the My Account dropdown button. 3. Add products to the cart. 4. Click "Proceed to Buy". 5. Click the payment option you want to avail.	1. Enter the URL. 2. Make payment.
Test Data	http://159.122.181.169:32087/	http://159.122.181.169:32087/	http://159.122.181.169:32087/
Expected Result	Products are added to the wish list.	The user should be able to make payments.	The user should be able to receive a confirmation mail.

Actual Result	Working as expected	Working as expected	Working as expected
Status	Pass	Pass	Pass
Comments	-	-	-
TC for Automation(Y/N)	-	-	-
BUG ID	-	-	-
Executed By	VIGNESH B & SUTHARSAN S	DINESH K	GUNALAN S

Sprint 4

Table 8.1.4: Sprint 4 Test Cases

Test case ID	Product_Page_TC_OO1	Payment_Page_TC_OO2	PaymentPage_TC_OO3
Feature Type	Functional	Functional	Functional
Component	Products Page	Payment page	Payment page
Test Scenario	Verify if if the user can add products to the wish list.	Verify if if the user can make payment at the checkout page.	Verify if if the user is able to receive an order confirmation mail.
Pre-Requisite	-	-	-
Steps To Execute	<ol style="list-style-type: none"> 1. Enter URL and click go. 2. Explore the products. 3. Add the products to the wish list. 	<ol style="list-style-type: none"> 1. Enter URL (website URL) and click go 2. Click on the My Account dropdown button 3. Add products to the cart 4. Click "Proceed to buy" 5. Click the payment option you want to avail. 	<ol style="list-style-type: none"> 1. Enter the URL. 2. Make payment.
Test Data	http://159.122.181.169:32087/	http://159.122.181.169:32087/	http://159.122.181.169:32087/
Expected Result	Products are added to the wishlist	The user should be able to make payments.	The user should be able to receive a

			confirmation mail.
Actual Result	Working as expected	Working as expected	Working as expected
Status	Pass	Pass	Pass
Comments	-	-	-
TC for Automation(Y/N)	-	-	-
BUG ID	-	-	-
Executed By	SUTHARSAN S & VIGNESH B	DINESH K	

8.2 User Acceptance Testing

1. Purpose of Document

The purpose of this document is to briefly explain the test coverage and open issues of the Smart Fashion Recommender project at the time of the release to User Acceptance Testing (UAT).

2. Defect Analysis

This report shows the number of resolved or closed bugs at each severity level , and how they are resolved.

Table 8.2.1: Defect Analysis

	Total Cases	Not Tested	Fail	Pass
Print Engine	7	0	0	7
Client Application	51	0	0	51
Security	2	0	0	2
Outsource Shipping	3	0	0	3

Table 8.2.2: Test Case Analysis

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	10	4	2	3	19
Duplicate	1	0	3	0	4
External	2	3	0	1	6
Fixed	11	2	4	20	37
Not Reproduced	0	0	0	0	0
Skipped	3	0	1	1	5
Won't Fix	0	5	2	1	8
Totals	24	14	13	26	79

9. RESULTS

9.1 Performance Metrics




Figure 9.1.1




Figure 9.1.2

10. ADVANTAGES & DISADVANTAGES

Advantages

1. Customers can save time by shopping online by selecting the item as per their choice without any hassle of going to a mall or a physical store for buying fashion products.
2. They can purchase products easily with the help of chatbot which is available 24/7 to assist them.
3. Customers can save money with the deals provided.
4. Users can save money by applying for coupons and get more trendy products with new offers and deals.
5. They do not have to stand in queues in cash counters to pay for the products.

Disadvantages

1. The sad part of online shopping is, customer cannot touch the product and feel how it is.
2. User may get disappointed if the expected product differs by color or size.
3. At times, the user will be frustrated if the products are damaged during delivery or if some parts are missing.
4. User may get annoyed if the product is not delivered at the estimated date.
5. Sometimes just to avail free shipping, user ends up shopping more than their requirement.

11.CONCLUSION

Technology has made significant progress over the years to provide consumers with a better online shopping experience. Online shopping has opened up doors to many small retailers that would never be in business, if they had to incur the high cost of owning a fashion store. The integration of chatbot helps consumers to obtain referrals according to their interest and even their questions are answered, making the client more active within the site. The bottom line is that, everyone benefits, both customers and vendor.

12. FUTURE SCOPE

All walks of life wish for a simpler lifestyle. As a future enhancement, this application will further includes features like color combination recommendation (suggest colors that better match the color that the user is giving the virtual assistant), PO tracking, image search, show recently viewed products without logging into account for better user experience.

13. APPENDIX

Source Code

Directory Structure




Figure 13.1: Project Directory (For Reference)

main.py

```
from flask import * from
connect import *import
datetime
from urllib.parse import urlparse
import smtplib
import random
from followback import *
app= Flask( name ) _
app.config['SECRET_KEY'] = 'df0331cefc6c2b9a5d0208a726a5d1c0fd37324feba25506'
app= Flask( name ) _
app.config['SECRET_KEY'] = 'df0331cefc6c2b9a5d0208a726a5d1c0fd37324feba25506'
app.config['MAIL_SERVER']='smtp.gmail.com'
app.config['MAIL_PORT'] = 587
app.config['MAIL_USERNAME'] = 'fashionatsashvogue@gmail.com'
app.config['MAIL_PASSWORD'] = 'nhmhbmdeuxrhvww'
app.config['MAIL_USE_TLS'] = True
app.config['MAIL_USE_SSL'] = False
mail = Mail(app)

#generating email
def mail_service(mailid,sub,body):
    try:
        msg = Message(sub,sender="fashionatsashvogue@gmail.com",recipients=[mailid])
        msg.body = body
        mail.send(msg)
        print("Sent")
    except Exception as e:
        print("error")

#cart
@app.route("/cart",methods=('GET','POST'))def
cart_page():
    userid=session.get('logged_in_userid', None)
    uname = session.get('logged_in_username', None)
    arr = fetch_cartarr(userid)

    amtarr=totamtcalculation(arr)
    if request.method == 'POST':
        prodid = request.form['prodid']
        print(prodid+"PRODID FROM CART")
        print(arr)
        flag = 0
        for cartitems in arr:
            if (cartitems[6] == prodid and cartitems[8] > 1):
                flag = 1
                updatequery = "UPDATE cart set quantity=quantity-1 where prodid='"+ prodid + "'"
                ibm_db.exec_immediate(conn, updatequery)
```



```

        if (flag != 1):
            querycart = "DELETE from cart where prodid='" + prodid + "'"
            ibm_db.exec_immediate(conn, querycart)
    return
render_template("cart.html", cartarr=arr, totcost=amtarr[0], totdis=amtarr[1], netamt=amtarr[2], uname=u
name, lencartarr=len(arr))

#home page
@app.route("/") def
home_page():
    logged_in_username = session.get('logged_in_username', None)
    logged_in_userid = session.get('logged_in_userid', None)
    return render_template("home.html", uname=logged_in_username, userid=logged_in_userid)

#logout page
@app.route("/logout")
def logout_pg():
    session.clear()
    return redirect(url_for('loginpage'))

#external page
@app.route('/redirect_to')
def redirect_to():
    link = request.args.get('link', '/')
    return redirect(link, 301)

#registration page
@app.route("/register", methods=('GET', 'POST')) def
regpage():
    if request.method == 'POST':
        sub="Verify your email for Sash Vogue"
        form_checkvals = request.form.getlist("checkval")
        userid=str(random.randint(16565565445345,96565565445345))
        email = request.form['mail']
        dob=request.form['DOB']
        username = request.form['username']
        password=request.form['password']
        contact=request.form['contact']
        address=request.form['address']
        query="insert into user
values('"+userid+"','"+username+"','"+contact+"','"+password+"','"+email+"','"+dob+"','"+address+"')"
        stmt=ibm_db.exec_immediate(conn,query)
        rowcount=ibm_db.num_rows(stmt)
        subject="Verify email for Sash Vogue"
        body="You have been successfully registered with Sash Vogue Community."

        if(len(form_checkvals) !=0 and form_checkvals[0]=='yes'):
            mail_service(email,subject,body)

```

```

        return redirect(url_for('loginpage'))

    return render_template("registration.html")

#login page
@app.route("/login",methods=('GET','POST'))def
loginpage():
    type='user'
    if request.method == 'POST':
        uname = request.form['uname']
        password = request.form['password']
        query = "select COUNT(*)from user where username='"+uname+"' and
password='"+password+"'"
        stmt5 = ibm_db.exec_immediate(conn,query)
        row = ibm_db.fetch_tuple(stmt5)
        query1="select * from user where username='"+uname+"' and password='"+password+"'"
        stmt2= ibm_db.exec_immediate(conn,query1)
        row2= ibm_db.fetch_tuple(stmt2)
        if(row[0] ==1 ):
            session['logged_in_username'] = uname
            session['logged_in_userid'] = row2[0]
            session['logged_in_usermail']=row2[4]
            print(row2[4])
            print(row2[1])
            return redirect(url_for('home_page'))
        else:
            flash("Invalid credentials! Please enter correct details")
    return render_template("login.html",type=type)

```

```

#redirect to payemnet process page
@app.route("/paymentredirect") def
payment_redirect():
    userid = session.get('logged_in_userid', None)
    umail=session.get('logged_in_usermail',None)
    arr=fetch_cartarr(userid)
    message = """"Subject: Order Confirmation

```

Thank you for your order!. Your order has been received. Continue Shopping with Sash Vogue"""

```

for item in arr:
    temp=item[1]-(item[1]*item[8]*item[7]/100)
    bill=int(temp)
    dt=datetime.datetime.now()
    query="insert into orders values(?,?,?,?)"
    stmt=ibm_db.prepare(conn,query)
    ibm_db.bind_param(stmt,1,userid)
    ibm_db.bind_param(stmt, 2,item[6])
    ibm_db.bind_param(stmt, 3,item[8])

```

```
ibm_db.bind_param(stmt, 4, bill)
ibm_db.bind_param(stmt, 5, dt)
ibm_db.execute(stmt)
mail_service(email,subject,body)
```

```
return redirect(url_for('redirect_to',link='https://rzp.io/l/Ninl0NjQ'))
```

#payment page

```
@app.route("/payment",methods=('GET','POST'))def
payment_pg():
    userid = session.get('logged_in_userid', None)
    uname = session.get('logged_in_username', None)
    arr = fetch_cartarr(userid)
    actualmon=datetime.date.today().month
    actualday=datetime.date.today().day
    amtarr = totamtcalculation(arr)
    print(amtarr)
    if request.method == 'POST':    #coupon generation if price >1000
        print("success")
        couponcode=request.form['couponcode']
        print(couponcode)
        address=request.form['address']
        print(amtarr)
        updateaddr="UPDATE user SET address='"+address+"' WHERE userid='"+userid+"'"
        ibm_db.exec_immediate(conn, updateaddr)
        if(len(arr)!=0): #birthdaycoupon generation
            if (couponcode == 'shop25sv'):
                amtarr[2] = amtarr[2] - (amtarr[2] * 0.25)
            elif (couponcode == 'shi30obd'):
                amtarr[2] = amtarr[2] - (amtarr[2] * 0.3)
            elif (couponcode == 'sash50sma'):
                amtarr[2] = amtarr[2] - (amtarr[2] * 0.5)
            elif (couponcode == 'HBD60SAN'):
                amtarr[2] = amtarr[2] - (amtarr[2] * 0.6)
            print(amtarr)
```

```
query="select DOB,address from user where userid='"+userid+"'"
stmt = ibm_db.exec_immediate(conn, query)
res = ibm_db.fetch_tuple(stmt)
userdob=datetime.datetime.strptime(str(res[0]), "%Y-%m-%d")
userdobmon=userdob.month
userdobday=userdob.day #birthday coupon generation
```

```
if(userdobmon == actualmon and userdobday == actualday):
    birthdaycoupon=True
else:
    birthdaycoupon=False
```

```
    return  
render_template("payment.html",netamt=amtarr[2],birthdaycoupon=birthdaycoupon,userid=userid,res  
=res,uname=uname)
```

```
#admin stocks page
```

```
@app.route("/addstock")
```

```
def add_Stockpg():
```

```
    return render_template("addstock.html")
```

```
@app.route("/adminlogin",methods=('GET','POST'))def
```

```
adminloginpage():
```

```
    type='admin'
```

```
    if request.method == 'POST':
```

```
        actualuname='admin'
```

```
        actualpassword='123'
```

```
        uname = request.form['uname']
```

```
        password = request.form['password']
```

```
        if(actualpassword == password and actualuname == uname ):
```

```
            return redirect(url_for('home_page'))
```

```
        else:
```

```
            flash("Invalid credentials! Please enter correct details")
```

```
    return render_template("login.html",type=type)
```

```
#admin page
```

```
@app.route('/admin') def
```

```
adminhomepage():
```

```
    arr=[]
```

```
    query="select prodid,prodname,category,type,brand,price from outfit ORDER BY prodid"
```

```
    stmt = ibm_db.exec_immediate(conn, query)
```

```
    row = ibm_db.fetch_tuple(stmt)
```

```
    while (row):
```

```
        arr.append(row) # appending all dictionaries in arr
```

```
        row = ibm_db.fetch_tuple(stmt) # incrementing that is to next row
```

```
    return render_template("adminhome.html",prodarr=arr)
```

```
#product details
```

```
@app.route("/productdetails/<category>/<type>/<prodid>",methods=('GET','POST')) def
```

```
product_detailspg(category,type,prodid):
```

```
    o = urlparse(request.base_url)
```

```
    userid = session.get('logged_in_userid', None)
```

```
    uname = session.get('logged_in_username', None)
```

```
    if (request.method=='POST'):
```

```
        if(uname !=None):
```

```
            arr = fetch_cartarr(userid)
```

```
            insert_intocart(arr,prodid,category,userid,type)
```

```
            return redirect(url_for('cart_page'))
```

```

else:
    flash("Oops! Seems like you haven't registered with us. Sign Up")
    api=fetchapi(category)
    res18empty=False
    res19empty=False
    query="select o.*,p.pic1,p.pic2,p.pic3,p.pic4 from outfit o inner join picture p on o.prodid=p.prodid
where o.prodid='"+prodid+"'"
    stmt = ibm_db.exec_immediate(conn, query)
    res = ibm_db.fetch_tuple(stmt)
    pricdisplay= round(res[2] -(res[2]*res[6] / 100))
    if ((res[18] == None) or (res[18] == "nil")):
        res18empty = True
    if( (res[19]==None) or (res[19]=="nil") ):
        res19empty=True

return
render_template("productdetails.html",category=category,type=type,prodid=prodid,result=res,api=api,r
es18empty=res18empty,res19empty=res19empty,pricedisplay=pricedisplay,hostname=o.hostname,port
=o.port,uname=uname)

```

#Accessories - Sunglass

```

@app.route("/sunglasses_<category>/<type>/<prodid>",methods=('GET','POST')) def
sunglasses_detailspg(category,type,prodid):
    o = urlparse(request.base_url)
    api=fetchapi(category)
    uname = session.get('logged_in_username', None)
    userid = session.get('logged_in_userid', None)
    if (request.method=='POST'):
        if (uname != None):
            arr = fetch_cartarr(userid)
            insert_intocart(arr, prodid, category, userid, type)
        else:
            flash("Please login to add the products to cart")
    api=fetchapi(category)
    query="select o.*,p.pic1,p.pic2,p.pic3,p.pic4,o.offer from sunglasses o inner join picture p on
o.prodid=p.prodid where o.prodid='"+prodid+"'"
    stmt = ibm_db.exec_immediate(conn, query)
    res = ibm_db.fetch_tuple(stmt)
    pricdisplay = round(res[2] - (res[2] * res[17] / 100))
    return
render_template("sunglasses_details.html",category=category,type=type,prodid=prodid,result=res,api=
api,pricedisplay=pricedisplay,hostname=o.hostname,port=o.port,uname=uname)

```

#wishlist

```

@app.route('/wishlist')def
wishlist_pg():
    userid = session.get('logged_in_userid', None)

```

```

uname = session.get('logged_in_username', None)
arr=fetchwishlist(userid)
return render_template("wishlist.html",wishlistarr=arr,uname=uname)

```

#products page

```
@app.route("/products/<category>/<type>",methods=('GET','POST')) def
```

```
products_page(category,type):
```

```
    arr=[]
```

```
    userid = session.get('logged_in_userid', None)
```

```
    uname = session.get('logged_in_username', None)
```

```
    api=""
```

```
    if(request.method=='POST'):
```

```
        prodid=request.form['prodid']
```

```
        if(uname != None):
```

```
            insertwishlist="insert into wishlist values ('"+userid+"','"+prodid+"')"
```

```
            ibm_db.exec_immediate(conn,insertwishlist)
```

```
        else:
```

```
            flash("Oops! Seems like you haven't registered with us. Sign Up")
```

if(type != "Sunglasses"): #since sunglasses differ some characteristics with other products need to create separate page.

```
    api=fetchapi(category)
```

```
    query="select o.prodid,o.prodname,o.brand,o.price,p.pic1,p.pic2,p.pic3,p.pic4,o.offer from outfito
```

```
inner join picture p on o.prodid=p.prodid where category='"+category+"' and type='"+type+"'"
```

```
    stmt = ibm_db.exec_immediate(conn, query)
```

```
    row = ibm_db.fetch_tuple(stmt)
```

```
    while (row):
```

```
        arr.append(row) # appending all dictionaries in arr
```

```
        row = ibm_db.fetch_tuple(stmt) # incrementing that is to next row
```

```
    else:
```

```
        api = fetchapi(category)
```

```
        query = "select o.prodid,o.prodname,o.brand,o.price,p.pic1,p.pic2,p.pic3,p.pic4,o.offer from sunglasseses
```

```
o inner join picture p on o.prodid=p.prodid where category='"+category+"' and type='"+type+"'"
```

```
        stmt = ibm_db.exec_immediate(conn, query)
```

```
        row = ibm_db.fetch_tuple(stmt)
```

```
        while (row):
```

```
            arr.append(row) # appending all dictionaries in arr
```

```
            row = ibm_db.fetch_tuple(stmt) # incrementing that is to next row
```

```
    return
```

```
render_template("products.html",productsarr=arr,category=category,type=type,api=api,userid=userid,u
name=uname)
```

```
if(__name__=='__main__'):
```

```
    app.run(host='0.0.0.0', port = 5000)
```

followback.py

```
from connect import *
from flask import *
import datetime

#other use defined functions required
def fetchapi(category):
    api=""
    if(category == 'Women'):
        api='https://s3.jp-tok.cloud-object-storage.appdomain.cloud/raspberryibmsfrappbucket/'
    elif (category == 'Men'):
        api = 'https://s3.jp-tok.cloud-object-storage.appdomain.cloud/iraash/'
    elif (category == 'Accessories'):
        api = 'https://s3.jp-tok.cloud-object-storage.appdomain.cloud/104084smartfashion/'
    elif (category == 'Kids'):
        api = 'https://s3.jp-tok.cloud-object-storage.appdomain.cloud/iraash/'
    elif (category == 'Footwears'):
        api = 'https://s3.jp-tok.cloud-object-storage.appdomain.cloud/smartfashion2001/'
    return api

def insert_intocart(arr,prodid,category,userid,type):
    dt=datetime.datetime.now()
    if (type == 'Dresses' or type == 'Kurtis' or type == 'Palazzo' or type == 'Western' or category == 'Men'
or category == 'Kids' or category == 'Footwears'):
        size = request.form['sizeval']
    else:
        size = "nil"
    flag = 0

    for cartitems in arr: #if already the user has added an item in cart quantity gets updated.
        if (cartitems[6] == prodid and cartitems[3]==size):
            flag = 1
            updatequery = "UPDATE cart set quantity=quantity+1 where prodid=" + prodid + ""
            ibm_db.exec_immediate(conn, updatequery)
            break
    if (flag != 1):
        querycart="insert into cart values(?,?,?,?)"
        stmt = ibm_db.prepare(conn, querycart)
        ibm_db.bind_param(stmt, 1, userid)
        ibm_db.bind_param(stmt, 2, prodid)
        ibm_db.bind_param(stmt, 3, size)
        ibm_db.bind_param(stmt, 4, 1)
        ibm_db.bind_param(stmt, 5, dt)
        ibm_db.execute(stmt)

def fetch_cartarr(userid):
    arr=[]
```

```

query = "select o.prodname,o.price,p.pic1,c.size,o.category,o.type,o.prodid,o.offer,c.quantity from outfit o
inner join picture p on o.prodid=p.prodid INNER join cart c on c.prodid=p.prodid where
userid='"+userid+"' ORDER BY c.dateoadded DESC"

```

```

stmt = ibm_db.exec_immediate(conn, query)
row = ibm_db.fetch_tuple(stmt)
while (row):
    arr.append(row) # appending all dictionaries in arr
    row = ibm_db.fetch_tuple(stmt) # incrementing that is to next row
for i in range(0, len(arr)):
    arr[i] = list(arr[i])
for j in range(0, len(arr)):
    imageapi = fetchapi(arr[j][4])
    arr[j][2] = imageapi + arr[j][2]
constlen = len(arr)

```

```

sunquery = "select o.prodname,o.price,p.pic1,c.size,o.category,o.type,o.prodid,o.offer,c.quantity from
sunglasses o inner join picture p on o.prodid=p.prodid INNER join cart c on c.prodid=p.prodid where
userid='"+userid+"' ORDER BY c.dateoadded DESC"

```

```

sunstmt = ibm_db.exec_immediate(conn, sunquery)
sunrow = ibm_db.fetch_tuple(sunstmt)
while (sunrow):
    arr.append(sunrow) # appending all dictionaries in arr
    sunrow = ibm_db.fetch_tuple(sunstmt) # incrementing that is to next row
for i in range(constlen, len(arr)):
    arr[i] = list(arr[i])
for j in range(constlen, len(arr)):
    imageapi2 = fetchapi(arr[j][4])
    arr[j][2] = imageapi2 + arr[j][2]
print(arr)
return arr

```

```

def totamtcalculation(arr):
    totcost = 0
    totdis = 0
    amtarr=[]
    for k in range(0, len(arr)):
        totcost = totcost + (arr[k][1] * arr[k][8])
        temp = (arr[k][1] * arr[k][8] * arr[k][7]) / 100
        totdis = totdis + round(temp)
    netamt = totcost - totdis
    taxcalcnetamt = netamt + (netamt * 12) / 100
    amtarr.append(int(totcost))
    amtarr.append(int(totdis))
    amtarr.append(int(taxcalcnetamt))
    return amtarr

```

```

def fetchwishlist(userid):
    arr=[]
    query = "select o.prodid,o.prodname,o.price,p.pic1,o.category,o.type,o.brand,o.offer from outfit o

```



```

inner join picture p on o.prodid=p.prodid INNER join wishlist w on w.prodid=p.prodid where userid=""
+ userid + ""
    stmt = ibm_db.exec_immediate(conn, query)
    row = ibm_db.fetch_tuple(stmt)
    while (row):
        arr.append(row) # appending all dictionaries in arr
        row = ibm_db.fetch_tuple(stmt) # incrementing that is to next row
    for i in range(0, len(arr)):
        arr[i] = list(arr[i])
    for j in range(0, len(arr)):
        imageapi = fetchapi(arr[j][4])
        arr[j][3] = imageapi + arr[j][3]
    constlen = len(arr)
    sunquery = "select o.prodid,o.prodname,o.price,p.pic1,o.category,o.type,o.brand,o.offer from sunglasses
o inner join picture p on o.prodid=p.prodid INNER join wishlist w on w.prodid=p.prodid where userid="" +
userid + ""
    sunstmt = ibm_db.exec_immediate(conn, sunquery)
    sunrow = ibm_db.fetch_tuple(sunstmt)
    while (sunrow):
        arr.append(sunrow) # appending all dictionaries in arr
        sunrow = ibm_db.fetch_tuple(sunstmt) # incrementing that is to next row
    for i in range(constlen, len(arr)):
        arr[i] = list(arr[i])
    for j in range(constlen, len(arr)):
        imageapi2 = fetchapi(arr[j][4])
        arr[j][3] = imageapi2 + arr[j][3]
    return arr

```

connect.py

```

#connecting to IBM Db2
import ibm_db
dsn_hostname = "9938aec0-8105-433e-8bf9-
0fbb7e483086.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud" # e.g.: "54a2f15b-5c0f-46df-8954-
7e38e612c2bd.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud"
dsn_uid = "t zg17937" # e.g. "abc12345"
dsn_pwd = "RxjZkDB5SpKoGhvS" # e.g. "7dBZ3wWt9XN6$00J"
dsn_driver = "{IBMDB2CL1}"
dsn_database = "bludb" # e.g. "BLUDB"
dsn_port = "32459" # e.g. "32733"
dsn_protocol = "TCPIP" # i.e. "TCPIP"
dsn_security = "SSL" #i.e. "SSL"
dsn_cert="DigiCertGlobalRootCA.crt"
dsn = (
    "DRIVER={0};"

```

```

"DATABASE={1};"
"HOSTNAME={2};"
"PORT={3};"
"PROTOCOL={4};"
"UID={5};"
"PWD={6};"
"SECURITY={7};"
"SSLServerCertificate={8};").format(dsn_driver, dsn_database, dsn_hostname, dsn_port,
dsn_protocol, dsn_uid, dsn_pwd,dsn_security,dsn_cert)
try:
    conn = ibm_db.connect(dsn, "", "")
    print("Connected to database: ", dsn_database, "as user: ", dsn_uid, "on host: ", dsn_hostname)except:
    print("Unable to connect: ", ibm_db.conn_errormsg())
# sql = "insert into user values('105','sahana@gmail.com','1234','sahanaparveen')"#
ibm_db.exec_immediate(conn, sql)
print(dsn)

```

addstock.html

```

<!DOCTYPE html>
<html>
  <head>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>GDVS Vogue</title>
    <link rel="icon" type="image/jpeg" href="{ {url_for('redirect_to',link='https://s3.jp-tok.cloud-
object-
storage.appdomain.cloud/smartfashion2001/logo.jpeg') } }" sizes="200x200">
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" integrity="sha384-
xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"
crossorigin="anonymous">
    <link rel="stylesheet" href="{ {url_for('static',filename='styles/styles.css') } }" type="text/css">
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <script src="{ {url_for('static',filename='script.js') } }"/>
    <script defer src="https://use.fontawesome.com/releases/v5.15.4/js/all.js"></script>
    <script defer src="https://use.fontawesome.com/releases/v6.2.0/js/all.js"></script>
  <link
href="https://fonts.googleapis.com/css2?family=Alex+Brush&family=Quicksand:wght@300&family=
Jost:wght@500&display=swap" rel="stylesheet">
  <style>
    h1{

```

```
margin-top:5%;
text-align:center;
    color:white;}
.row
{
margin-top:20px;
margin-left:300px;
margin-right:300px;
display:flex;
color:gray;
}
```

```
.row1
{
margin-top:20px;
margin-left:300px;
margin-right:300px;
display:flex;
color:gray;
}
```

```
.addstockbtn
{
    margin: 2% 50%;
    background: rgba(161,25,75,255);
    color: white;
    font-weight: bolder;}
```

```
</style>
```

```
</head>
```

```
<body style="background:url({ { url_for('redirect_to',link='https://s3.jp-tok.cloud-object-storage.appdomain.cloud/smartfashion2001/adminbg.jpg') } });background-repeat: OPACITY:0.4; no-repeat; background-attachment: fixed; background-position: center; background-size: cover; ">
```

```
<nav class="navbar navbar-expand-lg fixed-top " style="padding:0rem 1rem;    background: black;">
```

```
<a class="navbar-brand" id="brand" style="color:white;">SASH VOGUE</a>
```

```
</nav>
```

```
<h1>ADD STOCK</h1>
```

```
<form>
```

```
<div class="row">
```

```
<div class="col">
```

```
<input type="text" class="form-control" placeholder="PRODID">
```

```
</div>
```

```
<div class="col">
```

```
<input type="text" class="form-control" placeholder="PRODNAME">
```

```
</div>
```

```
</div>
```

```
<div class="row">
  <div class="col">
    <input type="text" class="form-control" placeholder="PRICE">
  </div>
  <div class="col">
    <input type="text" class="form-control" placeholder="MATERIAL">
  </div>
</div>
<div class="row">
  <div class="col">
    <input type="text" class="form-control" placeholder="COLOR">
  </div>
  <div class="col">
    <input type="text" class="form-control" placeholder="BRAND">
  </div>
</div>
<div class="row">
  <div class="col">
    <input type="text" class="form-control" placeholder="OFFER">
  </div>
  <div class="col">
    <input type="text" class="form-control" placeholder="CATEGORY">
  </div>
</div>
<div class="row">
  <div class="col">
    <input type="text" class="form-control" placeholder="CAREINST">
  </div>
  <div class="col">
    <input type="text" class="form-control" placeholder="NETQTY">
  </div>
</div>
<div class="row">
  <div class="col">
    <input type="text" class="form-control" placeholder="DARTS">
  </div>
  <div class="col">
    <input type="text" class="form-control" placeholder="ORIGIN">
  </div>
</div>
<div class="row">
  <div class="col">
    <input type="text" class="form-control" placeholder="TYPE">
  </div>
</div>
<div class="row1">
  <div class="col">
```

```

        <textarea type="text" class="form-control" rows="4"cols="40"
placeholder="MARKETEDBY"></textarea>
    </div>
    <div class="col">
        <textarea type="text" class="form-control" rows="4"cols="40"
placeholder="PACKCONT"></textarea>
    </div>
    <div class="col">
        <textarea type="text" class="form-control" rows="4"cols="40"
placeholder="MANUFACTURED"></textarea>
    </div>
</div>
<button class="addstockbtn btn">ADD</button>
</form>

```

```

</body>
</html>

```

adminlogin.html

```

<!DOCTYPE html>
<html>
    <head>
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>GDVS Vogue</title>
        <link rel="icon" type="image/jpeg" href="{ {url_for('redirect_to',link='https://s3.jp-tok.cloud-
object-storage.appdomain.cloud/smartfashion2001/logo.jpeg') } }" sizes="200x200">
        <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" integrity="sha384-
xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"
crossorigin="anonymous">
        <link rel="stylesheet" href="{ {url_for('static',filename='styles/styles.css') } }" type="text/css">
        <link rel="preconnect" href="https://fonts.googleapis.com">
        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
        <script src="{ {url_for('static',filename='script.js') } }"/>
        <script defer src="https://use.fontawesome.com/releases/v5.15.4/js/all.js"></script>
        <script defer src="https://use.fontawesome.com/releases/v6.2.0/js/all.js"></script>
    <link
href="https://fonts.googleapis.com/css2?family=Alex+Brush&family=Quicksand:wght@300&family=
Jost:wght@500&display=swap" rel="stylesheet">
    <style>
        th, td {
            padding: 15px;
            text-align: bottom;
        }
    </style>

```

```

table, th, tr, td {
    border: 3px black solid;
    color: white;
}
tr: hover { background-color: black;
}
th { font-weight: 700px;
font-family: "Times New Roman", Times, serif;
background-color: black;
}
h1 { text-align: center;
color: white; margin: 2%; }
</style>
</head>
<body style="background: url({ {url_for('redirect_to', link='https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/smartfashion2001/adminbg.jpg') }}); background-repeat: no-repeat;
background-attachment: fixed; background-position: center; background-size: cover; ">
    <nav class="navbar navbar-expand-lg fixed-top " style="padding: 0rem 1rem;    background:
    black;">
        <a class="navbar-brand" id="brand" style="color: white;">SASH VOGUE</a>
        <button class="btn" style="background: white; font-weight: bolder; margin-left: 70%;"
>ADD STOCK </button>
    </nav>
    <h1><b>STOCK DETAILS</b></h1>
    <div class="stock" style="    margin: 0 5%;">
        <table class="table table-hover">
            <thead>
                <tr>
                    <th scope="col">PRODUCT ID</th>
                    <th scope="col">PRODUCT NAME</th>
                    <th scope="col">CATEGORY</th>
                    <th scope="col">TYPE</th>
                    <th scope="col">STOCK</th>
                    <th scope="col">BRAND</th>
                    <th scope="col">PRICE</th>
                </tr>
            </thead>
            <tbody>
                { % for product in prodarr: % }
                <tr>
                    <td>{ {product[0]} }</td>
                    <td>{ {product[1]} }</td>
                    <td>{ {product[2]} }</td>
                    <td>{ {product[3]} }</td>
                    <td>100</td>
                    <td>{ {product[4]} }</td>
                    <td>{ {product[5]} }</td>
                </tr>

```

```

        <tr>
        { % endfor % }
    </tbody>
</table>
</div>
</body>
</html>

```

cart.html

```

<!DOCTYPE html>
<html lang="en" dir="ltr" xmlns="http://www.w3.org/1999/html">
<head>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Sash Vogue</title>
    <link rel="icon" type="image/jpeg" href="{ { url_for('redirect_to',link='https://s3.jp-tok.cloud-object-storage.appdomain.cloud/smartfashion2001/logo.jpeg') } }" sizes="200x200">
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" integrity="sha384-xOoIHfLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N" crossorigin="anonymous">
    <link rel="stylesheet" href="{ { url_for('static',filename='styles/cart.css') } }" type="text/css">
    <link rel="stylesheet" href="{ { url_for('static',filename='styles/products.css') } }" type="text/css">
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <script defer src="https://use.fontawesome.com/releases/v6.2.0/js/all.js"></script>
    <script defer src="https://use.fontawesome.com/releases/v5.15.4/js/all.js"></script>
    <link href="https://fonts.googleapis.com/css2?family=Source+Serif+Pro&display=swap" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Jost:wght@500&family=Lora:ital,wght@1,500&family=Quicksand:wght@300&display=swap" rel="stylesheet">
    <title>Sash Vogue</title>
</head>
<body>
    { % from 'nav.html' import usedalot % }
    { { usedalot(uname) } }
    <div class="path" style="margin: 7% 0% 0% 5%;">
        <a href="{ { url_for('home_page') } }">Home <i class="fa-solid fa-angle-right"></i></a>
        <a href="">Cart</a>
    </div>
    <div class="main">
        { % if( lencartarr != 0): % }
        <div class="productscartdiv">
            { % for cartitem in cartarr: % }
            <div class="maincart">
                <div class="cart">

```

```

        {% if cartitem[5] == 'Sunglasses': %}
        <a href="{{ url_for('sunglasses_detailspg',category=cartitem[4],type=cartitem[5],prodid=cartitem[6]) }}">
</a>
        {% else: %}
        <a
href="{{ url_for('product_detailspg',category=cartitem[4],type=cartitem[5],prodid=cartitem[6]) }}"></a>
        {% endif %}
    </div>
    <div class="cartdetails">
    <form method="post">
    <h4 class="cardtitle">{{ cartitem[0] }}</h4>
    <h6>Price: ₹{{ ((cartitem[1] -(cartitem[1]*cartitem[7] / 100))|round|int) }}</h6>
    {% if cartitem[3] != "nil" %}
    <h6>Size: {{ cartitem[3] }}</h6>
    {%endif%}
    <h6>Quantity: {{ cartitem[8] }}</h6>
    <br />
    <input type="hidden" value="{{ cartitem[6] }}" name="prodid">
    <input type="submit" name="submit" class="cartbtn btn" value="Remove">
    </form>
    </div>
</div>
{% endfor %}
</div>
{% endif %}
<!-- order card -->
{% if (lencartarr != 0): %}
<div class="ordercoupondiv">
    <div class="ordercard">
    <div>
    <h3>Order details</h3>
    <h6>Total Cost: ₹{{ totcost }}</h6>
    <h6>Total Discount: ₹{{ totdis }}</h6>
    <h6>Tax: 12% </h6>
    <h6>Net Amount: ₹{{ netamt }}</h6>
    <a href="{{ url_for('payment_pg') }}" class="orderbtn">Proceed to buy</a>
    </div>
    </div>
</div>
{% endif %}
{% if (lencartarr == 0): %}
<h3 style="text-align:center;">Your cart is empty!</h3>
{% endif %}
</div>
<script>
window.watsonAssistantChatOptions = {

```



```

integrationID: "cba0c163-9f9a-42ce-b6e9-979ac6318cc0", // The ID of this integration.
region: "au-syd", // The region your integration is hosted in.
serviceInstanceID: "245858a6-01a2-41fc-8707-d603be17b8f0", // The ID of your service instance.
onLoad: function(instance) {
    instance.render();
}
};
setTimeout(function() {
    const t = document.createElement('script');
    t.src = "https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
});
</script>
</body>
</html>

```

footer.html

```

{% macro footer() %}
<footer class="page-footer font-small cyan darken-3" style="background-color: rgb(140,121,135,0.6)">
  <div class="footercontainer">
    <div class="footerrow">
      <div class="col-md-12 py-5">
        <div class="mb-5 flex-center" style="margin-left: 40%; margin-top: 2%;">
          <!-- Facebook -->
          <a class="fb-ic">
            <i class="fab fa-facebook-f fa-lg white-text mr-md-5 mr-3 fa-2x"> </i>
          </a>
          <!-- Twitter -->
          <a class="tw-ic">
            <i class="fab fa-twitter fa-lg white-text mr-md-5 mr-3 fa-2x"> </i>
          </a>
          <!--Linkedin -->
          <a class="li-ic">
            <i class="fab fa-linkedin-in fa-lg white-text mr-md-5 mr-3 fa-2x"> </i>
          </a>
          <!--Instagram-->
          <a class="ins-ic">
            <i class="fab fa-instagram fa-lg white-text mr-md-5 mr-3 fa-2x"> </i>
          </a>
          <!--Pinterest-->
          <a class="pin-ic">
            <i class="fab fa-pinterest fa-lg white-text fa-2x"> </i>
          </a>

```

```

        </div>
    </div>
</div>
</div>
<!-- Footer Elements -->
<!-- Copyright -->
<div class="footer-copyright text-center py-3">© 2022 Copyright:
    <a href="/" style="color:#3f363c; text-decoration:none;"> sashvogue.com</a>
</div>
<!-- Copyright -->
</footer>
<!-- Footer -->
{% endmacro %}

```

home.html

```

<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>GDVS Vogue</title>
    <link rel="icon" type="image/jpeg" href="{{ url_for('redirect_to',link='https://s3.jp-tok.cloud-object-storage.appdomain.cloud/smartfashion2001/logo.jpeg')}}" sizes="200x200">
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" integrity="sha384-xOoIHfLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N" crossorigin="anonymous">
    <link rel="stylesheet" href="{{ url_for('static',filename='styles/styles.css')}}" type="text/css">
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link href="https://fonts.googleapis.com/css2?family=Jost:wght@500&family=Quicksand:wght@300&family=Courgette&display=swap" rel="stylesheet">
    <script src="https://kit.fontawesome.com/0a56e63d65.js" crossorigin="anonymous"></script>
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
</head>
<body>
    style="background:url({{ url_for('redirect_to',link='https://s3.jp-tok.cloud-object-storage.appdomain.cloud/smartfashion2001/hmbg.png')}});background-repeat: no-repeat; background-attachment: fixed; background-position: center; background-size: cover; ">
    {% from 'nav.html' import usedalot %}
    {{ usedalot(uname) }}
    {% if uname!= None: %}
    <div style="display:flex;">
        <h4 style="font-family: 'Courgette', cursive;text-align: left;font-size: xx-large;margin-top:

```

```

8%;margin-left: 5%;font-weight: 100">Welcome {{uname}},</h4>
</div>
{% endif %}
{% if uname== None: %}
<div id="carouselExampleIndicators" class="carousel slide" style="margin:8% 3%;" data-
ride="carousel">
{% else: %}
<div id="carouselExampleIndicators" class="carousel slide" style="margin:3%;" data-ride="carousel">
{% endif %}
<ol class="carousel-indicators">
<li data-target="#carouselExampleIndicators" data-slide-to="0" class="active"></li>
<li data-target="#carouselExampleIndicators" data-slide-to="1"></li>
<li data-target="#carouselExampleIndicators" data-slide-to="2"></li>
<li data-target="#carouselExampleIndicators" data-slide-to="3"></li>
<li data-target="#carouselExampleIndicators" data-slide-to="4"></li>
<li data-target="#carouselExampleIndicators" data-slide-to="5"></li>
<li data-target="#carouselExampleIndicators" data-slide-to="6"></li>
<li data-target="#carouselExampleIndicators" data-slide-to="7"></li>
</ol>
<div class="carousel-inner">
<div class="carousel-item ">
<a href="{{url_for('products_page',category='Kids',type='Boys T-Shirts')}}"> </a>
</div>
<div class="carousel-item active">

</div>
<div class="carousel-item">
<a href="{{url_for('products_page',category='Women',type='Ethnic Wear')}}">
</a>
</div>
<div class="carousel-item">
<a href="{{url_for('products_page',category='Women',type='Ethnic Wear')}}">
</a>
</div>
<div class="carousel-item">
<a href="{{url_for('products_page',category='Footwears',type='Men')}}">
</a>
</div>

```

```

<div class="carousel-item">
  <a href="{ { url_for('products_page',category='Men',type='Formals') } }">
    </a>
  </div>
<div class="carousel-item">
  <a href="{ { url_for('products_page',category='Accessories',type='Men watches') } }">
    </a>
  </div>
<div class="carousel-item">
  <a href="{ { url_for('products_page',category='Women',type='Saree') } }">
    </a>
  </div>
</div>
<a class="carousel-control-prev" href="#carouselExampleIndicators" role="button" data-slide="prev">
  <span class="carousel-control-prev-icon" aria-hidden="true"></span>
  <span class="sr-only">Previous</span>
</a>
<a class="carousel-control-next" href="#carouselExampleIndicators" role="button" data-slide="next">
  <span class="carousel-control-next-icon" aria-hidden="true"></span>
  <span class="sr-only">Next</span>
</a>
</div>
<div class="container">
  <div class="row">
    <div class="col-sm-12">
      <div class="section-title">
        <div class="divider"></div>
      </div>
    </div>
  </div>
</div>
<section id="featuresec">
  <h1 style="text-align:center; text-align: center;padding: 2%;font-weight: bolder;"
class="h1style">F E A T U R E S</h1>
  <div class="container">
    <div class="row">
      <div class="col-sm">
        <h4>Free Shipping</h4>
        
        <h4>Get Free shipping on all orders</h4>
      </div>
    </div>
  </div>

```

```

        <h4>Easy Returns</h4>
        
        <h4>7 days Return Policy</h4>
    </div>
    <div class="col-sm">
        <h4>Customer Support</h4>
        
        <h4>24/7 Customer Support By our experts</h4>
    </div>
</div>
</div>
</div>
</section>
<div class="container">
    <div class="row">
        <div class="col-sm-12">
            <div class="section-title">
                <div class="divider"></div>
            </div>
        </div>
    </div>
</div>
<!--chatbot script -->
{% from 'footer.html' import footer %}
{{ footer() }}
<script>
    window.watsonAssistantChatOptions = {
        integrationID: "cba0c163-9f9a-42ce-b6e9-979ac6318cc0", // The ID of this integration.
        region: "au-syd", // The region your integration is hosted in.
        serviceInstanceID: "245858a6-01a2-41fc-8707-d603be17b8f0", // The ID of your serviceinstance.
        onLoad: function(instance) {
            instance.render();
        }
    };
    setTimeout(function() {
        const t = document.createElement('script');
        t.src = "https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
        document.head.appendChild(t);
    });
</script>
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-

```

```

Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"
integrity="sha384-
OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JkI"
crossorigin="anonymous"></script>
<script src="{ { url_for('static',filename='script.js') } }" />
<script src="https://kit.fontawesome.com/0a56e63d65.js" crossorigin="anonymous"></script>
</body>
</html>

```

login.html

```

<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Sash Vogue</title>
<link rel="icon" type="image/jpeg" href="{ { url_for('redirect_to',link='https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/smartfashion2001/logo.jpeg') } }" sizes="200x200">
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css"
integrity="sha384-
xOoIHfLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"
crossorigin="anonymous">
<link rel="stylesheet" href="{ { url_for('static',filename='styles/login.css') } }" type="text/css">
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<script src="{ { url_for('static',filename='script.js') } }" />
<script defer src="https://use.fontawesome.com/releases/v5.15.4/js/all.js"></script>
<script defer src="https://use.fontawesome.com/releases/v6.2.0/js/all.js"></script>
<link
href="https://fonts.googleapis.com/css2?family=Alex+Brush&family=Quicksand:wght@300&display
=swap" rel="stylesheet">
</head>
{% if type=='user' : %}

<body
style="background:url({ { url_for('redirect_to',link='https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/smartfashion2001/bg.jpg') } });background-repeat: no-repeat; background-
attachment: fixed; background-position: center; background-size: cover; ">
{% else: %}

<body
style="background:url({ { url_for('redirect_to',link='https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/smartfashion2001/adminbg.jpg') } });background-repeat: no-repeat;
background-attachment: fixed; background-position: center; background-size: cover; ">

```

```

{%endif% }
<div class="container">
  <div class="d-flex h-100" style="width: 75%;">
    <div class="card">
      <div class="card-body">
        {% with messages = get_flashed_messages() %}
        {% if messages %}
        {% for message in messages %}
        <p style="color:white;text-align: center;">{{ message }}</p>
        {% endfor %}
        {% endif %}
        {% endwith %}
        {% if(type=='user'): %}
        <h1 style="color:white;text-align:center; margin: 5%;"> Login </h1>
        {% else: %}
        <h1 style="color:white;text-align:center; margin: 5%;"> Admin Login </h1>
        {% endif %}
        <form method="post" style="padding: 2.5%;">
          <div class="input-group form-group">
            <div class="input-group-prepend">
              <span class="input-group-text"><i class="fas fa-user"></i></span>
            </div>
            <input type="text" class="form-control" placeholder="Username" name="uname" value="{{
request.form['uname'] }}">
          </div>
          <div class="input-group form-group">
            <div class="input-group-prepend">
              <span class="input-group-text"><i class="fas fa-key"></i></span>
            </div>
            <input id="myInput" type="password" name="password" value="{{
request.form['password'] }}" class="form-control" placeholder="Password">
            <span style="background: white;border:0px; border-radius: 0px" class="input-group-
text"><i onclick="myFunction()" style="color:black" id="icon" class="fas fa-eye-slash"></i></span>
          </div>
          <div class="form-group">
            <input type="submit" name="login" value="Login" class="btn login_btn"><br>
            <button type="reset" class="btn " name="button">Reset</button>
          </div>
        </form>
        {% if type=='user': %}
        <a href="{{ url_for('regpage') }}">Don't have an account. Click here to register.</a><br>
        {% endif %}
      </div>
    </div>
  </div>
</div>
</body>
</html>

```

nav.html

```
{% macro usedalot(uname) %}  
  <nav class="navbar navbar-expand-lg fixed-top " style="padding:0rem 1rem;">  
    <a class="navbar-brand" id="brand" >SASH VOGUE</a>  
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-  
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false"  
aria-label="Toggle navigation">  
      <span class="navbar-toggler-icon"></span>  
    </button>  
    <div class="collapse navbar-collapse" id="navbarSupportedContent">  
      <ul class="navbar-nav mr-auto">  
        <li class="nav-item active">  
          <a class="nav-link " href="{ {url_for('home_page')}} ">HOME <span class="sr-  
only">(current)</span></a>  
        </li>  
        <li class="nav-item dropdown">  
          <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false">WOMEN</a>  
          <div class="dropdown-menu" aria-labelledby="navbarDropdown">  
            <a class="dropdown-item"  
href="{ {url_for('products_page',category='Women',type='Dresses')}} " >Dresses</a>  
            <a class="dropdown-item"  
href="{ {url_for('products_page',category='Women',type='Kurtis')}} " >Kurtis</a>  
            <a class="dropdown-item"  
href="{ {url_for('products_page',category='Women',type='Palazzo')}} " >Palazzo & Pants</a>  
            <a class="dropdown-item"  
href="{ {url_for('products_page',category='Women',type='Saree')}} " >Sarees</a>  
            <a class="dropdown-item"  
href="{ {url_for('products_page',category='Women',type='Western')}} " >Western</a>  
            <a class="dropdown-item" href="{ {url_for('products_page',category='Women',type='Ethnic  
Wear')}} " >Ethnic Wear</a>  
            <a class="dropdown-item" >Accessories</a>  
          <ul>  
            <li style="list-style:none"><a class="dropdown-item"  
href="{ {url_for('products_page',category='Accessories',type='Handbags')}} " >Handbag</a> </li>  
            <li style="list-style:none"><a class="dropdown-item"  
href="{ {url_for('products_page',category='Accessories',type='Watches')}} " >Watches</a> </li><li  
style="list-style:none"><a class="dropdown-item"  
href="{ {url_for('products_page',category='Accessories',type='Scarves & Stoles')}} " >Scarves & Stoles  
</a> </li>  
            <li style="list-style:none"><a class="dropdown-item"  
href="{ {url_for('products_page',category='Accessories',type='Sunglasses')}} " >Sunglasses </a> </li>  
          </ul>  
        </div>  
      </li>  
      <li class="nav-item dropdown">  
        <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false">MEN</a>
```



```
        <div class="dropdown-menu" aria-labelledby="navbarDropdown">
        <a class="dropdown-item"
href="{ {url_for('products_page',category='Men',type='Casuals')}} ">Casuals</a>
        <a class="dropdown-item"
href="{ {url_for('products_page',category='Men',type='Formals')}} ">Formals</a>
        <a class="dropdown-item" href="{ {url_for('products_page',category='Men',type='T-
shirt')}} ">T-Shirts</a>
        <a class="dropdown-item"
href="{ {url_for('products_page',category='Men',type='Jeans')}} ">Jeans</a>
        <a class="dropdown-item" >Accessories</a>
        <ul>
        <li style="list-style:none"><a class="dropdown-item"
href="{ {url_for('products_page',category='Accessories',type='Wallets')}} ">Wallet</a> </li>
        <li style="list-style:none"><a class="dropdown-item"
href="{ {url_for('products_page',category='Accessories',type='Tie')}} ">Tie</a> </li>
        <li style="list-style:none"><a class="dropdown-item"
href="{ {url_for('products_page',category='Accessories',type='Men watches')}} ">Watches</a> </li>
        </ul>

    </div>
</li>
```

```
    <li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false">
    KIDS
    </a>
    <div class="dropdown-menu" aria-labelledby="navbarDropdown">
    <a class="dropdown-item" >Boys</a>
    <ul>
    <li style="list-style:none"><a class="dropdown-item"
href="{ {url_for('products_page',category='Kids',type='Boys T-Shirts')}} ">Tshirts</a> </li>
    <li style="list-style:none"><a class="dropdown-item"
href="{ {url_for('products_page',category='Kids',type='Boys Trousers')}} ">Trousers</a> </li>
    </ul>
    <a class="dropdown-item">Girls</a>
    <ul>
    <li style="list-style:none"><a class="dropdown-item"
href="{ {url_for('products_page',category='Kids',type='Girls Frocks')}} ">Frocks</a> </li>
    <li style="list-style:none"><a class="dropdown-item"
href="{ {url_for('products_page',category='Kids',type='Girls Skirts & Tops')}} ">Skirts and Tops</a>
</li>
    </ul>
    </div>
    </li>
    <li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false">
```

FOOTWEARS

```
</a>
<div class="dropdown-menu" aria-labelledby="navbarDropdown">
  <a class="dropdown-item"
href="{ {url_for('products_page',category='Footwears',type='Women')}} ">Women</a>
  <a class="dropdown-item"
href="{ {url_for('products_page',category='Footwears',type='Men')}} ">Men</a>
  <a class="dropdown-item"
href="{ {url_for('products_page',category='Footwears',type='Kids')}} ">Kids</a>
</div>
</li>
{% if uname!=None: %}
  <li class="nav-item active">
    <a class="nav-link " href="{ {url_for('cart_page')}} "><span class="sr-
only">(current)</span></a>
    </li>
    <li class="nav-item active">
      <a class="nav-link " href="{ {url_for('wishlist_pg')}} " ><span class="sr-
only">(current)</span></a>
      </li>
      {% endif %}
      {% if uname==None: %}
        <li class="nav-item active">
          <a class="nav-link " href="{ {url_for('loginpage')}} ">SIGNIN <span class="sr-
only">(current)</span></a>
          </li>
          <li class="nav-item active">
            <a class="nav-link " href="{ {url_for('regpage')}} ">SIGNUP <span class="sr-
only">(current)</span></a>
            </li>
            {% else: %}
              <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false">
                  
                  { {uname}}
                </a>
                <div class="dropdown-menu" aria-labelledby="navbarDropdown">
                  <a class="dropdown-item" href="{ {url_for('logout_pg')}} "><i style="color: black;      position:
relative;right: 5px;" class="fas fa-power-off"></i>Logout</a>
                </div>
              </li>
```

```

        {% endif %}
    </ul>
</div>
</nav>
{% endmacro %}

```

payment.html

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Sash Vogue</title>
    <link rel="icon" type="image/jpeg" href="{ { url_for('redirect_to',link='https://s3.jp-tok.cloud-object-storage.appdomain.cloud/smartfashion2001/logo.jpeg') } }" sizes="200x200">
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" integrity="sha384-xOoLFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N" crossorigin="anonymous">
    <link rel="stylesheet" href="{ { url_for('static',filename='styles/products.css') } }" type="text/css">
    <link rel="stylesheet" href="{ { url_for('static',filename='styles/payment.css') } }" type="text/css">
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <script defer src="https://use.fontawesome.com/releases/v6.2.0/js/all.js"></script>
    <script defer src="https://use.fontawesome.com/releases/v5.15.4/js/all.js"></script>
    <link href="https://fonts.googleapis.com/css2?family=Jost:wght@500&family=Quicksand:wght@300&family=Brush&display=swap" rel="stylesheet">
    <title>Fashion</title>
</head>
<!--<body style="background:url({ { url_for('static',filename='bgs/PAYMENTBG.jpg') } });background-repeat: no-repeat; background-attachment: fixed; background-position: center; background-size: cover;">-->
<body
    style="background:url({ { url_for('redirect_to',link='https://s3.jp-tok.cloud-object-storage.appdomain.cloud/smartfashion2001/hmbg.png') } });background-repeat: no-repeat; background-attachment: fixed; background-position: center; background-size: cover;">
    {% from 'nav.html' import usedalot %}
    {{ usedalot(uname) }}
    <div class="path" style="margin: 7% 0% 0% 5%;">
        <a href="{ { url_for('home_page') } }">Home <i class="fa-solid fa-angle-right"></i></a>
        <a href="{ { url_for('cart_page') } }">Cart<i class="fa-solid fa-angle-right"></i></a>
        <a href="">Payment</a>

```

```

</div>
{% if(birthdaycoupon ==True): %}
<h1 style="font-family: 'Alex Brush', cursive;font-weight: 800;color:#1b8981;
text-align: center;">Hey it's your birthday!!! Check out your special birthday coupon</h1>
{%endif %}
<form method="post">
<div class="main" style="display:flex;">
<div class="deliaddress">
<h2 style="font-weight: bold;">Delivery Address</h2>
<textarea id="deliaddr" rows="7" cols="100" name="address"
value="{{ request.form['address'] }}" {{ res[1] }}</textarea><br>
<h2 style="font-weight: bold;">Bill Details</h2>
<!-- Final amount to be paid is displayed -->
<h5>Bill Amount: Rs. {{ netamt|round|int }}</h5>
<input type="checkbox" id="coupon" name="coupon" value="yes"
onclick="checkcouponprice({{ netamt }}, '{{ birthdaycoupon }}')"> Apply Coupon<br><br>
<p>Coupon will be offered if your amount exceeds ₹1000</p>
<h2 style="font-weight: bold;">Payment Mode</h2>
<div style="display:flex; padding: 30px;">
<button class="paymentmode" id="razpay">
<a href="{{ url_for('payment_redirect') }}"></a>
</button>
<button class="paymentmode" id="cod" data-toggle="modal" data-target="#exampleModal">
 Cash on Delivery
</button>
</div>
</div>
<div class="modal fade" id="exampleModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">
<div class="modal-dialog" role="document">
<div class="modal-content">
<div class="modal-header">
<h5 class="modal-title" id="exampleModalLabel">Thank You for Shopping! OrderPlaced!!</h5>
<button type="button" class="close" data-dismiss="modal" aria-label="Close">
<span aria-hidden="true">&times;</span>
</button>
</div>
<div class="modal-body">
Your order will be delivered on 19th November, 2022.<br>Payment Mode: Cash on
Delivery<br>Amount: Rs. 8750
</div>
<div class="modal-footer">
<button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
<a href="{{ url_for('home_page') }}"><button type="button" class="btn btn-primary"

```

```

id="done" style="background:#8c7987; border:#8c7987">Go to Home Page </button></a>
    </div>
</div>
</div>
</div>
<div class="couponcard" style="padding:1%" id="coupondiv">
    <h3 style="font-family: 'Lora', serif;">Coupons available for you</h3>
    <div class="couponimg" style="display:flex;flex-direction:column;align-items: center;">
        {% if birthdaycoupon==True: %}
        
        {% endif %}
        
        
        
        <!--      <input type="text" placeholder="Enter the Coupon code" name="couponcode"
value="{ { request.form['couponcode'] }}">-->
        <input style="border-radius: 25px;" class="form-control mr-sm-2" placeholder="Coupon Code"
name="couponcode" value="{ { request.form['couponcode'] }}">
        <input type="submit" class="btn couponbtn" name="submit" value="Apply">
    </div>
</div>
</div>
</form>
<!-- Modal -->
<script>
window.watsonAssistantChatOptions = {
    integrationID: "cba0c163-9f9a-42ce-b6e9-979ac6318cc0", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "245858a6-01a2-41fc-8707-d603be17b8f0", // The ID of your service instance.
    onLoad: function(instance) {
        instance.render();
    }
};
setTimeout(function() {
    const t = document.createElement('script');
    t.src = "https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
});
function checkcouponprice(price, bdaycoupon) {
    if (price < 1000 && bdaycoupon == "False")
        window.alert("Coupon will be offered if your amount exceeds ₹1000");
    else {
        document.getElementById('coupondiv').style.visibility = "visible";
    }
}

```

```

    document.getElementById('coupon').style.visibility = "hidden";
  }
}
document.getElementById("cashon").addEventListener("click", function(event) {
  event.preventDefault()
});

document.getElementById("okdeliaddr").addEventListener("click", function(event) {
  event.preventDefault()
});
document.getElementById("addredit").addEventListener("click", function(event) {
  event.preventDefault()
});
const delibtn1 = document.getElementById('addredit');
delibtn1.addEventListener('click', () => {
  // show change button, enable textarea
  document.getElementById('deliaddr').disabled = false;
  const delibtn2 = document.getElementById('okdeliaddr');
  delibtn2.style.visibility = 'visible';
});
const delibtn2 = document.getElementById('okdeliaddr');
delibtn2.addEventListener('click', () => {
  // hide change button, disable textare
  document.getElementById('deliaddr').disabled = true;
  delibtn2.style.visibility = 'hidden';
});
<
!--
const donebtn = document.getElementById('done');
-- >
<
!--donebtn.addEventListener('click', () => {
  -- >
  <
  !-- // Go to Home Page-->
  <
  !--window.location.replace("http://192.168.1.100:5000/");
  -- >
  <
  !--
});
-- >
</script>
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-

```

```

Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"
integrity="sha384-
OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JkI"
crossorigin="anonymous"></script>
<script src="{ {url_for('static',filename='script.js')} }" />
<script src="https://kit.fontawesome.com/0a56e63d65.js" crossorigin="anonymous"></script>
</body>
</html>

```

paymetredirect.html

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>Title</title>
</head>
<body>
<h2>You are redirecting to payment page</h2>
</body>
</html>

```

productdetails.html

```

<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Sash Vogue</title>
<link rel="icon" type="image/jpeg" href="{ {url_for('redirect_to',link='https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/smartfashion2001/logo.jpeg')} }" sizes="200x200">
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css"
integrity="sha384-
xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"
crossorigin="anonymous">
<link rel="stylesheet" href="{ {url_for('static',filename='styles/products.css')} }" type="text/css">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link rel="preconnect" href="https://fonts.googleapis.com">
<link href="https://fonts.googleapis.com/css2?family=Source+Serif+Pro&display=swap" rel="stylesheet">
<link
href="https://fonts.googleapis.com/css2?family=Jost:wght@500&family=Lora:ital,wght@1,500&fami

```

```

ly=Quicksand:wght@300&display=swap" rel="stylesheet">
  <script src="https://kit.fontawesome.com/0a56e63d65.js" crossorigin="anonymous"></script>
</head>
<body>
  {% from 'nav.html' import usedalot %}
  {{ usedalot(uname) }}
  <div class="path" style="margin: 7% 0% 0% 5%;">
    <a href="{{ url_for('home_page') }}">Home <i class="fa-solid fa-angle-right"></i></a>
    <a href="{{ url_for('products_page',category=category,type=type) }}">{{ category }} - {{ type }}</a>
  </div>
  {% with messages = get_flashed_messages() %}
  {% if messages %}
  {% for message in messages %}
  <h4 style="color:black;text-align:center;font-weight:bolder;">{{ message }} !</h4>
  {% endfor %}
  {% endif %}
  {% endwith %}
  <div class="productdetaildiv">
    <div id="carouselExampleControls" class="carousel slide" data-ride="carousel">
      <div class="carousel-inner">
        <div class="carousel-item active">
          
        </div>
        <div class="carousel-item">
          
        </div>
        {% if res18empty==False: %}
        <div class="carousel-item">
          
        </div>
        {% endif %}
        {% if res19empty==False: %}
        <div class="carousel-item">
          
        </div>
        {% endif %}
      <button class="carousel-control-prev" type="button" data-target="#carouselExampleControls"
data-slide="prev">
        <span class="carousel-control-prev-icon" aria-hidden="true"></span>
        <span class="sr-only">Previous</span>
      </button>
      <button class="carousel-control-next" type="button" data-target="#carouselExampleControls"
data-slide="next">
        <span class="carousel-control-next-icon" aria-hidden="true"></span>
        <span class="sr-only">Next</span>
      </button>
    </div>
  </div>

```



```

<div class="detaildesc">
  <form method="post">
    <h1>{{result[1]}}</h1>
    <p>Price: ₹{{pricedisplay}} &nbsp; <del>₹{{result[2]}}</del></p>
    <p>Offer: {{result[6]}}%</p>
    <p>Material: {{result[3]}}</p>
    <p>Colour: {{result[4]}}</p>
    <p>Brand: {{result[5]}}</p>
    { % if (category=='Women' and type!='Saree') and (category=='Women' and type!='Ethnic Wear')
: % }
    <div class="radio-toolbar">
      <input type="radio" id="radioXS" name="sizeval" value="XS" checked>
      <label for="radioXS">XS</label>
      <input type="radio" id="radioS" name="sizeval" value="S">
      <label for="radioS">S</label>
      <input type="radio" id="radioM" name="sizeval" value="M">
      <label for="radioM">M</label>
      <input type="radio" id="radioL" name="sizeval" value="L">
      <label for="radioL">L</label>
      <input type="radio" id="radioXL" name="sizeval" value="XL">
      <label for="radioXL">XL</label>
      <input type="radio" id="radioXXL" name="sizeval" value="XXL">
      <label for="radioXXL">XXL</label>
    </div>
    <a style="cursor: pointer; color:rgb(132 157 138);" data-toggle="modal" data-
target="#exampleModal">Size chart</a>
    { % elif category == 'Men' : % }
    <div class="radio-toolbar">
      <input type="radio" id="radio38" name="sizeval" value="38" checked>
      <label for="radio38">38</label>
      <input type="radio" id="radio39" name="sizeval" value="39">
      <label for="radio39">39</label>
      <input type="radio" id="radio40" name="sizeval" value="40">
      <label for="radio40">40</label>
      <input type="radio" id="radio42" name="sizeval" value="42">
      <label for="radio42">42</label>
      <input type="radio" id="radio44" name="sizeval" value="44">
      <label for="radio44">44</label>
      <input type="radio" id="radio46" name="sizeval" value="46">
      <label for="radio46">46</label>
    </div>
    <a style="cursor: pointer;color:rgb(132 157 138);" data-toggle="modal" data-
target="#exampleModal">Size chart</a>
    { % elif category == 'Footwears' and type=='Kids' : % }
    <div class="radio-toolbar">
      <input type="radio" id="radiok20" name="sizeval" value="20" checked>
      <label for="radiok20">20</label>
      <input type="radio" id="radiok21" name="sizeval" value="21">

```

```

<label for="radiok21">21</label>
<input type="radio" id="radiok22" name="sizeval" value="22">
<label for="radiok22">22</label>
<input type="radio" id="radiok23" name="sizeval" value="23">
<label for="radiok23">23</label>
<input type="radio" id="radiok24" name="sizeval" value="24">
<label for="radiok24">24</label>
<input type="radio" id="radiok25" name="sizeval" value="25">
<label for="radiok25">25</label>
</div>
<a style="cursor: pointer;color:rgb(132 157 138);" data-toggle="modal" data-
target="#exampleModal">Size chart</a>
{ % elif category == 'Footwears' : % }
<div class="radio-toolbar">
<input type="radio" id="radiof40" name="sizeval" value="40" checked>
<label for="radiof40">40</label>
<input type="radio" id="radiof41" name="sizeval" value="41">
<label for="radiof41">41</label>
<input type="radio" id="radiof42" name="sizeval" value="42">
<label for="radiof42">42</label>
<input type="radio" id="radiof43" name="sizeval" value="43">
<label for="radiof43">43</label>
<input type="radio" id="radiof44" name="sizeval" value="44">
<label for="radiof44">44</label>
<input type="radio" id="radiof45" name="sizeval" value="45">
<label for="radiof45">45</label>
</div>
<a style="cursor: pointer;color:rgb(132 157 138);" data-toggle="modal" data-
target="#exampleModal">Size chart</a>
{ % elif category == 'Kids' : % }
<div class="radio-toolbar">
<input type="radio" id="radio2_3" name="sizeval" value="2-3Y" checked>
<label for="radio2_3">2-3Y</label>
<input type="radio" id="radio3-4" name="sizeval" value="3-4Y">
<label for="radio3-4">3-4Y</label>
<input type="radio" id="radio5-7" name="sizeval" value="5-7Y">
<label for="radio5-7">5-7Y</label>
<input type="radio" id="radio7-10" name="sizeval" value="7-10Y">
<label for="radio7-10">7-10Y</label>
</div>
<a style="cursor: pointer;color:rgb(132 157 138);" data-toggle="modal" data-
target="#exampleModal">Size chart</a>
{ % endif % }
<p>Return Policy: 7 days return policy</p>
<p>Expected Delivery date: 19 Nov </p>
<div style="display:flex;">
<input type="submit" style="font-family: 'Quicksand', sans-serif;" class="btn buynow"
value="Buy Now" />

```

```

        <input type="submit" style="font-family: 'Quicksand', sans-serif;" value="Add To Cart"
class="btn buynow" />
        <div class="content">
            <button class="shareButton main">
                <svg class="share" style="width:24px;height:24px" viewBox="0 0 24 24">
                    <path
                        d="M18,16.08C17.24,16.08 16.56,16.38 16.04,16.85L8.91,12.7C8.96,12.47 9,12.24
9,12C9,11.76 8.96,11.53 8.91,11.3L15.96,7.19C16.5,7.69 17.21,8 18,8A3,3 0 0,0 21,5A3,3 0 0,0
18,2A3,3 0 0,0 15,5C15,5.24 15.04,5.47 15.09,5.7L8.04,9.81C7.5,9.31 6.79,9 6,9A3,3 0 0,0 3,12A3,3
0 0,0 6,15C6.79,15 7.5,14.69 8.04,14.19L15.16,18.34C15.11,18.55 15.08,18.77 15.08,19C15.08,20.61
16.39,21.91 18,21.91C19.61,21.91 20.92,20.61 20.92,19A2.92,2.92 0 0,0 18,16.08Z" />
                    </svg>
                    <svg class="check" style="width:24px;height:24px" viewBox="0 0 24 24">
                        <path d="M21,7L9,19L3.5,13.5L4.91,12.09L9,16.17L19.59,5.59L21,7Z" />
                    </svg>
                    <svg class="close" style="width:24px;height:24px" viewBox="0 0 24 24">
                        <path
d="M19,6.41L17.59,5L12,10.59L6.41,5L5,6.41L10.59,12L5,17.59L6.41,19L12,13.41L17.59,19L19,1
7.59L13.41,12L19,6.41Z" />
                        </svg>
                    </button>
                <button class="shareButton fb" type="button" data-toggle="tooltip" data-placement="top"
title="Gmail">
                    <a
href="https://mail.google.com/mail/?view=cm&fs=1&tf=1&to=&su=Hey!+Check+out+this+product+
from+Sash+Vogue&body=Hey!+I+found+this+for+you!+Check+this+out:+http://{ {hostname} }: { {por
t} } { {
url_for(request.endpoint,category=category,type=type,prodid=result[0]) } }&ui=2&tf=1&pli=1"><i
style="width:24px;height:24px;color:white;" class="fa-solid fa-
envelope"></i></a></button>

                <button class="shareButton tw" type="button" data-toggle="tooltip" data-placement="top"
title="WhatsApp">
                    <a href="whatsapp://send?text=Check out this outfit! Looks like something celebrities wouldwear:
http://{ {hostname} }: { {port} } { {
url_for(request.endpoint,category=category,type=type,prodid=result[0]) } }"
data-action="share/whatsapp/share"><i style="width:24px;height:24px;color:white;"
class="fa-brands fa-whatsapp "></i></a>
                </button>
                <button class="shareButton ig" type="button" data-toggle="tooltip" data-placement="top"
title="Copy link!"
onclick="copyToClipboard('http://{ {hostname} }: { {port} } { {
url_for(request.endpoint,category=category,type=type,prodid=result[0]) } }')">
                    <i style="width:24px;height:24px;color:white;" class="fa-solid fa-copy "></i></button>
                </div>
            </div>
            <a onclick="seemore('true')" id="seemoreid" style="cursor: pointer; visibility:visible;">Show

```

```

more <i class="fa fa-angle-down" aria-hidden="true"></i></a>
  <div id="hiddendetaildiv">
    <h3>Product Details</h3>
    <ul>
      { % if (category=='Footwears' and type=='Men') or (category=='Footwears' and type=='Women') :
% }
        <li>{ {result[9]} }</li>
        { % else: % }
        <li>Package Contains: { {result[9]} }</li>
        { % endif % }
        <li>Material: { {result[3]} }</li>
        <li>{ {result[10]} }</li>
      { % if (category=='Women' and type!='Saree') and (category=='Women' and type!='EthnicWear')
: % }
        <li>{ {result[12]} } Darts</li>
        { % endif % }
        <li>Product Code: { {result[0]} } </li>
        <li>MRP: Rs.{ {result[2]} } inclusive of all taxes(MRP changes as per size selection) </li>
        <li>Net Quantity: { {result[11]} }</li>
        <li>Marketed By: { {result[14]} }</li>
        <li>Manufactured By: { {result[13]} }</li>
        <li>Country Of Origin: { {result[15]} }</li>
        <li>Customer Care Address: 124, Greenways Rd, Bishop Garden, Raja Annamalai Puram,
Trichy, Tamil Nadu-620001, Phone: 0431 2493 7803
        Mail: enquiries@sashvogue.co.in </li>
      </ul>
      <a onclick="seeless('true')" style="cursor: pointer;margin-top:1%">Show less <i class="fa-solidfa-
angle-up"></i></a>
    </div>
  </form>
</div>
</div>
<div class="modal fade" id="exampleModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="exampleModalLabel">Size Chart</h5>
        <button type="button" class="close" data-dismiss="modal" aria-label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
      { % if category== 'Women' and type != 'Saree' : % }
      <div class="modal-body">
        <div class="togdiv">
          <input type="checkbox" id="switchwomen" class="checkbox"
onclick="sizechartfunc('Women')" />
          <label for="switchwomen" class="toggle">

```

```

        <pre id="inwomen"> in </pre>
        <pre id="cmwomen">cm</pre>
    </label>
</div>

</div>
{% elif category=='Men' : %}
<div class="modal-body">
    <div class="togdiv">
        <input type="checkbox" id="switchmen" class="checkbox" onclick="sizechartfunc('Men')"/>
        <label for="switchmen" class="toggle">
            <pre> in cm</pre>
        </label>
    </div>
    
    </div>
    {% elif category=='Kids' : %}
    <div class="modal-body">
        <div class="togdiv">
            <input type="checkbox" id="switchkids" class="checkbox" onclick="sizechartfunc('Kids')"/>
            <label for="switchkids" class="toggle">
                <pre> in cm</pre>
            </label>
        </div>
        
        
        </div>
        {% elif category=='Footwears' and type=='Men': %}
        <div class="modal-body">
            <div class="togdiv">
                <input type="checkbox" id="switchfmen" class="checkbox" onclick="sizechartfunc('fMen')"/>
/>
                <label for="switchfmen" class="toggle">
                    <pre> in cm</pre>
                </label>
            </div>
            
            </div>
            {% elif category=='Footwears' and type=='Kids': %}

```

```

<div class="modal-body">
  <div class="togdiv">
    <input type="checkbox" id="switchfkids" class="checkbox" onclick="sizechartfunc('fKids')"
/>

    <label for="switchfkids" class="toggle">
      <pre> in cm</pre>
    </label>
  </div>
  
</div>
{% elif category=='Footwears' and type == 'Women': %}
<div class="modal-body">
  <div class="togdiv">
    <input type="checkbox" id="switchfwomen" class="checkbox"
onclick="sizechartfunc('fWomen')" />
    <label for="switchfwomen" class="toggle">
      <pre> in cm</pre>
    </label>
  </div>
  
</div>
{% endif%}
<div class="modal-footer">
  <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
</div>
</div>
</div>
{% from 'footer.html' import footer %}
{{ footer() }}
<script>
window.watsonAssistantChatOptions = {
  integrationID: "7f845c17-275d-493b-882e-dbdce1fc2652", // The ID of this integration.
  region: "au-syd", // The region your integration is hosted in.
  serviceInstanceID: "e50c449b-c969-4e8c-aa16-fbb43cadce5f", // The ID of your service instance.
  onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
});
</script>
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"

```

```

crossorigin="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"
integrity="sha384-
OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JkI"
crossorigin="anonymous"></script>
<script src="{ {url_for('static',filename='script.js')} }" />
<script src="https://kit.fontawesome.com/0a56e63d65.js" crossorigin="anonymous"></script>
</body>
</html>

```

products.html

```

<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Sash Vogue</title>
<link rel="icon" type="image/jpeg" href="{ {url_for('redirect_to',link='https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/smartfashion2001/logo.jpeg')} }" sizes="200x200">
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css"
integrity="sha384-
xOoIHfLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"
crossorigin="anonymous">
<link rel="stylesheet" href="{ {url_for('static',filename='styles/products.css')} }" type="text/css">
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-
awesome/5.15.3/css/all.min.css" integrity="sha512-
iBBXm8fW90+nuLcSKlbmrPcLa0OT92xO1BIsZ+ymDWZCvqsWgccV3gFoRBv0z+8dLJgyAHlR3
5VZc2oM/gI1w==" crossorigin="anonymous"
referrerpolicy="no-referrer" />
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<script defer src="https://use.fontawesome.com/releases/v6.2.0/js/all.js"></script>
<script defer src="https://use.fontawesome.com/releases/v5.15.4/js/all.js"></script>
<link href="https://fonts.googleapis.com/css2?family=Jost:wght@500&family=Quicksand:wght@300&disp
lay=swap" rel="stylesheet">
</head>

```

```

<body>
    {% from 'nav.html' import usedalot %}
    {{ usedalot(uname) }}
    <div class="path" style="margin: 7% 0% 0% 5%;">
        <a href="{{ url_for('home_page') }}">Home <i class="fa-solid fa-angle-right"></i></a>
        <a href="">{{ category }} - {{ type }}</a>
    </div>
    {% with messages = get_flashed_messages() %}
    {% if messages %}
    {% for message in messages %}
    <h4 style="color:black;text-align:center;font-weight:bolder;"><b>{{ message }}!</b></h4>
    {% endfor %}
    {% endif %}
    {% endwith %}
    <div class="container">
        <div class="row">
            {% for product in productsarr: %}
            <div class="col-sm">
                <div class="card">
                    {% if(type != 'Sunglasses'): %}
                    <a href="{{ url_for('product_detailspg',category=category,type=type,prodid=product[0]) }}"></a>
                    {% else :%}
                    <a
href="{{ url_for('sunglasses_detailspg',category=category,type=type,prodid=product[0]) }}"></a>
                    {% endif %}
                    <div class="card-body">
                        <h6 class="card-title" style="margin-bottom:0;font-weight: bold;">{{ product[1] }}</h6>
                        <p class="card-text">By {{ product[2] }}</p>
                        <p class="card-text" style="font-size:x-large">₹{{ product[3] -(product[3]*product[8] /
100)|round|int }}</p>
                        <div style="display:flex;justify-content:space-between;">
                            <form method="post">
                                <input type="hidden" name="prodid" value="{{ product[0] }}">
                                <button type="submit" class="btn" style="color:black;background:transparent"><i
id="wishlist" style="width: 32px;height: 32px" class="fa-regular fa-heart"></i></button>
                            </form>
                        </div>
                    </div>
                </div>
            {% endfor %}
        </div>
    </div>
    {% from 'footer.html' import footer %}
    {{ footer() }}

```



```

<script>
  window.watsonAssistantChatOptions = {
    integrationID: "7f845c17-275d-493b-882e-dbdce1fc2652", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "e50c449b-c969-4e8c-aa16-fbb43cadce5f", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
  };
  setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
  });
</script>
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"
integrity="sha384-
OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JKI"
crossorigin="anonymous"></script>
<script src="{ { url_for('static',filename='script.js') } }" />
<script src="https://kit.fontawesome.com/0a56e63d65.js" crossorigin="anonymous"></script>
</body>
</html>

```

registration.html

```

<!DOCTYPE html>
<html>
<head>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Sash Vogue</title>
  <link rel="icon" type="image/jpeg" href="{ { url_for('redirect_to',link='https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/smartfashion2001/logo.jpeg') } }" sizes="200x200">
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css"
integrity="sha384-
xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"
crossorigin="anonymous">
  <link rel="stylesheet" href="{ { url_for('static',filename='styles/login.css') } }" type="text/css">
  <link rel="preconnect" href="https://fonts.googleapis.com">

```

```
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<script src="{{ url_for('static',filename='script.js') }}" />
<script defer src="https://use.fontawesome.com/releases/v5.15.4/js/all.js"></script>
<script defer src="https://use.fontawesome.com/releases/v6.2.0/js/all.js"></script>
<link
href="https://fonts.googleapis.com/css2?family=Alex+Brush&family=Quicksand:wght@300&display=swap" rel="stylesheet">
<style>
.input-group {
  margin: 5%;
}

.maindiv {
  display: flex;
  flex-wrap: wrap;
}

.card {

  height: 600px;
  margin-top: 30px;
  margin-bottom: auto;
  width: 80%;
  box-shadow: 0 1px 20px 0 antiquewhite;
  background-color: rgba(51, 14, 14, 0.5);
}

.btn {
  width: 80%;
  color: white;
  background-color: #c74545;
  height: 50px;
  border-radius: 25px;
  margin-left: 18%;
}

.container {
  height: 100%;
  margin-left: 19%;
  padding-top: 35px;
}

.card-body {
  padding: 1.5rem;
}
</style>
</head>
```

```

<body
  style="background:url({ { url_for('redirect_to',link='https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/smartfashion2001/bg2.jpeg') } });background-repeat: no-repeat; background-
attachment: fixed; background-position: center; background-size: cover; ">
  <div class="container">
    <div class="d-flex h-100">
      <div class="card">
        <div class="card-body">
          <h1 style="color:white;text-align:center;"> Register </h1>
          <form method="post" style="padding: 2.5%;">
            <div class="maindiv" style="display:flex;">
              <div class="div1" style="width:40%">
                <div class="input-group form-group">
                  <div class="input-group-prepend">
                    <span class="input-group-text"><i class="fa-solid fa-envelope"></i></span>
                  </div>
                  <input type="mail" name="mail" value="{ { request.form['mail'] } }" class="form-control"
placeholder="Enter mail" required>
                </div>
                <div class="input-group form-group">
                  <div class="input-group-prepend">
                    <span class="input-group-text"><i class="fas fa-user"></i></span>
                  </div>
                  <input type="text" name="username" value="{ { request.form['username'] } }" class="form-
control" placeholder="Set Username" required>
                </div>
                <div class="input-group form-group">
                  <div class="input-group-prepend">
                    <span class="input-group-text"><i class="fas fa-key"></i></span>
                  </div>
                  <input id="myInput" type="password" name="password" value="{ {
request.form['password'] } }" class="form-control" placeholder="Set Password" required>
                  <span style="background: white;border:0px;    border-radius: 0px" class="input-group-
text"><i onclick="myFunction()" style="color:black" id="icon" class="fas fa-eye-slash"></i></span>
                </div>
                <div class="input-group form-group">
                  <div class="input-group-prepend">
                    <span class="input-group-text"><i class="fas fa-phone-alt"></i></span>
                  </div>
                  <input type="text" name="contact" value="{ { request.form['contact'] } }" class="form-control"
placeholder="Enter Contact" required>
                </div>
                <div class="input-group form-group">
                  <div class="input-group-prepend">
                    <span class="input-group-text"><i class="fa fa-calendar" aria-hidden="true"></i></span>
                  </div>
                  <input type="text" placeholder="Date of Birth" onfocus="(this.type='date')" name="DOB "
value="{ { request.form['DOB'] } }" class="form-control">

```

```

        </div>
        <input type="checkbox" id="checkboxvalue" name="checkval" onclick="checkboxval()"
style="margin-left:6%" /><label style="color:white">Allow me to send and receive emails</label>
        <div class="form-group">
            <input type="submit" name="login" style="margin-top:5%" value="Register" class="btn
login_btn"><br>
            <button type="reset" class="btn " name="button">Reset</button>
        </div>
    </div>
    <div class="div2" style="width:40%;margin-left: 15%;">
        <h5 style="color:white;text-align:center;">Other information</h5>
        <textarea rows="7" cols="40" placeholder="Address" name="address" value="{ {
request.form['address'] } }"></textarea>
    </div>
</div>
</form>
</div>
</div>
</div>
</div>
</div>
</body>
</html>

```

sunglasses_details.html

```

<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title> GDVS Vogue</title>
    <link rel="icon" type="image/jpeg" href="{ { url_for('redirect_to',link='https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/smartfashion2001/logo.jpeg') } }" sizes="200x200">
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css"
integrity="sha384-
xOoIHfLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"
crossorigin="anonymous">
    <link rel="stylesheet" href="{ { url_for('static',filename='styles/products.css') } }" type="text/css">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link
href="https://fonts.googleapis.com/css2?family=Cormorant+Garamond:wght@500&family=Jost:wght
@500&family=Lora:ital,wght@1,500&family=Quicksand:wght@300&display=swap"
rel="stylesheet">
    <script src="https://kit.fontawesome.com/0a56e63d65.js" crossorigin="anonymous"></script>
</head>
<body>

```

```

{% from 'nav.html' import usedalot %}
{{ usedalot(uname) }}
<div class="path" style="margin: 7% 0% 0% 5%;">
  <a href="">Home <i class="fa-solid fa-angle-right"></i></a>
  <a href="">{{ category }} <i class="fa-solid fa-angle-right"></i></a>
  <a href="">{{ type }} <i class="fa-solid fa-angle-right"></i></a>
</div>
<div class="productdetaildiv">
  <div id="carouselExampleControls" class="carousel slide" data-ride="carousel">
    <div class="carousel-inner">
      <div class="carousel-item active">
        
      </div>
      <div class="carousel-item">
        
      </div>
      <div class="carousel-item">
        
      </div>
      <div class="carousel-item">
        
      </div>
    <button class="carousel-control-prev" type="button" data-target="#carouselExampleControls"
data-slide="prev">
      <span class="carousel-control-prev-icon" aria-hidden="true"></span>
      <span class="sr-only">Previous</span>
    </button>
    <button class="carousel-control-next" type="button" data-target="#carouselExampleControls"
data-slide="next">
      <span class="carousel-control-next-icon" aria-hidden="true"></span>
      <span class="sr-only">Next</span>
    </button>
  </div>
</div>
<div class="detaildesc">
  <form method="post">
    <h1>{{ result[1] }}</h1>
    <p>Price: ₹{{ pricedisplay }} <del>₹{{ result[2] }}</del> </p>
    <p>Colour: {{ result[3] }}</p>
    <p>Brand: {{ result[4] }}</p>
    <p>Offer: {{ result[5] }}%</p>
    <p>Return Policy: 7 days return policy</p>
    <p>Expected Delivery date: 19 Nov </p>
    {% with messages = get_flashed_messages() %}
    {% if messages %}
    {% for message in messages %}
    <p style="color:black;">{{ message }}</p>
    {% endfor %}
  </form>

```

```

    {% endif %}
    {% endwith %}
    <div style="display:flex;">
        <button style="font-family: 'Quicksand', sans-serif;" class="btn buynow">Buy Now</button>
        <input type="submit" style="font-family: 'Quicksand', sans-serif;" value="Add To Cart"
class="btn buynow" /><br>
        <div class="content">
            <button class="shareButton main">
                <svg class="share" style="width:24px;height:24px" viewBox="0 0 24 24">
                    <path
                        d="M18,16.08C17.24,16.08 16.56,16.38 16.04,16.85L8.91,12.7C8.96,12.47 9,12.24
9,12C9,11.76 8.96,11.53 8.91,11.3L15.96,7.19C16.5,7.69 17.21,8 18,8A3,3 0 0,0 21,5A3,3 0 0,0
18,2A3,3 0 0,0 15,5C15,5.24 15.04,5.47 15.09,5.7L8.04,9.81C7.5,9.31 6.79,9 6,9A3,3 0 0,0 3,12A3,3
0 0,0 6,15C6.79,15 7.5,14.69 8.04,14.19L15.16,18.34C15.11,18.55 15.08,18.77 15.08,19C15.08,20.61
16.39,21.91 18,21.91C19.61,21.91 20.92,20.61 20.92,19A2,2 0 0,0 18,16.08Z" />
                    </svg>
                    <svg class="check" style="width:24px;height:24px" viewBox="0 0 24 24">
                        <path d="M21,7L9,19L3.5,13.5L4.91,12.09L9,16.17L19.59,5.59L21,7Z" />
                    </svg>
                    <svg class="close" style="width:24px;height:24px" viewBox="0 0 24 24">
                        <path
d="M19,6.41L17.59,5L12,10.59L6.41,5L5,6.41L10.59,12L5,17.59L6.41,19L12,13.41L17.59,19L19,1
7.59L13.41,12L19,6.41Z" />
                    </svg>
                </button>
                <button class="shareButton fb" type="button" data-toggle="tooltip" data-placement="top"
title="Gmail">
                    <a
href="https://mail.google.com/mail/?view=cm&fs=1&tf=1&to=&su=Hey+Check+Out+this+product+f
rom+Sash+Vogue&body=Hey!+I+found+this+for+you+Check+this+out:+http://{ { hostname } }:{ { port
} }{ {
url_for(request.endpoint,category=category,type=type,prodid=result[0]) } }&ui=2&tf=1&pli=1"><i
style="width:24px;height:24px;color:white;" class="fa-solid fa-
envelope"></i></a></button>
                <button class="shareButton tw" type="button" data-toggle="tooltip" data-placement="top"
title="WhatsApp">
                    <i style="width:24px;height:24px;color:white;" class="fa-brands fa-whatsapp"></i></button>
                <button class="shareButton ig" type="button" data-toggle="tooltip" data-placement="top"
title="Copy link!"
onclick="copyToClipboard('http://{ { hostname } }:{ { port } }{ {
url_for(request.endpoint,category=category,type=type,prodid=result[0]) } }')">
                    <i style="width:24px;height:24px;color:white;" class="fa-solid fa-copy "></i></button>
                </div>
            </div>
            <a onclick="seemore('true')" id="seemoreid" style="cursor: pointer; visibility:visible;">Showmore
<i class="fa fa-angle-down" aria-hidden="true"></i></a>
            <div id="hiddendetaildiv">

```

```

<h3>Product Details</h3>
<ul>
  <li>Frame Size: {{result[8]}}</li>
  <li>Frame Width: {{result[9]}}</li>
  <li>Frame Dimensions: {{result[10]}}</li>
  <li>Product Code: {{result[0]}}</li>
  <li>MRP: Rs.{{result[2]}} inclusive of all taxes(MRP changes as per size selection)</li>
  <li>Marketed By: {{result[12]}}</li>
  <li>Manufactured By: {{result[11]}}</li>
  <li>Customer Care Address: 124, Greenways Rd, Bishop Garden, Raja Annamalai Puram,
Trichy, Tamil Nadu-620001, Phone: 0431 2493 7803
    Mail: enquiries@sashvogue.co.in</li>
</ul>
<a onclick="seeless('true')" style="cursor: pointer;margin-top:1%">Show less <i class="fa-solidfa-angle-up"></i></a>
</div>
</form>
</div>
</div>
{% from 'footer.html' import footer %}
{{footer()}}
<script>
window.watsonAssistantChatOptions = {
  integrationID: "cba0c163-9f9a-42ce-b6e9-979ac6318cc0", // The ID of this integration.
  region: "au-syd", // The region your integration is hosted in.
  serviceInstanceID: "245858a6-01a2-41fc-8707-d603be17b8f0", // The ID of your service instance.
  onLoad: function(instance) {
    instance.render();
  }
};
setTimeout(function() {
  const t = document.createElement('script');
  t.src = "https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
});
</script>
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"
integrity="sha384-
OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JKI"
crossorigin="anonymous"></script>

```

```

<script src="{ {url_for('static',filename='script.js')}} " />
<script src="https://kit.fontawesome.com/0a56e63d65.js" crossorigin="anonymous"></script>
</body>
</html>

```

wishlist.html

```

<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Sash Vogue</title>
  <link rel="icon" type="image/jpeg" href="{ {url_for('redirect_to',link='https://s3.jp-tok.cloud-object-storage.appdomain.cloud/smartfashion2001/logo.jpeg')}} " sizes="200x200">
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" integrity="sha384-xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N" crossorigin="anonymous">
  <link rel="stylesheet" href="{ {url_for('static',filename='styles/products.css')}} " type="text/css">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.3/css/all.min.css" integrity="sha512-iBBXm8fW90+nuLcSKlbmrPcLa0OT92xO1BIsZ+ywDWZCvqsWgccV3gFoRBv0z+8dLJgyAHlR35VZc2oM/gI1w==" crossorigin="anonymous" referrerpolicy="no-referrer" />
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <script defer src="https://use.fontawesome.com/releases/v6.2.0/js/all.js"></script>
  <script defer src="https://use.fontawesome.com/releases/v5.15.4/js/all.js"></script>
  <link href="https://fonts.googleapis.com/css2?family=Jost:wght@500&family=Quicksand:wght@300&display=swap" rel="stylesheet">
</head>
<body>
  { % from 'nav.html' import usedalot % }
  { { usedalot(uname) } }
  <div class="path" style="margin: 7% 0% 0% 5%;">
    <a href="{ {url_for('home_page')}} ">Home <i class="fa-solid fa-angle-right"></i></a>
    <a href="">Wishlist</a>
  </div>
  <div class="container">
    <div class="row">
      { % for wishlistitem in wishlistarr: % }
      <div class="col-sm">
        <div class="card">
          { % if(wishlistitem[5] != 'Sunglasses'): % }
          <a
href="{ {url_for('product_detailspg',category=wishlistitem[4],type=wishlistitem[5],prodid=wishlistite

```



```

m[0]))}></a>
    { % else :% }
    <a
href="{ {url_for('sunglasses_detailspg',category=wishlistitem[4],type=wishlistitem[5],prodid=wishlistit
em[0])} }"></a>
    { % endif % }
    <div class="card-body">
        <h6 class="card-title" style="margin-bottom:0;font-weight: bold;">{ { wishlistitem[1] } }</h6>
        <p class="card-text">By { { wishlistitem[6] } }</p>
        <p class="card-text" style="font-size:x-large">₹{ { wishlistitem[2] } }-(wishlistitem[2]*wishlistitem[7]
/ 100)|round|int } }</p>

    </div>
</div>
</div>
{ % endfor % }
</div>
</div>
{ % from 'footer.html' import footer % }
{ { footer() } }
<script>
window.watsonAssistantChatOptions = {
    integrationID: "cba0c163-9f9a-42ce-b6e9-979ac6318cc0", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "245858a6-01a2-41fc-8707-d603be17b8f0", // The ID of your service instance.
    onLoad: function(instance) {
        instance.render();
    }
};
setTimeout(function() {
    const t = document.createElement('script');
    t.src = "https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
});
</script>
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"
integrity="sha384-
OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JKI"

```

```

crossorigin="anonymous"></script>
  <script src="{{url_for('static',filename='script.js')}}" />
  <script src="https://kit.fontawesome.com/0a56e63d65.js" crossorigin="anonymous"></script>
</body>
</html>

```

locustfile.py

```

from locust import *
import random
import time

data=({'uname':'shirls','password':'123'},{'uname':'shirlsrocks','password':'123'},{'uname':'csesan','password':'123'})
post_headers={'Content-Type':'application/x-www-form-urlencoded'}

class SmartFashion(HttpUser):

    @task
    def login_test(self):
        time.sleep(2)
        self.client.post("/login",
                        data=data[random.randint(0,2)],headers=post_headers)

    @task(20)
    def stattest(self):
        self.client.get("/")

```

script.js

```

function seemore(status){
  if(status=='true'){
    document.getElementById("hiddendetaildiv").style.visibility="visible";
    document.getElementById("seemoreid").style.visibility="hidden";
  }
}

function seeless(status){
  if(status=='true'){
    document.getElementById("hiddendetaildiv").style.visibility="hidden";
    document.getElementById("seemoreid").style.visibility="visible";
  }
}

function sizechartfunc(input){
  if( (input == 'Women') && (document.getElementById("switchwomen").checked) == true)

```

```

document.getElementById("sizechartwomen").src="/static/bgs/sizechartcm.jpg";

if((input == 'Women') &&(document.getElementById("switchwomen").checked) == false)
    document.getElementById("sizechartwomen").src="/static/bgs/sizechartinches.jpg";

if( (input == 'Men') && (document.getElementById("switchmen").checked) == true )
    document.getElementById("sizechartmen").src="/static/bgs/sizechartmencm.jpg";

if( (input == 'Men') && (document.getElementById("switchmen").checked) == false)
    document.getElementById("sizechartmen").src="/static/bgs/sizechartmeninches.jpg";

if( (input == 'Kids') && (document.getElementById("switchkids").checked) == true ){
    document.getElementById("sizechartkids").src="/static/bgs/sizechartkidsbcm.jpg";
    document.getElementById("sizechartkidsb").src="/static/bgs/sizechartkidsbcm.jpg";
}

if( (input == 'Kids') && (document.getElementById("switchkids").checked) == false){
    document.getElementById("sizechartkids").src="/static/bgs/sizechartkidsinches.jpg";
    document.getElementById("sizechartkidsb").src="/static/bgs/sizechartkidsbinches.jpg";
}

if( (input == 'fMen') && (document.getElementById("switchfmen").checked) == true)
    document.getElementById("sizechartfmen").src="/static/bgs/sizechartcmfmen.jpg";

if( (input == 'fMen') && (document.getElementById("switchfmen").checked) == false)
    document.getElementById("sizechartfmen").src="/static/bgs/sizechartinchesfmen.jpg";

if( (input == 'fWomen') && (document.getElementById("switchfwomen").checked) == true)
    document.getElementById("sizechartfwomen").src="/static/bgs/sizechartcmfwomen.jpg";

if( (input == 'fWomen') && (document.getElementById("switchfwomen").checked) == false)
    document.getElementById("sizechartfwomen").src="/static/bgs/sizechartinchesfwomen.jpg";

if( (input == 'fKids') && (document.getElementById("switchfkids").checked) == true)
    document.getElementById("sizechartfkids").src="/static/bgs/sizechartfkidsbcm.jpg";

if( (input == 'fKids') && (document.getElementById("switchfkids").checked) == false)
    document.getElementById("sizechartfkids").src="/static/bgs/sizechartfkidsinches.jpg";
}

function myFunction(){
    var x = document.getElementById("myInput");
    var i=document.getElementById("icon");
    if (x.type === "password") {
        x.type = "text";
        i.classList.add("fa-eye");
        i.classList.remove("fa-eye-slash");
    }
}

```

```

    else{
        x.type = "password";
        i.classList.remove("fa-eye");
        i.classList.add("fa-eye-slash");
    }
}

function checkboxval(){
if(document.getElementById("checkboxvalue").checked==true)
    document.getElementById("checkboxvalue").value="yes"

}

const shareButton = document.querySelectorAll("button.shareButton")
shareButton[0].addEventListener("click", (e) => {
    for( let i=0; i < shareButton.length; i++ ) {
        shareButton[i].classList.toggle("open")
        shareButton[0].classList.remove("sent")
    }
    e.preventDefault();
})

for( let i=1; i < shareButton.length; i++ ) {
    shareButton[i].addEventListener("click", (e) => {
        for( let i=0; i < shareButton.length; i++ ) {
            shareButton[i].classList.toggle("open")
        }
        shareButton[0].classList.toggle("sent")
        e.preventDefault();
    })
}

const unsecuredCopyToClipboard = (text) => {
const textArea = document.createElement("textarea");
textArea.value=text; document.body.appendChild(textArea);
textArea.select();
try{ document.execCommand('copy')}
catch(err){ console.error('Unable to copy to clipboard',err)}
    document.body.removeChild(textArea)};

function copyToClipboard(content,e) {
    if (window.isSecureContext && navigator.clipboard) {
        navigator.clipboard.writeText(content);
    }
    else{
        unsecuredCopyToClipboard(content);
    }
    e.preventDefault(); }

```

GitHub & Project Demo Link

GitHub Link: <https://github.com/IBM-EPBL/IBM-Project-20614-1659757349.git>

Project Demo Link: <https://vimeo.com/772824316>