


[Resource list](#) / [App details](#) /

Node RED TUSDO 2022-11-19

Details

App URL	https://node-red-tusdo-2022-11-19.eu-gb.mybluemix.net
Source	https://us-south.git.cloud.ibm.com/mersalpughazh2001/Node...
Resource group	Default
Deployment target	Node RED TUSDO 2022-11-19
Created	11/19/2022

Services

 Cloudant

[Open dashboard](#)

[Documentation](#)

[API reference](#)




Credentials ▾

Connect existing services

Create service

ASK A QUESTION

Deployment Automation

Name	NodeREDTUSDO2022-11-19
Location	Dallas
Tool integrations	  

Delivery Pipelines

Name	ci-pipeline ↗
Status	 Success ↗



Getting started quickly



Configuring your app

To connect services and DevOps toolchains to your app:

1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#) [↗](#)
2. If you want to view the code before your app is deployed, click **Download code** to obtain the .zip file.
3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.
4. After the deployment begins, you can view the status of the deployment, modify your app, view your repo, or view the app's URL.
5. If you make any changes to your app, be sure to deploy it again.

Building, running, and deploying your app locally

To build and run your app locally:

1. Run the `ibmcloud dev code <APPNAME>` command from the IBM Cloud CLI.
[Learn more.](#) [↗](#)
2. Run the following commands in a local development container from the app directory:

```
ibmcloud dev build
```

```
ibmcloud dev run
```

```
ibmcloud dev deploy
```