ASSIGNMENT 4 PRATHIBA T

Team ID: PNT2022TMID22465

DATE: 31 October, 2022

Import the necessary libraries

import pandas as pd
import numpy as np

import matplotlib.pyplot as plt

import seaborn as sns

from sklearn.model_selection import train_test_split

from sklearn.preprocessing import LabelEncoder

from keras.models import Model

from keras.layers import LSTM, Activation, Dense, Dropout, Input, Embedding

from keras.optimizers import RMSprop

from keras.preprocessing.text import Tokenizer

from keras.preprocessing import sequence

from keras.utils import to_categorical

from keras.callbacks import EarlyStopping

%matplotlib inline

Load the data into Pandas

df = pd.read_csv('/content/spam.csv',delimiter=',',encoding='latin-1')
df.head()

	V1	V2	Unnamed: 2	Unnamed: 3	Unnamed: 4
0	ham	Go until jurong point, crazy Available only	NaN	NaN	NaN
1	ham	Ok lar Joking wif u oni	NaN	NaN	NaN
2	spam	Free entry in 2 a wkly comp to win FA Cup fina	NaN	NaN	NaN
3	ham	U dun say so early hor U c already then say	NaN	NaN	NaN
4	ham	Nah I don't think he goes to usf, he lives aro	NaN	NaN	NaN

df.tail()

	v1	v2	Unnamed: 2	Unnamed: 3	Unnamed: 4
5567	spam	This is the 2nd time we have tried 2 contact u	NaN	NaN	NaN
5568	ham	Will i _ b going to esplanade fr home?	NaN	NaN	NaN
5569	ham	Pity, * was in mood for that. Soany other s	NaN	NaN	NaN
5570	ham	The guy did some bitching but I acted like i'd	NaN	NaN	NaN
5571	ham	Rofl. Its true to its name	NaN	NaN	NaN

```
# Checking datatype
df.info()
     <class 'pandas.core.frame.DataFrame'>
     RangeIndex: 5572 entries, 0 to 5571
     Data columns (total 5 columns):
          Column
                      Non-Null Count Dtype
                      5572 non-null
      0
          v1
                                       object
      1
                      5572 non-null
                                       object
      2
          Unnamed: 2 50 non-null
                                       object
      3
          Unnamed: 3 12 non-null
                                       object
          Unnamed: 4 6 non-null
      4
                                       object
```

dtypes: object(5) memory usage: 217.8+ KB


```
df.drop(['Unnamed: 2', 'Unnamed: 3', 'Unnamed: 4'],axis=1,inplace=True)
df.info()
     <class 'pandas.core.frame.DataFrame'>
     RangeIndex: 5572 entries, 0 to 5571
     Data columns (total 2 columns):
          Column Non-Null Count Dtype
```

_____ 0 v1 5572 non-null object 1 v2 5572 non-null object

dtypes: object(2) memory usage: 87.2+ KB

```
sns.countplot(df.v1)
plt.xlabel('Label')
plt.title('Number of ham and spam messages')
```

```
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43:
  FutureWarning: Pass tFutureWarning
Text(0.5, 1.0, 'Number of ham and spam messages')
```



```
# Convert list into array
x_train,y_train = np.array(x_train),np.array(y_train)
# Building model

from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import LSTM, Dense
model = Sequential()
model.add(LSTM(50, input_shape=(60, 1),return_sequences=True))
model.add(LSTM(50,return_sequences=True))
model.add(LSTM(50,return_sequences=True))
model.add(LSTM(50,return_sequences=True))
model.add(Dense(1))
model.compile(optimizer='adam',loss='mse')
# save model
model.save('LSTM.h5')
```