

# ASSIGNMENT- 1

PROJECT NAME	CUSTOMER CARE REGISTRY
NAME	M.POOJA
ROLL NO	4211191031039
TEAM ID	PNT2022TMID10765

## 1. PROGRAM

```
<!DOCTYPE html>
<html>
<head>
    <title>Table</title>
    <link rel="stylesheet" href="table.css">
</head>
<body>

    <center>
        <table border="4">
            <thead>
                <tr>
                    <th>First Name</th>
                    <td><input type="text" name="fname"
id="fname"></td>
                </tr>
            </thead>
            <tbody>
                <tr>
                    <th>Last Name</th>
                    <td><input type="text" name="lname"
id="lname"></td>
                </tr>
                <tr>
                    <th>Gender</th>
                    <td><input type="radio" name="gender"
id="gender" value="None">None
                        <input type="radio" name="gender" id="gender" value="Male">Male
                        <input type="radio" name="gender" id="gender" value="Female">Female
                        <input type="radio" name="gender" id="gender"
value="Others">Others</td>
                </tr>
            </tbody>
        </table>
    </center>
</body>
</html>
```

```

        <tr>
            <th>Department</th>
            <td><select name="DEPT" id="dept">
                <option value="NONE">NONE</option>
                <option value="CSE">CSE</option>
                <option value="IT">IT</option>
                <option value="ECE">ECE</option>
                <option value="EEE">EEE</option>
                <option value="CIVIL">CIVIL</option>
                <option value="MECHANICAL">MECHANICAL</option>
            </select></td>
        </tr>

        <tr>
            <th>Email</th>
            <td><input type="email" name="email"
id="email"></td>
        </tr>

        <tr>
            <th>Password</th>
            <td><input type="password" name="password"
id="password"></td>
        </tr>

        <tr>
            <th>Age</th>
            <td><input type="text" name="age"
id="age"></td>
        </tr>

        <tr>
            <th>Address</th>
            <td><textarea id="address"></textarea></td>
        </tr>

        <tr id="btna">
            <td colspan="2"><input type="button"
name="button" id="btn" value="Add" onclick="AddRow()"></td>
        </tr>

        <tr>
            <td><a copage.html" target="_default"><button>SUBMIT</button>
            </td>
        </tr>
    </tbody>
</table>

<table border="4" id="show">
    <thead>

```

```

        <tr>
            <th>First Name</th>
            <th>Last Name</th>
            <th>Gender</th>
            <th>Department</th>
            <th>Email</th>
            <th>Password</th>
            <th>Age</th>
            <th>Address</th>
        </tr>
    </thead>
</table>
</center>

<script>

    var list1 = [];
    var list2 = [];
    var list3 = [];
    var list4 = [];
var list5 = [];
var list6 = [];
var list7 = [];
var list8 = [];

    var n = 1;
    var x = 0;

    function AddRow(){

        var AddRown = document.getElementById('show');
        var NewRow = AddRown.insertRow(n);

        list1[x] = document.getElementById("fname").value;
        list2[x] = document.getElementById("lname").value;
        list3[x] = document.getElementById("gender").value;
        list4[x] = document.getElementById("dept").value
        list5[x] = document.getElementById("email").value;
        list6[x] = document.getElementById("password").value;
        list7[x] = document.getElementById("age").value;
        list8[x] = document.getElementById("address").value;

        var cell1 = NewRow.insertCell(0);
        var cel2 = NewRow.insertCell(1);

```

```

        var cel3 = NewRow.insertCell(2);
        var cel4 = NewRow.insertCell(3);
var cel5 = NewRow.insertCell(4);
var cel6 = NewRow.insertCell(5);
var cel7 = NewRow.insertCell(6);
var cel8 = NewRow.insertCell(7);

        cel1.innerHTML = list1[x];
        cel2.innerHTML = list2[x];
        cel3.innerHTML = list3[x];
        cel4.innerHTML = list4[x];
cel5.innerHTML = list5[x];
cel6.innerHTML = list6[x];
cel7.innerHTML = list7[x];
cel8.innerHTML = list8[x];

        n++;
        x++;
    }

</script>
</body>
</html>

```

## OUTPUT:

The screenshot shows a web browser window with a single tab titled 'Table'. The address bar shows the file path: D:/pooja%20IBM/TEAM%20MEMBER%201/assignment%20(1).html. The form contains the following fields:

- First Name:
- Last Name:
- Gender: ☐ None ☐ Male ☐ Female ☐ Others
- Department:
- Email:
- Password:
- Age:
- Address:

Below the form are two buttons: 'Add' and 'SUBMIT'. At the bottom of the browser window, there is a table with the following headers:


First Name	Last Name	Gender	Department	Email	Password	Age	Address
------------	-----------	--------	------------	-------	----------	-----	---------

## 2. PROGRAM:

```
<!DOCTYPE
html>

    <html>
    <head>
        <title>Successful</title>
    </head>
    <body style="background-color:red;">
    <h1 align="center"><b>Your Data Has Been Stored And Registered
Successfully!!</b></h1>
    </body>
    </html>
```

## OUTPUT:



## 3. PROGRAM:

```
table{
    margin-top: 50px;
    text-align: center;
    background: #800080;
    color: #FF0000;
}
#show th, #show td{
    padding: 12px;
}
#btna td input{
    width: 100%;
}
```