Python 3.9.5 (tags/v3.9.5:0a7dcbd, May 3 2021, 17:27:52) [MSC v.1928 64 bit (AMD64)] on win32

Type "help", "copyright", "credits" or "license()" for more information.

>>> Python 3.11.0 (main, Oct 24 2022, 18:26:48) [MSC v.1933 64 bit (AMD64)] on win32

Type "help", "copyright", "credits" or "license()" for more information.

import cv2

import numpy as np

import wiot.sdk.device

import playsound

import random

import time

import datetime

import ibm_boto3

from ibm_botocore.client import Config, ClientError

#CloudantDB

from cloudant.client import Cloudant

from cloudant.error import CloudantException

from cloudant.result import Result, ResultByKey

from clarifai_grpc.channel.clarifai_channel import ClarifaiChannel

from clarifai_grpc.grpc.api import service_pb2_grpc

stub = service_pb2_grpc.V2Stub(clarifaiChannel.get.grpc_channel())

from clarifai_grpc.grpc.api import service_pb2, resource_pb2

from clarifai_grpc.grpc.api.status import status_code_pb2

#This is how you authenticate

```
metadata = (('authorization', 'key 5797d941-433e-436a-a480-680d9080a990'),)
COS_ENDPOINT = "https://s3.tok.ap.cloud-object-storage.appdomain.cloud"
COS_API_KEY_ID = "v9n8Zn4r5VpcMVz_HyRY0DrS13jSzph2IEFioVj4-vmT"
COS AUTH ENDPOINT = "https://iam.cloud.ibm.com/identity/token"
COS_RESOURCE_CRN = "crn:v1:bluemix:public:cloud-object-
storage:global:a/3f060ee770d94e20a88f49f3da641d6d:f301cab2-2e94-48a1-a8a0-5b4968527c54::"
clientdb = cloudant("apikey- pleLXPoaPpnOZ7SMoVKd6tZdsjf54X9LwkFEWB1a0T6", "0165dca6-1176-
4aa5-b0fe-81473e50e35d", url="https://47643860-3553-4211-ba2a-d8e26dd17c08-
bluemix.cloudantnosqldb.appdomain.cloud")
clientdb.connect()
#Create resource
cos = ibm boto3.resource("s3",
            ibm_api_key_id=COS_API_KEY_ID,
            ibm_service_instance_id=COS_RESOURCE_CRN,
            ibm_auth_endpoint=COS_AUTH_ENDPOINT,
            config=Config(signature_version="oauth"),
            endpoint_url=COS_ENDPOINT
            )
def = multi_part_upload(bucket_name, item_name, file_path):
  try:
    print("Starting file transfer for {0} to bucket: {1}\n".format(item_name, bucket_name))
    #set 5 MB chunks
    part size = 1024 * 1024 * 5
    #set threadhold to 15 MB
   file threshold = 1024 * 1024 * 15
    #set the transfer threshold and chunk size
```

```
transfer_config = ibm_boto3.s3.transfer.TransferConfig(
      multipart_threshold=file_threshold,
      multipart_chunksize=part_size
      )
    #the upload_fileobj method will automatically execute a multi-part upload
    #in 5 MB chunks size
    with open(file_path, "rb") as file_data:
      cos.Object(bucket_name, item_name).upload_fileobj(
        Fileobj=file_data,
        Config=transfer_config
    print("Transfer for {0} Complete!\n".format(item_name))
  except ClientError as be:
    print("CLIENT ERROR: {0}\n".format(be))
  except Exception as e:
    print("Unable to complete multi-part upload: {0}".format(e))
def myCommandCallback(cmd):
  print("Command received: %s" % cmd.data)
  command=cmd.data['command']
  print(command)
 if(commamd=="lighton"):
    print('lighton')
  elif(command=="lightoff"):
    print('lightoff')
```

```
elif(command=="motoron"):
    print('motoron')
  elif(command=="motoroff"):
    print('motoroff')
myConfig = {
  "identity": {
    "orgId": "chytun",
    "typeId": "NodeMCU",
    "deviceId": "12345"
    },
  "auth": {
    "token": "12345678"
    }
  }
client = wiot.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()
database_name = "sample"
my_database = clientdb.create_database(database_name)
if my_dtabase.exists():
  print(f"'(database_name)' successfully created.")
cap=cv2.VideoCapture("garden.mp4")
if(cap.isOpened()==True):
  print('File opened')
else:
```

```
print('File not found')
while(cap.isOpened()):
 ret, frame = cap.read()
 gray = cv3.cvtColor(frame, cv2.COLOR_BGR@GRAY)
 imS= cv2.resize(frame, (960,540))
  cv2.inwrite('ex.jpg',imS)
    with open("ex.jpg", "rb") as f:
      file_bytes = f.read()
    #This is the model ID of a publicly available General model. You may use any other public or custom
model ID.
    request = service_pb2.PostModeloutputsRequest(
      model_id='82eaf1c767a74869964531e4d9de5237',
inputs=[resources_pb2.Input(data=resources_pb2.Data(image=resources_pb2.Image(base64=file_bytes
))
                     )])
    response = stub.PostModelOutputs(request, metadata=metadata)
    if response.status.code != status_code_pb2.SUCCESS:
      raise Exception("Request failed, status code: " + str(response.status.code))
    detect=False
    for concept in response.outputs[0].data.concepts:
      #print('%12s: %.f' % (concept.name, concept.value))
      if(concept.value>0.98):
        #print(concept.name)
        if(concept.name=="animal"):
          print("Alert! Alert! animal detected")
```

```
playsound.playsound('alert.mp3')
          picname=datetime.datetime.now().strftime("%y-%m-%d-%H-%M")
          cv2.inwrite(picname+'.jpg',frame)
          multi_part_upload('Umamaheswari', picname+'.jpg', picname+'.jpg')
          json_document={"link":COS_ENDPOINT+'/'+'Umamaheswari'+'/'+picname+'.jpg'}
          new_document = my_database.create_document(json_document)
          if new_document.exists():
            print(f"Document successfully created.")
          time.sleep(5)
          detect=True
    moist=random.randint(0,100)
    humidity=random.randint(0,100)
    myData={'Animal':detect,'moisture':moist,'humidity':humidity}
    print(myData)
    if(humidity!=None):
      client.publishEvent(eventId="status",msgFormat="json", daya=myData, qos=0, onPublish=None)
      print("Publish Ok..")
    client.commandCallback = myCommandCallback
    cv2.imshow('frame',imS)
    if cv2.waitKey(1) \& 0xFF == ord('q'):
      break
... client.disconnect()
... cap.release()
... cv2.destroyAllWindows()
```