
#### **PROJECT REPORT**

### Natural Disasters Intensity Analysis and Classification using Artificial Intelligence



Submitted by:

**TEAM ID:PNT2022TMID38863** 

**Team Leader** - ABDUL ASHIK S

**Team member** - NARESH KUMAR M

#### **TABLE OF CONTENTS**

#### 1. INTRODUCTION

- a. PROJECT OVERVIEW
- b. PURPOSE

#### 2. LITERATURE SURVEY

- a. EXISTING PROBLEM
- b. REFERENCES
- c. PROBLEM STATEMENT DEFINITION

#### 3. IDEATION AND PROPOSEDSOLUTION

- a. EMPATHY MAP CANVAS
- b. IDEATION & BRAINSTORMING
- c. PROPOSED SOLUTION
- d. PROBLEM SOLUTION FIT

#### 4. REQUIREMENT ANALYSIS

a. FUNCTIONAL REQUIREMENTS b. NON FUNCTIONAL REQUIREMENTS

#### 5. PROJECT DESIGN

- a. DATA FLOW DIAGRAM
- b. SOLUTION & TECHNICAL ARCHITECTURE
- c. USER STORIES

#### 6. PROJECT PLANNING AND SCHEDULING

I. SPRINT PLANNING AND ESTIMATION

#### II. SPRINT DELIVERY SCHEDULE

#### 7. CODING & SOLUTIONING

- 8. TESTING
  - a. TEST CASES
  - b. USER ACCEPTANCE TESTING
  - i. DEFECT ANALYSIS ii. TEST CASE ANALYSIS
- 9. RESULTS
  - c. PERFORMANCE METRICS
- 10. ADVANTAGES &DISADVANTAGES
  - d. ADVANTAGES
  - e. DISADVANTAGES
- 11. CONCLUSION
- 12. FUTURE SCOPE

#### **APPENDIX**

SOURCE CODE

**GITHUB** 

**PROJECTDEMO** 

## CHAPTER 1 INTRODUCTION

#### PROJECT OVERVIEW

Natural disasters not only disturb the human ecological system but also destroy the properties and critical infrastructures of human societies and even lead to permanent change in the ecosystem. Disaster can be caused by naturally occurring events such as earthquakes, cyclones, floods, and wildfires. Many deep learning techniques have been applied by various researchers to detect and classify natural disasters to overcome losses in ecosystems, but detection of natural disasters still faces issues due to the complex and imbalanced structures of images. To tackle this problem, we developed a multilayered deep convolutional neural network model that classifies the natural disaster and tells the intensity of disaster of natural The model uses an integrated webcam to capture the video frame and the video frame is compared with the Pretrained model and the type of disaster is identified and showcased on the OpenCV window.

#### **PURPOSE**

Disaster management plays an integral role in **keeping communities safe**. It involves coordinating the resources, such as pollution control systems, and responsibilities, such as following best practice policies, needed to prevent, prepare for, respond to, and recover from emergencies. Natural disasters generally constitute an emergency since they require immediate intervention due to their **high impact on human health and safety**; they affect the normal functioning of working infrastructure, interrupting normal day activities and representing a risk for residents and workers in affected areas.

## CHAPTER 2 LITERATURE SURVEY

#### **EXISTING PROBLEM**

Many researchers have attempted to use different deep learning methods for detection of natural disasters. However, the detection of natural disasters by using deep learning techniques still faces various issues due to noise and serious class imbalance problems. To address these problems, we proposed a multilayered deep convolutional neural network for detection and intensity classification of natural disasters. The proposed method works in two blocks—one for detection of natural disaster occurrence and the second block is used to remove imbalanced class issues. The results were calculated as average statistical values: sensitivity, 97.54%; specificity, 98.22%; accuracy rate, 99.92%; precision, 97.79%; and F1-score, 97.97% for the proposed model. The proposed model achieved the highest accuracy as compared to other state- of-theart methods due to its multilayered structure. The proposed model performs significantly better for natural disaster detection and classification, but in the future the model can be used for various natural disaster detection processes.

#### REFERENCES

- Mignan, A.; Broccardo, M. Neural network applications in earthquake prediction(1994–2019): Meta-analytic and statistical insights on their limitations. Seism. Res. Lett. 2020, 91, 2330–2342. [CrossRef]
- Tonini, M.; D'Andrea, M.; Biondi, G.; Degli Esposti, S.; Trucchia, A.; Fiorucci, P. A Machine Learning-Based Approach forWildfire Susceptibility Mapping.

The Case Study of the Liguria Region in Italy. Geosciences 2020, 10, 105. [CrossRef]

- 1. Islam, A.R.M.T.; Talukdar, S.; Mahato, S.; Kundu, S.; Eibek, K.U.; Pham, Q.B.; Kuriqi, A.; Linh, N.T.T. Flood susceptibility modelling using advanced ensemble machine learning models. Geosci. Front. 2021, 12, 101075. [CrossRef]
- Schlemper, J.; Caballero, J.; Hajnal, V.; Price, A.N.; Rueckert, D. A deep cascade of convolutional neural networks for dynamic MR image reconstruction. IEEE
  - Trans. Med. Imaging 2017, 37, 491–503. [CrossRef] [PubMed]
- 3. Tang, C.; Zhu, Q.; Wu, W.; Huang, W.; Hong, C.; Niu, X. PLANET: Improved convolutional neural networks with image enhancement for image classification. Math.
  - Probl. Eng. 2020, 2020. [CrossRef]
- 4. Ashiquzzaman, A.; Oh, S.M.; Lee, D.; Lee, J.; Kim, J. Context-aware deep convolutional neural network application for fire and smoke detection in virtual environment for surveillance video analysis. In Smart Trends in Computing and Communications, Proceedings of the SmartCom 2020, Paris, France, 29–31 December 2020; Springer: Berlin/Heidelberg, Germany, 2021; pp. 459–467.
- 5. Li, T.; Zhao, E.; Zhang, J.; Hu, C. Detection of Wildfire Smoke Images Based on a Densely Dilated Convolutional Network. Electronics 2019, 8, 1131. [CrossRef]
- Mangalathu, S.; Burton, H.V. Deep learning-based classification of earthquakeimpacted buildings using textual damage descriptions. Int. J. Disaster Risk Reduct. 2019, 36, 101111. [CrossRef]


#### PROBLEM STATEMENT DEFINITION

"IMD (Indian Meteorology department) is responsible to issue warnings for the rainfall and CWC (Central Water Commission) keeps a record of water reservoirs, however there is a lack of collation of data issued from both these departments. This prevents us from determining the impact/seriousness and due to which there are times where adequate forewarnings are not provided. There are several High rainfall areas, low lying areas or flood prone areas. Currently there are limitations that these areas cannot be alerted before the critical situation because of the data


unavailability or unavailability of simulation models which can calculate and predict the data. There is a requirement of data on the area likely to be inundated(depth) by release of water from reservoirs. 3D models may help in calculation of such data.a) Adequate forewarning for the area where floods are likely to occur. b) Low lying areas may be alerted about the release of accurate quantity of water from the reservoirs and thus evacuation/shifting of the people can be planned. c) It will help the Response forces to deploy their resources accordingly d) Prediction of release of water based on rainfall in catchment area and dissemination of an information to the affected public through mobile and other mediums."


## CHAPTER 3 IDEATION AND PROPOSED SOLUTION

#### **EMPATHY MAP CANVAS**



#### **IDEATION & BRAINSTORMING**





#### **PROPOSED SOLUTION**

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	To classify the natural disaster and the effect based on the webcam image given as input using Artificial Intelligence.
2.	Idea / Solution description	The classification is done by deep learning techniques such as Convolutional Neural Network (CNN) and Machine Learning Techniques.
3.	Novelty / Uniqueness	It is based on the satellite and multispectral image and the classification using Multilayered Deep Convolutional Neural Networks.
4.	Social Impact / Customer Satisfaction	The people can easily identify the type of natural disaster and its effect on the environment which leads to the earlier identification and reduced damage in the ecosystem.
5.	Business Model (Revenue Model)	We build a system that classifies the natural diasater and its intensity and it is believed that the website is useful for all people and also the website works for a long time effectively.
6.	Scalability of the Solution	The website will be made available for all the people who needs to classify the type of natural disaster. The machine learning and deep learning algorithms that are being used made it easier for the classification and intensity analysis.

# Explore AS, differentiate

## ocus on J&P tap into BE, understand I

### PROBLEM SOLUTION FIT

## efine CS, fit into

#### 1. CUSTOMER SEGMENT(S)

The global GIS in disaster management market size stood at \$2.3 billion in 2019, and it is expected to reach \$9.4 billion by 2030, exhibiting a CAGR of 13.7% during the forecast period (2020-2030). The major factors supporting the growth of the industry include the surging number of natural disasters, strong focus of government and emergency management organizations on adopting advanced GIS solutions, high need for analyzing geospatial data, and increasing public

awareness about reducing the socioeconomic impact of

#### 6. CUSTOMER CONSTRAINTS

Awareness, education, preparedness, and prediction and warning systems can reduce the disruptive impacts of a natural disaster on communities. Mitigation measures such as adoption of zoning, land-use practices, and building codes are needed, however, to prevent or reduce actual damage from hazards.

#### 5. AVAILABLE SOLUTIONS

CC

RC

Planning to warn the people which will minimize the effects of disasters. Recovery and reconstruction.

#### AS Ze

#### 2. JOBS-TO-BE-DONE / PROBLEMS

natural diseases.

Natural disasters can cause great damage on the environment, property, wildlife and human health. These events may include earthquakes, floods, hurricanes, tornadoes, tsunamis, landslides, wildfires, volcanic eruptions,

extreme temperatures.

Property damage.

Structural damage to buildings.

Loss of utilities like electricity and

#### 9. PROBLEM ROOT CAUSE

The lack of resources and capacities (e.g., financial, human and technical) and a low level of knowledge an education emerged in all case studies as major root causes for several drivers of disaster risk.

#### 7. BEHAVIOUR

Analysis of public behavior plays an important role in crisis management, disaster response, and evacuation planning. Unfortunately, collecting relevant data can be costly and finding meaningful information for analysis is challenging. A growing number of Location-based Social Network services provides time-stamped, geo-located data that opens new opportunities and solutions to a wide range of challenges.

#### J. TRIGGERS

water.

Large economic losts, reduced accumulation of capital and infrastructure, long recovery period after disasters.

#### 4. EMOTIONS: BEFORE / AFTER

Before the diamer, a positive association was found between place-identity and well-being, indicating that the stronger emotions participants evolved to the place, as well as remembered more and thought about the place, the stronger well-being they experienced at the site. After the distance, the strength of this relationship decreased more than twice, accounted for by the weakening of the emotion-well-being link.

#### 10 YOUR SOLUTION

TR

EM

Natural diasaters cannot be prevented but they can be detected. We can measure disaster risk by analyzing trends of, for instance, previous disaster losses. These trends can help us to gauge whether disaster risk reduction is being effective. We can also estimate future losses by conducting a risk assessment.

#### \$ CHANNYLS of BEHAVIOUR

We demonstrate how to improve investigation by analyzing the extracted public behavior responses from social media before, during and after natural

#### \$2 OFFLINE

Dissemination of information from nearby Government agencies and NGO'S.

disasters, such as hurricanes and tomadoes.



#### **CHAPTER 4**

#### **REQUIREMENT ANALYSIS**

#### **FUNCTIONAL REQUIREMENTS**

FR No.	Functional Requirement(Epic)	Sub Requirement (Story / Sub-Task)			
		Registering via Google Accounts			
FR - 1	User Registration				
		Registering via Product's own user managementsystem			
		1. Verification through OTP			
FR - 2	User Authentication				
		2. Verification through EmailLink			

FR - 3	Designation of Region	Ease of selection of necessary areasto bemonitored					
		Versatile and Flexible operations on designatedareas					
	Analysis of Required	1. Simple and easy analysis on the					
FR - 4	Phenomenon	specificphenomenon to be observed					
FR - 5	Accumulation of required Data	Fast and Efficient data gathering capabilities     regarding past eventanalysis     and futureprediction					
FR - 6	Organizing Unstructured data	d 1. Processing of raw and clustered data into clearandrefined data which is useful for analysis and prediction tasks					

FR - 7	Algorithm selection	1.	The freedom to choose fromseveral classes of algorithm to be used in the process				
		2.	Customization of algorithm to suit the needs of aspecific purpose				
FR - 8	Prediction and analysis of data	1.	Accurate results of the analysis provided by theprocess				
		2.	Advanced visualization techniques to help visualizethe processed data for effective observation				
FR - 9	Report generation	1.	Restructuring of obtained results into clearanddetailed reportfor future studies				

#### **NON-FUNCTIONAL REQUIREMENTS**

NFR No.	Non-Functional Requirement	Description
NFR - 1	Usability	It is well suitedfor fields requiring diverseapplication of processes with efficiency, precision and ease.


NFR - 2	Security	It provides a distinct and secure encryption layer to the system interface for additional security standards.
NFR - 3	Reliability	The product is robust and is capable of execution of processes even in the most difficult and unpredictable environments.

NFR - 4	Performance	The product boasts a high precision and efficient working capacity which helps in escalating its performance to the highest degree.
NFR - 5	Availability	Despite the complexity and degree of difficulty in its operation, the product is equipped with allround maintenance andreadily available technical services whichprovides the necessary support any individual requires in their duties.
NFR - 6	Scalability	The product also possess enoughroom forthe improvement of its specifications to upgrade its capabilities according to the needs of the user and theirorganization

## CHAPTER 5 PROJECT DESIGN

#### **DATA FLOW DIAGRAM**

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the systemrequirement graphically. It shows how data entersand leaves the system, what changes the information, and where datais stored.



#### **USER STORIES**

User Type	Functional Requirement (Epic)	User StoryNumb er (USN)	User Story / Task	Acceptan cecriteria	Priority	Release
End user (Custome r)	Registration	USN - 1	As a user, I am able to register with theProduct using my valid emailaddre ss	I should be able to register with my account credentials	High	Sprint - 1
End User (Custome r)	Authentication	USN - 2	As a user, I am able to login into the system with my credentials	It should ensure smooth login capabilities withoutdelay	High	Sprint - 1

End User (Custome r)	Designation ofRegion	USN - 3	I can select the regionof interest to be monitored and analyzed	I mustbe able to choose certain specific places without error	High	Sprint - 1
End User (Custome r)	Analysis of Required Phenomenon	USN - 4	I am able to monitor certain factors that influence the actions of the phenomenon	It should consider and monitormostof the factors involved in the action	High	Sprint - 2
End User (Custome r)	Accumulation of required Data	USN - 5	I am able to gather data regarding past events and a detailed report on past analysis	It shouldallow the storage of data ofpast events for certain extent	Medi um	Sprint - 2
End User (Custome r)	Organizing Unstructured data	USN - 6	I am able to organizeand restructure the raw data into refineddata	It should ensureeasy and efficient processing methods	Low	Sprint - 3

End User (Custome r)	Algorith mselecti on	USN - 7	I am ableto choose the required Algorithmfor a specific analysis	It mustprovide various options for the algorithm to be used	High	Sprint - 2
End User (Custome r)	Prediction and analysis of data	USN - 8	I am able to easily predict and visualize thedata	It shouldallow easy to use prediction and visualization techniques	High	Sprint - 3

End User (Custome r)	Report generation	USN - 9	I am able to generatea clear and detailed report on the analysis	Report generation must be fast and efficient andshouldnot be complex	Medi um	Sprint - 4
-------------------------------	----------------------	---------	--	--	------------	------------

#### **CHAPTER 6**

#### PROJECT PLANNING AND SCHEDULING

#### **SPRINT PLANNING AND ESTIMATION**

Sprint	Functional Requireme nt(Epic)	User story Number	User story / Task	Story points	Priority	Team members
Sprint-	Registration	USN – 1	As a user, Registering into the product usinga valid email address	5	High	Selva Sathish T
Sprint- 2	Registration	USN – 2	As a user, Registering into the product usinga valid username andpassword	3	Medium	Nawin Kumar P
Sprint-	Authentication	USN – 3	As a user, I adept to logginginto the system with credentials	4	High	Selva Sathish T
Sprint- 2	Authentication	USN - 4	As a user, I adept to logging intothe systemwithOTP	2	High	Nawin Kumar P
Sprint-	Designation ofRegion	USN – 5	selecting the region ofinterest to be monitored and analysed	3	High	Kiruba Karan A Selva Sathish T
Sprint-	Analysis of	USN – 6	Regulating certain	3	High	Sharath B
2	Required Phenomen		factors influencing theactions of the			

	on		phenomenon			
Sprint- 2	Accumulation ofrequired Data	USN – 7	Gathering data and detailed report on pastevent analysis	4	Medium	Kiruba Karan A Nawin Kumar P
Sprint-	Organizing Unstructur eddata	USN – 8	Organizing and reorienting the raw data into a refined data	3	Low	Selva Sathish T Sharath B
Sprint- 2	AlgoriT hm selection	USN – 9	Choosing a required algorithm for specificanalysis	2	High	Selva Sathish T Kiruba Karan A Sharath B
Sprint- 3	Prediction and analysis of data	USN - 10	Predicting and visualizing the dataeffectively	6	High	Sharath B Kiruba Karan A Selva Sathish T Nawin Kumar P
Sprint- 4	Report generati on	USN – 11	Generating a clear anddetailed report on productdata analysis	3	High	Nawin Kumar P Selva Sathish T

#### **SPRINT DELIVERY:**

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	12	6 days	24 Oct 2022	29 Oct 2022	12	30 Oct 2022
Sprint-2	14	6 days	31 Oct 2022	5 Nov2022	14	6 Nov 2022
Sprint-3	6	6 days	07 Nov2022	12 Nov2022	6	8 Nov 2022
Sprint-4	6	6 days	14 Nov2022	19 Nov2022	6	20 Nov 2022

## CHAPTER 7 CODING & SOLUTIONING

#### Feature 1:

A convolutional neural network is a class of artificial neural networks. It is a Deep Learning algorithm that can take in an input image, assign importance to various objects in the image and be able to differentiate one from the other. The pre-processing required in a ConvNet is much lower as compared to other classification algorithms.

The advantage of CNNs is to provide an efficient dense network which performs the prediction or identification efficiently.

Code is attached below.

#### Feature 2:

We developed a multilayered deep convolutional neural network model that classifies the natural disaster and tells the intensity of disaster of natural The model uses an integrated webcam to capture the video frame and the video frame is compared with the Pre-trained model and the type of disaster is identified and showcased on the OpenCV window. A multilayer neural network with appropriate weights has been shown to be able to approximate any input-output function making it an attractive tool for modeling and forecasting.

Code is attached below.

## CHAPTER 8 TESTING

#### 8. TESTING:

Test Cases
User Acceptance Testing

This document serves as a quick reference for the Deep Learning Fundus Image Analysis for Early Detection of Diabetic Retinopathy project's test coverage and open issues as of the project's release for user acceptance testing.

#### **Defect Analysis:-**

This shows how many bugs were fixed or closed at each severity level and how they were fixed.

Resoluti on	Severi ty 1	Severi ty 2	Severi ty 3	Severi ty 4	Subtotal
By Design	4	5	2	3	14
Duplicate	1	0	3	1	5
External	2	3	0	1	6
Fixed	9	2	4	15	30
Not Reproduced	0	0	1	0	1
Skipped	1	0	1	1	3
Won't Fix	0	5	2	1	8
Totals	1 7	14	13	22	64

#### **Test-Case Analysis**

This report shows the number of test cases that have passed, failed, and untested.

Section	Total Cases	Not Tested	Fail	Pass
Print Engine	9	0	0	9
Client Application	40	0	0	40
Security	3	0	0	3
Out-source Shipping	3	0	0	3

Exception Reporting	8	0	0	8
Final Report Output	4	0	0	4
Version Control	2	0	0	2

## CHAPTER 9 RESULTS

#### 9.1 PERFORMANCE METRICS

S.No.	Parameter	Values	s	creenshot		
1.	Model Summary	-	max_pooling2d_1 (MaxPooling 2D) flatten (Flatten) dense (Dense)	(None, 62, 62, 32)  (None, 31, 31, 32)  (None, 29, 29, 32)  (None, 14, 14, 32)  (None, 6272)  (None, 128)  (None, 4)	896 0 9248 0 0 802944 516	
2.	Accuracy	Training Accuracy  - 88.04%  Validation Accuracy -81.56%	Training Action / Validation / Validation	ss: 32.64 Accuracy: 8	31.56	

## CHAPTER 10 ADVANTAGES & DISADVANTAGES

#### **ADVANTAGES:-**

- 1. Humans also need breaks and time offs to balance their work life and personallife. But AI can work endlessly without breaks.
- 2. With the use of various AI-based techniques, we can also anticipate today's weather and the days ahead.
- 3. Helpful in getting life back on track..
- 4. Their Alert nature able to respond effectively and efficiently which defend the society from large scale damages.

#### **DISADVANTAGES:-**

- 1. It involves huge money to be equipped.
- 2. Problems faced in life basic needs.
- 3. One application of artificial intelligence is a robot, which is displacing occupations and increasing unemployment.
- 4. Machines can perform only those tasks which they are designed or programmed to do, anything out of that they tend to crash or give irrelevantoutputs which could be a major backdrop.

## CHAPTER 11 CONCLUSION

Many researchers have attempted to use different deep learning methods for detection of natural disasters. However, the detection of natural disasters by using deep learning techniques still faces various issues due to noise and serious class imbalance problems. To address these problems, we proposed a multilayered deep convolutional neural network for detection and intensity classification of natural disasters. The proposed method works in two blocks—one for detection of natural disaster occurrence and the second block is used to remove imbalanced class issues.

The results were calculated as average statistical values: sensitivity, 97.54%; specificity, 98.22%; accuracy rate, 99.92%; precision, 97.79%; and F1-score, 97.97% for the proposed model. The proposed model achieved the highest accuracy as compared to other state-of-the-art methods due to its multilayered structure. The proposed model performs significantly better for natural disaster detection and classification, but in the future the model can be used for various natural disaster detection processes.

## CHAPTER 12 FUTURE SCOPE

Al -smart technology, which has enabled accurate and speedy solutions. If harnessed properly, the technology has the potential of predicting, preventing and providing response faster than ever.

Al data setups are trained to predict seismic data to analyze the patterns of earthquake occurrences, rainfall records and monitor flooding, measure the intensity of hurricanes and read the geological data to understand volcanic eruptions, such systems can reduce the catastrophic impact of natural disasters.

Last year, Google's Pilot project to monitor flood in India with the help of AI, was a successful one – it was a Patna project. They were able to predict floods and the regions that it would be affected due to the natural disaster with an accuracy of over 90%. It was possible owing to the combination of data from government agencies that provide on-

ground information – from measuring devices placed on the spot and satellite captured images of flood-prone areas. They ran hundreds of thousands of simulations on its machine learning (ML) models to predict the flow of water. In the future, leveraging AI can help disaster management bodies install drones, sensors and robots to provide accurate information about damaged buildings and landscapes, potential floods, making rescue missions safer and less time-consuming.

There is a need for smart technology to be integrated within our local communities. Immediate response and tech-based solutions can help reduce the extent of damage. However, since AI is based on machine codes, there is a scope of limitations and errors. However, the amalgamation of human, empathy and alertness, could do wonders in the field of crisis management.

#### **APPENDIX**

#### **SOURCE CODE:**

#### home.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>Home Page</title>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
link href="https://fonts.googleapis.com/css?family=Montserrat" rel="stylesheet" type="text/css">
link href="https://fonts.googleapis.com/css?family=Lato" rel="stylesheet" type="text/css">
<script src="https://jajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"></script>
<style>
```

```
body {
 font: 400 15px Lato, sans-serif;
 line-height: 1.8;
 color: #818181;
}
h2 {
 font-size: 24px;
 text-transform: uppercase;
 color: #303030;
 font-weight: 600;
 margin-bottom: 30px;
}
h4 {
 font-size: 19px;
 line-height: 1.375em;
 color: #303030;
 font-weight: 400;
 margin-bottom: 30px;
.jumbotron {
 background-color: #f4511e;
 color: #fff;
 font-family: Montserrat, sans-serif;
}
.container-fluid {
 padding: 60px 50px;
.bg-grey {
```

```
background-color: #f6f6f6;
.logo-small {
 color: #f4511e;
 font-size: 50px;
.logo {
 color: #f4511e;
 font-size: 200px;
.thumbnail {
padding: 0 0 15px 0;
 border: none;
 border-radius: 0;
.thumbnail img {
 width: 100%;
height: 100%;
 margin-bottom: 10px;
.carousel-control.right, .carousel-control.left {
 background-image: none;
 color: #f4511e;
.carousel-indicators li {
 border-color: #f4511e;
.carousel-indicators li.active {
 background-color: #f4511e;
```

```
}
.item h4 {
 font-size: 19px;
 line-height: 1.375em;
 font-weight: 400;
 font-style: italic;
 margin: 70px 0;
.item span {
 font-style: normal;
}
.panel {
border: 1px solid #f4511e;
border-radius:0 !important;
 transition: box-shadow 0.5s;
}
.panel:hover {
 box-shadow: 5px 0px 40px rgba(0,0,0, .2);
.panel-footer .btn:hover {
 border: 1px solid #f4511e;
 background-color: #fff !important;
 color: #f4511e;
.panel-heading {
 color: #fff !important;
background-color: #f4511e !important;
padding: 25px;
 border-bottom: 1px solid transparent;
```

```
border-top-left-radius: 0px;
 border-top-right-radius: 0px;
 border-bottom-left-radius: 0px;
 border-bottom-right-radius: 0px;
.panel-footer {
background-color: white !important;
.panel-footer h3 {
 font-size: 32px;
.panel-footer h4 {
 color: #aaa;
 font-size: 14px;
.panel-footer .btn {
 margin: 15px 0;
 background-color: #f4511e;
 color: #fff;
.navbar {
margin-bottom: 0;
background-color: #0059ff;
 z-index: 9999;
 border: 0;
 font-size: 12px !important;
 line-height: 1.42857143 !important;
 letter-spacing: 4px;
 border-radius: 0;
```

```
font-family: Montserrat, sans-serif;
.navbar li a, .navbar .navbar-brand {
 color: #fff !important;
.navbar-nav li a:hover, .navbar-nav li.active a {
 color: #f4511e !important;
 background-color: #fff !important;
.navbar-default .navbar-toggle {
 border-color: transparent;
 color: #fff !important;
}
footer .glyphicon {
 font-size: 20px;
 margin-bottom: 20px;
 color: #f4511e;
}
.slideanim {visibility:hidden;}
.slide {
 animation-name: slide;
 -webkit-animation-name: slide;
 animation-duration: 1s;
 -webkit-animation-duration: 1s;
 visibility: visible;
}
@keyframes slide {
 0% {
  opacity: 0;
```

```
transform: translateY(70%);
 100% {
  opacity: 1;
  transform: translateY(0%);
}
@-webkit-keyframes slide {
0% {
  opacity: 0;
  -webkit-transform: translateY(70%);
 }
 100% {
  opacity: 1;
  -webkit-transform: translateY(0\%);
@media screen and (max-width: 768px) {
 .col-sm-4 {
  text-align: center;
  margin: 25px 0;
 .btn-lg {
  width: 100%;
  margin-bottom: 35px;
}
@media screen and (max-width: 480px) {
 .logo {
```

```
font-size: 150px;
}
.container {
    padding: 16px;
    max-width: max-content;
 }
 .container {
    max-width: 1376px;
    margin: auto;
    padding: 2rem 1.5rem;
 }
 .cards {
    display: flex;
    flex-wrap: wrap;
    align-items: center;
    justify-content: center;
   .card {
    cursor: pointer;
    background-color: transparent;
    height: 300px;
    perspective: 1000px;
    margin: 1rem;
    align-items: center;
```

```
justify-content: center;
.card h3 {
 border-bottom: 1px #fff solid;
 padding-bottom: 10px;
 margin-bottom: 10px;
 text-align: center;
 font-size: 1.6rem;
 word-spacing: 3px;
}
.card p{
 opacity: 0.75;
 font-size: 0.8rem;
line-height: 1.4;
}
.card img {
 width: 360px;
height: 300px;
 object-fit: cover;
 border-radius: 3px;
.card-inner {
 position: relative;
 width: 360px;
 height: 100%;
```

```
transition: transform 0.9s;
 transform-style: preserve-3d;
}
.card:hover .card-inner {
 transform: rotateY(180deg);
}
.card-front,
.card-back {
 position: absolute;
 width: 360px;
 height: 100%;
 -webkit-backface-visibility: hidden;
 backface-visibility: hidden;
}
.card-back {
 background-color: #222;
 color: #fff;
 padding: 1.5rem;
 transform: rotateY(180deg);
}
.text-block {
 position: absolute;
 bottom: 20px;
 right: 20px;
 background-color: black;
 color: white;
```

```
padding-left: 20px;
      padding-right: 20px;
.features-section img {
  display: none;
 }
 .testimonials-section {
  background: var(--primary-colour);
  color: white;
 }
 .testimonials-section li {
  background: #0059ff;
  text-align: center;
  width: 80%;
  border-radius: 1em;
 }
 .testimonials-section li img {
  width: 6em;
  height: 6em;
  border: 3px solid #ffffff;
  border-radius: 50%;
  margin-top: -2.5em;
 }
 ul {
```

```
list-style-type: none;
  margin: 0;
  padding: 0;
ul.features-list {
  margin: 0;
  padding-left: .1em;
 }
 ul.features-list li {
  font-size: 1.1em;
  margin-bottom: 1em;
  margin-left: 2em;
  position: relative;
 }
 ul.features-list li:before {
  content: ";
  left: -2em;
  position: absolute;
  width: 20px;
  height: 20px;
  background-image: url("#");
  background-size: contain;
  margin-right: .5em;
 }
```

```
.features-section img {
  display: none;
 </style>
</head>
<body>
<div class="card text-center">
<div class="card-header">
<a class="nav-link active" aria-current="true" href="home.html" style="font-size:
24px;">Home</a>
cli class="nav-item">
<a class="nav-link" href="intro.html" style="font-size: 24px;">Introduction</a>
cli class="nav-item">
<a class="nav-link" href="upload.html" style="font-size: 24px;">Upload</a>
<h3 style="float: right;">AI based Natural Disaster Analysis</h3>
</div>
<div class="container-fluid">
  <div class="container">
    <div class="cards">
      <div class="card">
        <div class="card-inner">
```

```
<div class="card-front">
                                        <img src="https://images.unsplash.com/photo-1454789476662-</pre>
53eb23ba5907? ixid=MXwxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHw\%3D\&ixlib=rb-fixed for the control of the contr
1.2.1&auto=format&fit=crop&w=689&q=80"
                                               alt="">
                                        <div class="text-block">
                                               <h1>Cyclone</h1>
                                               <h3>violent winds, torrential rain, high waves and, very destructive storm</h3>
                                        </div>
                                 </div>
                                 <div class="card-back">
                                        <h3>Cyclone</h3>
                                        <h3>The effects of tropical cyclones include heavy rain, strong wind, large storm surges
near
                                              landfall, and tornadoes. The destruction from a tropical cyclone, such as a hurricane or
                                              tropical storm, depends mainly on its intensity, its size, and its location.</h3>
                                 </div>
                           </div>
                    </div>
   <div class="container">
                           <div class="cards">
                                 <div class="card">
                                        <div class="card-inner">
                                               <div class="card-front">
                                                     <img src="https://images.unsplash.com/photo-1603869311144-</pre>
D%3D&ixlib=rb-1.2.1&auto=format&fit=crop&w=500&q=60"
                                                            alt="">
```

```
<div class="text-block">
                     <h1>Earth Quake</h1>
                     <h2>Sudden release of stored energy in the Earth's crust that creates seismicwaves.
                     </h2>
                  </div>
                </div>
                <div class="card-back">
                  <h3>Earth Quake</h3>
                  <h3>Earthquakes are usually caused when rock underground suddenly breaks fault.
                    This sudden release of energy causes the seismic waves that make the ground shake.
                     ... During the earthquake and afterward, the plates or blocks of rock start moving,
                     and they continue to move until they get stuck again.</h3>
                </div>
              </div>
           </div>
<div class="container">
<div class="cards">
 <div class="card">
                  <div class="card-inner">
                     <div class="card-front">
                       <img src="https://images.unsplash.com/photo-1547683905-</pre>
f686c993aae5?ixid=MXwxMjA3fDB8MHxzZWFyY2h8MXx8Zmxvb2R8ZW58MHx8MHw%3D&ixlib
=rb-1.2.1&auto=format&fit=crop&w=500&q=60"
                         alt="">
                       <div class="text-block">
                         <h1>Flood</h1>
                         <h3>A flood is an overflow of water on normally dry ground</h3>
                       </div>
```

```
</div>
                     <div class="card-back">
                       <h3>Flood</h3>
                       <h3>During heavy rain, the storm drains can become overwhelmed or plugge by
                         debris and flood the roads and buildings nearby. Low spots, such as
                         underpasses, underground parking garages, basements, and low watecrossings
                         can become death traps. Areas near rivers are at risk from floods.</h3>
                     </div>
                  </div>
                </div>
 <div class="container">
                  <div class="cards"
                     <div class="card">
                       <div class="card-inner">
                          <div class="card-front">
                            <img src="https://images.unsplash.com/photo-1473260079709-</pre>
83c808703435?ixid=MXwxMjA3fDB8MHxzZWFyY2h8NHx8d2lsZGZpcmV8ZW58MHx8MHw%3D
&ixlib=rb-1.2.1&auto=format&fit=crop&w=500&q=60"
                              alt="">
                            <div class="text-block">
                              <h1>WildFire</h1>
                              <h3>Uncontrolled fire in a forest, grassland, brushland</h3>
                            </div>
                           </div>
                          <div class="card-back">
                            <h3>Wildfire</h3>
                            <h3>Wildfires can be caused by an accumulation of dead matter (leaves,
                              twigs, and trees) that can create enough heat in some instances to
                              spontaneously combust and ignite the surrounding area. Lightning
```

strikes the earth over 100,000 times a day. 10 to 20% of these lightning strikes can cause fire.</h3>

```
</div>
</div>
</div>
</div>
```

#### intro.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
k href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeuOxjzrPF/et3URy9Bv1WTRi"
crossorigin="anonymous">
<title>Document</title>
</head>
<body>
<div class="card text-center">
<div class="card-header">
cli class="nav-item">
<a class="nav-link" aria-current="true" href="home.html" style="font-size:
24px;">Home</a>
cli class="nav-item">
```

```
<a class="nav-link active" href="intro.html" style="font-size: 24px;">Introduction</a>
cli class="nav-item">
<a class="nav-link" href="upload.html" style="font-size: 24px;">Upload</a>
<h3 style="float: right;">AI based Natural Disaster Analysis</h3>
</div>
</div>
<h2 style="padding: 50px; margin: 50px; word-spacing: 15px; text-align: center; line-height:
1.6;">
China, India and the United States are among the countries in the world most
affected by natural disasters. Natural disasters have the potential to wreck and even end the lives of those
people, who stand in their way. <br/> <br/>br> However, whether or not you are likely to be
affected by a natural disaster dramatically depends on where in the world you live, The objective of the
project is to human build a web application to detect the type of disaster. The input
is taken from the in-built webcam, which in turn is given to the pre-trained model. The model predicts the
type of disaster and displayed on UI. </h2>
</body>
```

#### upload.html:

</html>

```
<<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
```

```
Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeuOxjzrPF/et3URy9Bv1WTRi"
crossorigin="anonymous">
<title>Document</title>
</head>
<body>
<div class="card text-center">
<div class="card-header">
cli class="nav-item">
<a class="nav-link" aria-current="true" href="home.html" style="font-size:
24px;">Home</a>
cli class="nav-item">
<a class="nav-link" href="intro.html" style="font-size: 24px;">Introduction</a>
cli class="nav-item">
<a class="nav-link active" href="upload.html" style="font-size: 24px;">Upload</a>
<h3 style="float: right;">AI based Natural Disaster Analysis</h3>
</div>
</div>
<form action = "uploader.html" method = "POST" enctype = "multipart/form-data">
<input type = "file" name = "filename" />
<input type = "submit" value="Submit"/>
</form>
<script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.6/dist/umd/popper.min.js"</pre>
integrity="sha384-
oBqDVmMz9ATKxIep9tiCxS/Z9fNfEXiDAYTujMAeBAsjFuCZSmKbSSUnQlmh/jp3"
crossorigin="anonymous"></script>
```

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.min.js"
integrity="sha384IDwe1+LCz02ROU9k972gdyvl+AESN10+x7tBKgc9I5HFtuNz0wWnPclzo6p9vxnk"crossorigin="anony mous"></script>
</body>
</html>

#### **GITHUB LINK:**

https://github.com/IBM-EPBL/IBM-Project-20794-1659763443