

Code

```
<!DOCTYPE html>

<html lang="en">

<title>Home - Natural Disasters Database</title>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1">

<link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">

<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Lato">

<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Montserrat">

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">

<style>

body,h1,h2,h3,h4,h5,h6 { font-family: "Lato", sans-serif}

.w3-bar,h1,button { font-family: "Montserrat", sans-serif}

.fa-anchor,.fa-coffee { font-size:200px}

</style>

<body>

<!-- Navbar -->

<div class="w3-top">

  <div class="w3-bar w3-black w3-card w3-left-align w3-large">

    <a class="w3-bar-item w3-button w3-hide-medium w3-hide-large w3-right w3-padding-large w3-hover-white w3-large w3-red" href="javascript:void(0);" onclick="myFunction()" title="Toggle
    NavigationMenu"><i class="fa fa-bars"></i></a>

    <a href="{ % url 'home' % }" class="w3-bar-item w3-button w3-hide-small w3-padding-large w3-
    hover-white">Home</a>

    <a class="w3-bar-item w3-button w3-padding-large w3-white">Earthquake</a>
```

```
<a href="{ %url 'tsunami'% }" class="w3-bar-item w3-button w3-hide-small w3-padding-large w3-hover-white">Tsunami</a>
```

```
<a href="{ %url 'tornado'% }" class="w3-bar-item w3-button w3-hide-small w3-padding-large w3-hover-white">Tornado</a>
```

```
<a href="{ %url 'volcano'% }" class="w3-bar-item w3-button w3-hide-small w3-padding-large w3-hover-white">Volcanic Activity</a>
```

```
</div>
```

```
<!-- Navbar on small screens -->
```

```
<div id="navDemo" class="w3-bar-block w3-white w3-hide w3-hide-large w3-hide-medium w3-large">
```

```
<a href="#" class="w3-bar-item w3-button w3-padding-large">Earthquake</a>
```

```
<a href="#" class="w3-bar-item w3-button w3-padding-large">Tsunami</a>
```

```
<a href="#" class="w3-bar-item w3-button w3-padding-large">Tornado</a>
```

```
<a href="#" class="w3-bar-item w3-button w3-padding-large">Volcanic Activity</a>
```

```
</div>
```

```
</div>
```

```
<!-- Header -->
```

```
<header class="w3-container w3-grey w3-center" style="padding:128px 16px">
```

```
<h1 class="w3-margin w3-jumbo">Earthquakes</h1>
```

```
<p class="w3-xlarge">Natural Disasters Database</p>
```

```
</header>
```

```
<div class="w3-container">
```

```
<h2>Earthquakes</h2>
```

```
<table class="w3-table-all">
```

```
<tr>
```

```
<th>Earthquake_id</th>
```

<th>Intensity</th>

<th>Date</th>

<th>Country</th>

<th>Place</th>

<th>Latitude</th>

<th>Longitude</th>

{ % for quake in all_quakes % }

<tr>

<td>{{ quake.earthquake_id }}</td>

<td>{{ quake.intensity }}</td>

<td>{{ quake.date }}</td>

<td>{{ quake.country }}</td>

<td>{{ quake.place }}</td>

<td>{{ quake.latitude }}</td>

<td>{{ quake.longitude }}</td>

</tr>

{ % endfor % }

</table>

</div>

<div class="w3-container">

<h2>Damage caused by the quakes</h2>

<table class="w3-table-all">

<tr>

```

        <th>Earthquake_id</th>

        <th>Amount (in million)</th>

        <th>Deaths (in thousands)</th>

        <th>House_destroyed (in thousands)</th>

    </tr>

    {% for d in damage %}

    <tr>

        <td>{{ d.earthquake_id }}</td>

        <td>{{ d.amount }}</td>

        <td>{{ d.deaths }}</td>

        <td>{{ d.house_destroyed }}</td>

    </tr>

    {% endfor %}

</table>

</div>

<div class="w3-container w3-black w3-center w3-opacity w3-padding-50">

    <h1 class="w3-margin w3-xlarge">Thanks for visiting the website</h1>

</div>

<!-- Footer -->

<footer class="w3-container w3-padding-40 w3-center w3-opacity">

    <div class="w3-xlarge w3-padding-20">

        <h1>A Database project </h1>

```

```
</footer>
```

```
<script>
```

```
// Used to toggle the menu on small screens when clicking on the menu buttonfunction
```

```
myFunction() {
```

```
    var x =
```

```
    document.getElementById("navDemo");if
```

```
(x.className.indexOf("w3-show") == -1) {
```

```
    x.className += " w3-show";
```

```
    } else {
```

```
        x.className = x.className.replace(" w3-show", "");
```

```
    }
```

```
}
```

```
</script>
```

```
</body>
```

```
</html>
```

Submitted By

➤ Naresh kumar M (421219104314)