#### Assignment -3

### **Python Programming**

| Assignment Date     | 04October2022 |
|---------------------|---------------|
| Student Name        | Annapoorani P |
| Student Roll Number | 923819106006  |
| Maximum Marks       | 2 Marks       |

#### Question-1:

Write python code for blinking LED for Raspberry pi.

## **Solution:**

import RPi.GPIO as GPIO # Import Raspberry Pi GPIO library

from time import sleep # Import the sleep function from the time module

GPIO.setwarnings(False) # Ignore warning for now

GPIO.setmode(GPIO.BOARD) # Use physical pin numbering

GPIO.setup(8, GPIO.OUT, initial=GPIO.LOW) # Set pin 8 to be an output pin and set initial value to low (off)

while True: # Run forever

GPIO.output(8, GPIO.HIGH) # Turn on

sleep(1) # Sleep for 1 second

GPIO.output(8, GPIO.LOW) # Turn off

sleep(1) # Sleep for 1 second

Write python code for blinking Traffic light for Raspberry pi.

# **Solution:**

import RPi.GPIO as GPIO

import time

import signal

import sys

# Setup

GPIO.setmode(GPIO.BCM)

GPIO.setup(9, GPIO.OUT)

```
GPIO.setup(10, GPIO.OUT)
GPIO.setup(11, GPIO.OUT)
# Turn off all lights when user ends demo
def allLightsOff(signal, frame):
  GPIO.output(9, False)
  GPIO.output(10, False)
  GPIO.output(11, False)
  GPIO.cleanup()
  sys.exit(0)
signal.signal(signal.SIGINT, allLightsOff)
while True:
  # Red
  GPIO.output(9, True)
  time.sleep(3)
  # Red and amber
  GPIO.output(10, True)
  time.sleep(1)
  # Green
  GPIO.output(9, False)
  GPIO.output(10, False)
  GPIO.output(11, True)
  time.sleep(5)
  # Amber
  GPIO.output(11, False)
  GPIO.output(10, True)
  time.sleep(2)
  # Amber off (red comes on at top of loop)
  GPIO.output(10, False)
```