

ESTIMATE THE CROP YIELD USING **DATA ANALYTICS**

TEAM ID: PNT2022TMID39239

TEAM NAME: ARUN KUMAR.P (422419205004)
RAJA SEKAR.M (422419205028)
RAJESH P (422419205029)
SURIYA B (422419205039)

COLLGE NAME: UNIVERSITY COLLEGE OF ENGINEERING
TINDIVANAM

TABLE OF CONTENTS

- 1. INTRODUCTION**
 - 1.1 Project Overview
 - 1.2 Purpose
- 2. LITERATURE SURVEY**
 - 2.1 Existing problem
 - 2.2 References
 - 2.3 Problem Statement Definition
- 3 IDEATION & PROPOSED SOLUTION**
 - 3.1 Empathy Map Canvas
 - 3.2 Ideation & Brainstorming
 - 3.3 Proposed Solution
 - 3.4 Problem Solution fit
- 4 REQUIREMENT ANALYSIS**
 - 4.1 Functional requirement
 - 4.2 Non-Functional requirements
- 5 PROJECT DESIGN**
 - 5.1 Data Flow Diagrams
 - 5.2 Solution & Technical Architecture
 - 5.3 User Stories
- 6 PROJECT PLANNING & SCHEDULING**
 - 6.1 Sprint Planning & Estimation
 - 6.2 Sprint Delivery Schedule
 - 6.3 Reports from JIRA
- 7 CODING & SOLUTIONING**
 - 7.1 Feature 1
 - 7.2 Feature 2
- 8 TESTING**
 - 8.1 Test Cases
 - 8.2 User Acceptance Testing
- 9 RESULTS**
 - 9.1 Performance Metrics
- 10 ADVANTAGES & DISADVANTAGES**
- 11 CONCLUSION**
- 12 FUTURE SCOPE**
 - Source Code
 - GitHub & Project Demo Link

1. INTRODUCTION

1.1 Project overview:

Agriculture is the backbone of Indian Economy. In India, majority of the farmers are not getting the expected crop yield due to several reasons. The agricultural yield is primarily depends on weather conditions. Rainfall conditions also influences the rice cultivation. In this context, the farmers necessarily requires a timely advice to predict the future crop productivity and an analysis is to be made in order to help the farmers to maximize the crop production in their crops. Yield prediction is an important agricultural problem. Every farmer is interested in knowing, how much yield he is about expect. In the past, yield prediction was performed by considering farmer's previous experience on a particular crop. The volume of data is enormous in Indian agriculture. The data when become information is highly useful for many purposes.

IBM Cognos Business Intelligence is a web-based integrated business intelligence suite by IBM. It provides a toolset for reporting, analytics, score carding, and monitoring of events and metrics. The software consists of several components designed to meet the different information requirements in a company. IBM Cognos has components such as IBM Cognos

Framework Manager, IBM Cognos Cube Designer, IBM Cognos Transformer. Cognos Analysis Studio helps business users get fast answers to business-related queries. Reporting studio allows you to create pixel-perfect reports for your organization. Cognos event studio allows you to assign a specific event that sends a notification to the stakeholder in your organization. Cognos Metric Studio allows you to monitor and analyze business metrics of your organization by building a scorecard environment.

1.2 Purpose:

The purpose of this project is to work under the data analytics domain using the available technologies to achieve the goal which is to estimate the crop yield in India. We believe that it helps the client and people who are interested in agricultural studies to gain more insights. We work with the dataset that has data regarding the crop, production and area etc. and we use data analytic techniques to run various models and analysis on our dataset to gain more information which can help us understand the data.

2. LITERATURE SURVEY

2.1 Existing Problem:

- 1) Agriculture Data Analytics in Crop Yield Estimation
- 2) Prediction of Soil and Crop Yield by Big Data Analysis
- 3) Effective Data Analysis And Crop Yield Prediction Using Machine Learning Algorithm
- 4) Development of Crop Yield Estimation Model using Soil and Environmental Parameters
- 5) Comparison of Methods for Estimating Crop Yield at the County Level

2.2 References:

- https://www.researchgate.net/publication/329467349Agriculture_Data_Analytics_in_Crop_Yield_Estimation_A_Critical_Review
- Prediction of Soil and Crop Yield by Big Data Analysis Venkata Chennareddy, S. Ramanayagam
- Development of Crop Yield Estimation Model using Soil and Environmental Parameters,
- Nisar Ahmed, H. M. Shahzad Asif, Gulshan Saleem, M. Usman Younus ➤ Comparison of Methods for Estimating Crop Yield at the County Level, Michael E. Bellow (Research and Development Division Washington DC 20250).


2.3 Problem Statement Definition:

The traditional agriculture and allied sector cannot meet the requirements of modern agriculture which requires high yield high quality and efficient output. Thus, it is very important to turn towards modernization of existing methods and using the information technology and data over a certain period to predict the best possible productivity and crop suitable on the very particular land.



3. IDEATION & PROPOSED SOLUTION

3.1 Empathy Map Canvas:



3.2 Proposed Solution:

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	Increase of Poverty, increase in farmers Suicide, Increase the profit in yield, Loss of appetite.
2.	Idea / Solution description	Provide perfect data report after deep analyse of past data. Helping them out to overcome loss in farming and business.
3.	Novelty / Uniqueness	With this solution we can Analysis, visualize the data and gives the farmers to choose which plant/crop to cultivate at which period of time or season to gain more profit from the crop yield.
4.	Social Impact / Customer Satisfaction	By providing the perfect data visuals it creates a large impact in crop yield. And gain more profit to the farmers.
5.	Business Model (Revenue Model)	We can create large number of crop production and other raw materials. Increase in natural products and organic foods from this we can increase the Revenue for the farmers.
6.	Scalability of the Solution	With the data visual reports, we can cultivate crop according to the Crop, State, district, climate, soil can change the estimation of Crop yield.

3.3 Problem Solution Fit:

Define CS, fit into CC	<div>1. CUSTOMER SEGMENT(S)</div> <div>CS</div> <div>Farmers are the customer who wants to yield a crop in field.</div>	<div>6. CUSTOMER CONSTRAINTS</div> <div>C</div> <div>Less knowledge and development towards the current environmental changes and technologies, they follow ancient methods, which is also worthy but, the climatic changes and new kind pesticides.</div>	<div>5. AVAILABLE SOLUTIONS</div> <div>AS</div> <div><ul style="list-style-type: none">Traditional ways of prediction.Precision farming.</div>	Explore AS, differentiate
	<div>2. JOBS-TO-BE-DONE / PROBLEMS</div> <div>J&P</div> <div><ul style="list-style-type: none">Help them understand the usage of prediction and software application for good results in agriculture.Data report should to be created to reduce the loss of the crop and earn more profit in agriculture fields.</div>	<div>9. PROBLEM ROOT CAUSE</div> <div>RC</div> <div><ul style="list-style-type: none">Various disease on the plants can lead to reducing the quality of the crops productivity.The insects on the plants can spread the disease.</div>	<div>7. BEHAVIOUR</div> <div>BF</div> <div><ul style="list-style-type: none">Try to get help from agricultural experts.Try to take up non-natural means of cultivation for quicker harvest.</div>	
Focus on J&P, tap into BE, understand RC	<div>3. TRIGGERS</div> <div>TR</div> <div><ul style="list-style-type: none">Seeing their crops are being infected by disease and facing huge loss in quality.</div>	<div>10. YOUR SOLUTION</div> <div>SL</div> <div><ul style="list-style-type: none">The solution for the problem, creating data report using past datasets.Creating IBM Cognos dashboard could make them better understand easily.</div>	<div>8. CHANNELS of BEHAVIOUR</div> <div>CI</div> <div><ul style="list-style-type: none">Trying to use pesticides and fertilizers that increase gain but cause harm.Irrigation channel changes.</div>	Identify strong TR & EM
	<div>4. EMOTIONS: BEFORE / AFTER</div> <div>EM</div> <div><ul style="list-style-type: none">Before : Most of the famers in India have Stress, Loosing Self Confidence.After : Gain of Self Confidence.</div>			

4. REQUIREMENT ANALYSIS

4.1 Functional Requirement:

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Form Registration through Gmail Registration through LinkedIn
FR-2	User Confirmation	Confirmation via Email Confirmation via OTP
FR-3	User Profile	User Details Farm Details
FR-4	Required Data	The previous year crop yield data set Farm yield methodology User data of the farmer Details of the Seasons and the Regions
FR-5	Analysis	Cleaning and analysis of the past year crop yields Visualizing the datasets using IBM Cognos
FR-6	Estimation	Creating the perfect data module through attractive stories, dashboard and reports to increase the understandability of data.

4.2 Non-Functional Requirement:


Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	From the given datasets , analyzing is done and report is created. Accordingly, sowing of crops are recommended.
NFR-2	Security	Usage of IBM COGNOS, will provide secure user information(Data Visualization)
NFR-3	Reliability	Using the interactive data visual dashboards , we can easily understand the data reports.


NFR-4	Performance	Interaction makes better performance between all user and impressing by the data visuals advice.
NFR-5	Availability	The dashboard is easily available and accessible in smartphones and PC's.
NFR-6	Scalability	Prediction of crop for the forthcoming year can be done .It gives you a variety of crops to choose from our region.Also to know the better profitability of crops.

5. PROJECT DESIGN

5.1 Data Flow Diagram:



5.2 Solution & Technical Architecture:



5.3 User Stories:

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user and Laptop users)	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account / dashboard	High	Sprint-1
		USN-2	As a user, I will receive confirmation email once I have registered for the application	I can receive confirmation email & click confirm	High	Sprint-1
		USN-3	As a user, I can register for the application through Facebook	I can register & access the dashboard with Facebook Login	Low	Sprint-2
		USN-4	As a user, I can register for the application through Gmail		Medium	Sprint-1
	Login	USN-5	As a user, I can log into the application by entering email & password		High	Sprint-1
	Dashboard	USN-6	Can use the methods provided in the dashboard		Medium	Sprint-1
	Invest	USN-7	With help of desired results obtained from application, making profit or loss	Gain or Loss	High	Sprint-2
Administrator	Updating data		Collecting the data and storing it	Checking and updating dataset	High	Sprint-1
Customer (Web User)	Accessing the resources	USN -8	Using my own credentials for accessing the data	These resources cannot be accessed by others but only me	High	Sprint -1
	Satellite Visioning	USN -9	Having a view with geographic data		Medium	Sprint-2
Customer tools	Tools	USN -10	Analysis is performed by tools like cognos analytics	Ease of accessing the tools	High	Sprint 2

6. PROJECT PLANNING & SCHEDULING


6.1 Sprint Delivery Schedule:

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov 2022
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022

6.2 Reports From JIRA:

The screenshot shows the Jira Software interface for a project named "Crop yield using data analytics". The left sidebar contains navigation options: PLANNING (Roadmap, Backlog, Board) and DEVELOPMENT (Code, Project pages, Add shortcut, Project settings). The main area displays the "Backlog" view. At the top, there's a search bar and a "Create" button. Below the search bar, there are filters for "Epic" and "Sprint". The backlog is organized into sprints: "CYUDA Sprint 3" (7 Nov - 14 Nov, 1 issue) and "CYUDA Sprint 4" (14 Nov - 21 Nov, 1 issue). Each sprint contains a list of issues. For example, in "CYUDA Sprint 3", there are two issues: "EYUDA-20 Build Visual analytics to represent the Sates with Seasonal Crop Production using a Text representation." and "EYUDA-19 Build the required Visualization to showcase the Crop Production by State." Both issues are marked as "DONE". The "CYUDA Sprint 4" also shows one issue: "EYUDA-25 Export the created Dashboard." marked as "DONE".

The screenshot shows the Jira Software interface for the same project, "Crop yield using data analytics", but in the "Board" view. The left sidebar is identical to the previous screenshot. The main area displays the "Board" view for "CYUDA Sprint 1". At the top, there's a search bar and a "Create" button. Below the search bar, there are filters for "Epic" and "Sprint". The board is organized into columns: "TO DO", "IN PROGRESS", "IN REVIEW", and "DONE 5 OF 12 ISSUES". The "DONE" column contains three issues: "CYUDA-8", "CYUDA-7", and "CYUDA-6". Each issue is marked as "DONE". The board also shows a "Complete sprint" button and a "0 days remaining" indicator.



7.

7. CODING & SOLUTION

workspace.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="workspace.css">
  <title>workspace</title>
</head>
<body>
  <div class="ws-container">
    <div class="ws">
      <iframe
src="https://us3.ca.analytics.ibm.com/bi/?perspective=dashboard&pathRef=.my_folders
%2FDifferent%2BSeason%2BWith%2BAverage%2BProduction&closeWindowOnLast
View=true&ui_appbar=false&ui_navbar=false&shareMode=embedded&
action=view&mode=dashboard&subView=model0000018412e034f3_00000000"
width="320" height="200" frameborder="0" gesture="media" allow="encrypted-media"
allowfullscreen=""></iframe>
      <iframe
src="https://us3.ca.analytics.ibm.com/bi/?perspective=dashboard&pathRef=.my_folders
%2FDifferent%2BSeason%2BWith%2BAverage%2BProduction&closeWindowOnLast
View=true&ui_appbar=false&ui_navbar=false&shareMode=embedded&
action=view&mode=dashboard&subView=model0000018412eb6bc8_00000000" width="320"
height="200" frameborder="0" gesture="media" allow="encrypted-media"
allowfullscreen=""></iframe>
    </div>
    <div class="homepage-link">
      <a href="home.html">Go to Homepage</a>
    </div>
  </div>
</body>
</html>
```

workspace.css

```
html{  scroll-behavior: smooth;
}
*::selection{
color: #000000;
  background-color:#505050;
}
```

```

ul{
    list-style: none
} a{
    text-decoration: none;

} body{    background: url(https://res.cloudinary.com/dtpgi0zck/image/upload/s--
KuHP6sEY-/c_fill,h_580,w_860/v1/EducationHub/photos/crops-growing-in-thailand.jpg)
no-repeat fixed center;
    -webkit-background-size: cover;
    -moz-background-size: cover;
    -o-background-size: cover;
    background-size: cover;
    background-color: #f6f5f5;
    margin: 0px;    padding: 0px;
    position: relative;

}
/* ----- home page link -----*/
.homepage-link a{
    text-align: center;
    background-color: #06370c;
    color: #fff;    width: 500px;
    font-weight: bolder;    font-size:
30px;    border-radius: 15px;
    padding: 10px;
    box-shadow: 4px 4px 10px rgba(0, 0, 0, 0.7);
    opacity: 0.7;


}
.homepage-link a:hover{
    color: #000;
}
.homepage-link:active{
    transform: scale(1.05); }
/* ----- */
.ws-container{    display:
flex;    flex-direction:
column;    justify-
content: center;    align-
items: center;}
.ws{
    width: 90%;    height:
1000px;    background-
color: #fff;    margin:
40px;    border-radius:
25px;
    box-shadow: 2px 2px 12px rgba(0, 0, 0, 0.3);

```

}

7.1 Feature 1:

Different season with average Production:




State with crop production:

State with crop production along with season:


States with the crop production along with seasons

State_Name and Crop		Season and Crop	
Crop	State_Name	Crop	Season
Grapes	Andhra Pradesh	Grapes	Kharif
	Haryana		Whole Year
	Karnataka		
	Madhya Pradesh		
	Maharashtra		
	Rajasthan		
	Tamil Nadu		
	Telangana		

Top 10 States with most area:



With years usage of area and production:




7.2 Feature 2:

10/20/22, 11:57 AM


Tab 1

Production by Season colored by Season




Different Season With Average Production


Area by Crop_Year



Production by Crop_Year



Area by State_Name colored by State_Name



10/19/22, 12:16 PM


* Data Visualization Charts

State With Crop Production

State_Name for State_Name regions

State_Name

- Maharashtra
- Telangana
- Karnataka
- Haryana
- Madhya Pradesh
- Jammu & Kashmir
- Andhra Pradesh
- Rajasthan



Crop

Q. Search

- ☐ Apple
- ☐ Almond (Processed)
- ☐ Almond
- ☐ Apricot
- ☐ Ash Gourd
- ☐ Almond (Raw)
- ☐ Bajra
- ☐ Banana
- ☐ Barley
- ☐ Bean
- ☐ Beans & Muttar (Vegetable)
- ☐ Beet Root
- ☐ Ber
- ☐ Bhindi
- ☐ Bitter Gourd
- ☐ Black pepper
- ☐ Blackgram
- ☐ Bottle Gourd
- ☐ Brinjal
- ☐ Cabbage
- ☐ Cardamom

Apply


10/26/22, 11:57 AM

Different Season With Average Production

Tab 2

State_Name regions

- State_Name
- Arunachal Pradesh
 - Nagaland
 - Bihar
 - Manipur
 - Madhya Pradesh
 - Tamil Nadu
 - Andaman and Nicobar Islands
 - Puducherry
 - Assam
 - Telangana
 - Chhattisgarh
 - Haryana
 - Meghalaya
 - Uttar Pradesh
 - Andhra Pradesh
 - Rajasthan
 - Himachal Pradesh
 - West Bengal
 - Karnataka
 - Jammu and Kashmir
 - Odisha
 - Uttarakhand
 - Kerala



State_Name and Crop

Crop	State_Name
Gram	Nagaland
	Odisha
	Punjab
	Rajasthan
	Tamil Nadu
	Telangana
	Tripura
	Uttar Pradesh

Season and Crop

Crop	Season
Grapes	Whole Year
	Kharif

7.3 Database Schema:

Tables

New table +

Name	Schema	Properties
CROPYIELD	MKJ36779	...

Total: 1, selected: 1

Table definition

CROPYIELD

Approximate 245,820 rows (15.4 MB)
Updated on 2022-11-18 04:25:45

Name	Data type	Nullable	Length	Scale
STATE_NAME	VARCHAR	Y	27	0
DISTRICT_NAME	VARCHAR	Y	24	0
CROP_YEAR	SMALLINT	Y		0
SEASON	VARCHAR	Y	11	0
AREA	DECIMAL	Y	9	2

View data

8. TESTING

8.1 Test Cases:

1						Date	19-Nov-22							
2						Team ID	PNT2022TMD24342							
3						Project Name	Project - Estimate the crop yield using Data Analytics							
4						Maximum Marks	4 marks							
5	Test case ID	Feature Type	Component	Test Scenario	Pre-Requisite	Steps To Execute	Test Data	Expected Result	Actual Result	Status	Comments	TC for Automation(Y/N)	BUG ID	Executed By
6	HomePage_TC_001	Functional	Home Page	Verify user is able to see the Login/Signup popup when user clicked	User should have good internet connectivity.	1.Enter URL and click go 2.Click on Login Button 3.Verify login/Signup popup displayed or not	first.html	Login page should pop up as soon as the Login button is	Working as expected	Pass		N		Dharani M
7	LoginPage_TC_002	UI	Login Page	Verify the UI elements in Login/Signup popup	User should have good internet connectivity.	1.Enter URL and click go 2.Click on Login Button 3.Verify login/Signup popup with below UI elements: a.email text box b.password text box c.Login button d.New customer? Create account link e.Last password? Recovery password link	login.html	Application should show below UI elements: a.login with twitter & facebook b.password	Working as expected	Pass		N		Kaviya S D
8	LoginPage_TC_003	Functional	Login page	Verify user is able to log into application with Valid credentials	User should have good internet connectivity.	1.Enter URL(login.html) and click go 2.Click on My Account dropdown button 3.Enter Valid username/email in Email text box 4.Enter valid password in password text box 5.Click on login button	Username: admin password: admin	User should navigate to user account homepage	Working as expected	Pass		N		Shreevidhya S
9	Dashboard_TC_004	Functional	Dashboard page	Verify user is able to view the dashboard and see the charts	User should have good internet connectivity.	1.Enter URL(dashboard.html) 2.Click on the different charts that the user wants. 3.The embedded link will be able to display the charts from cognos	Dashboard.html	Application should show the expected charts from cognos	Working as expected	Pass		N		Shanmugapriya M

8.2 User Acceptance Testing:

1. Purpose of Document:

The purpose of this document is to briefly explain the test coverage and open issues of the Estimate the crop yield using Data Analytics project at the time of the release to User Acceptance Testing (UAT).

2. Defect Analysis:

This report shows the number of resolved or closed bugs at each severity level, and how they were solved.

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	8	4	2	2	16
Duplicate	4	2	3	0	9
External	2	3	0	1	6
Fixed	22	7	4	18	51
Not Reproduced	0	0	1	0	1
Skipped	1	1	0	0	2
Won't Fix	4	0	2	1	7
Totals	41	17	12	22	92

3. Test Case Analysis:

This report shows the number of test cases that have passed, failed, and untested.

Section	Total Cases	Not Tested	Fail	Pass
Print Engine	4	0	0	4
Client Application	45	0	1	46
Security	2	0	0	2
Outsource Shipping	3	0	0	3
Exception Reporting	9	0	0	9
Final Report Output	4	0	0	4
Version Control	2	0	0	2

9. RESULTS

9.1 Performance Metrics:

S.No.	Parameter	Screenshot / Values
1.	Dashboard design	No of Visualizations / Graphs – 4
2.	Data Responsiveness	1. Seasons with average production. 2. States with the crop production along with season. 3. With years usage of area and production.
3.	Amount Data to Rendered (DB2 Metrics)	The datasets that are trained and visualized are stored in IBM Cognos.
4.	Utilization of Data Filters	Classification, Prediction and Visualization are utilized to filter data.
5.	Effective User Story	No of Scene Added - 5
6.	Descriptive Reports	No of Visualizations / Graphs - 5

10. ADVANTAGES AND DISADVANTAGES

Advantages:

- Risks can be measured when suitable mathematical and statistical model designs are applied on data related to soil, weather and past yield.
- The precise quantification of the rice productivity in various climatic conditions can help farmer to understand the optimum condition for the higher rice crop yield.

Disadvantages:

- The main disadvantage of this strategy is that it does not allow for assessing the impact of intercropping on crop yields.
- This strategy is that crop areas cannot be aggregated at farm or higher levels, since intercropped fields would be double counted.

11. CONCLUSION

To conclude, we will say that we are providing an excellent website that can Estimate crop yield using Data Analytics by using the latest Artificially powered tool called IBM Cognos.

12. FUTURE SCOPE

By using the data's, we can identify the output yield of the crops and forecast prices for the next few weeks will help the farmers to obtain maximum benefits.

13. APPENDIX

Source Code:

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <script src="index.js"></script>
  <link rel="stylesheet" href="index.css">
  <title>register</title>
</head>
<body>
  <div class="logform">
    
    <form name="regForm" >
      <h1><b>Register</b></h1>
      <p><b>User name</b></p>
      <input type="text" name="uname1" id="username" placeholder="Enter user name">

      <p><b>Password</b></p>
      <input type="password" name="password1" id="password" placeholder="Enter Password">
      <p><b>Confirm Password</b></p>
      <input type="password" name="repassword1" id="password1" placeholder="Enter Comfirm
password">

      <br>
      <button type="button" onclick="register()" class="subbtn"><b>Submit</b></button>
      <button type="button" class="reset-btn"><b>Reset</b></button>

    </form>
    <p>Already user?<a href="index.html">Login</a></p>
  </div>
</body>
</html>
```

Index.css

```

html{
    scroll-behavior: smooth;
}
*::selection{ color:
#000000; background-
color:#505050;
}body{
    background: url(https://www.bentoli.com/wp-
content/uploads/2017/07/CommercialFarming-1.jpg) no-repeat fixed center;
    -webkit-background-size: cover;
    -moz-background-size: cover;    -o-
background-size: cover;
background-size: cover;    margin: 0%;

}
.logform{

    background-color:lightgrey;
display: inline-block;    padding:
30px;    position: absolute;    top:
50%;    left: 50%;    box-sizing:
border-box;    transform: translate(-
50%,-50%);    border-radius: 10px;
opacity: 0.8;
    box-shadow: 2px 2px 12px rgba(0, 0, 0,0.3);

} .profilePic{
width:100px;
height: 100px;
position: absolute;
top:-50px;
    left:calc(50% - 50px);

} a{    text-decoration:
none;
    line-height: 50px;

} a:hover{
    text-decoration:underline;
    color:green
}

input[type='text'],input[type='password'],input[type="email"]{
border: none;    background: transparent;    border-
bottom: 1px solid #fff;    outline-style: none;
}

```



```

input{   width: 100%;
margin-bottom: 10px;
}

/* ===== submit button
===== */

.submitButton:active{
transform: scale(1.1);
}

/* ----- */
.sub-btn,.reset-btn{

    width: 100px;   border:
0px;   border-radius:5px ;
background-color: green;
padding: 5px;
}

```

Index.js

```

var data = [
    {
        username:"DHARANI",
        password:"0020"
    },
    {
        username:"KAVIYA",
        password:"0001"
    },
    {
        username:"SHANMUGAPRIYA",
        password:"0004"
    },
    {
        username:"SHREEVIDHYAA",
        password:"0050"
    },
]
function login(){
    var uname = document.getElementById("username").value
    var pass = document.getElementById("password").value

    for (i = 0; i<data.length; i++){

```

```

        if (uname == data[i].username && pass == data[i].password){
window.location.replace("home.html")          return false
        }
    }
    alert("incorrect password")
}
function register(){
    var runame = document.getElementById("username").value
    var rpass = document.getElementById("password").value
    var rpass1 = document.getElementById("password1").value
    if (rpass == rpass1){        var rdata = {        username:
runame,
        password: rpass
    }
}else{
    alert("password doesn't match")
return
    }

    for (i = 0; i<data.length; i++){        if
(runame == data[i].username){
alert("Username not available")
        return false
    }
}
    data.push(rdata)
    window.location.replace("home.html")
}

```

Home.html

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Home</title>
    <link rel="stylesheet" href="home.css">

    <!-- ===== google font link
===== -->
    <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Sofia&effect=3dfloat">

    <link rel="stylesheet" type="text/css" href="//fonts.googleapis.com/css?family=Nunito" />

</head>
<body>

```

```

<div class="container">
  <!-- title -->
  <b><div class="title font-effect-3d-float">ESTIMATE THE CROP YIELD USING
DATA ANALYTICS</div></b>
  <!--details -->
  <div class="details">
    <b> <p class="teamId">Team ID:PNT2022TMID24342</p></b>
    <!-- members -->
    <p><b>DHARANI.M</p>
    <p><b>KAVIYA.S.D</p>
    <p><b>SHANMUGAPRIYA.M</p>
    <p><b>SHREEVIDHYAA.S</p>
  </div>
  <!-- workspace link -->
  <div class="workspace-link">
    <a href="workspace.html">Go to Workspace</a>
  </div>
</div>
</body>
</html>

```

Home.css

```

html{
  scroll-behavior: smooth;
}
*::selection{
color: #000000;
  background-color:#505050;
}
body{
  background: url(https://wallpapercave.com/wp/wp1886332.jpg) no-repeat fixed center;   -webkit-
background-size: cover;
  -moz-background-size: cover;
  -o-background-size: cover;
background-size: cover;
background-color: #f6f5f5;
margin: 0px;   padding: 0px;
  position: relative;

} ul{
  list-style: none
} a{
  text-decoration: none;
}

```

```

/* ----- home ----- */
.container{ width: 80%;
height: 800px;
background-color: #fff;
position: absolute; left:
50%; top: 50px;
transform: translate(-50%,0%);
opacity: 0.58; border-
radius: 25px;
box-shadow: 2px 2px 12px rgba(0, 0, 0,0.3);
}

.container .title{ margin-
top: 20px; text-align:
center; font-size: 55px;
padding-bottom: 60px;
color: rgb(12, 12, 12);
}

.container .details{ text-
align: center; font-size:
25px;
font-family: Nunito;
}

.container .teamId{
color: #080808; font-
weight:bold; font-size:
35px; padding-bottom:
20px;
} .button{
font-size: 30px;
}

.workspace-link a{ text-
align: center;
background-color:rgb(11, 240, 118);
width: 350px; font-weight:bolder;
font-size: 30px; color: #202020;
position: absolute; left: 50%;
bottom: 50px;
transform: translateX(-50%);
border: none; border-
radius: 15px; padding:
10px;
box-shadow: 4px 4px 10px rgba(0, 0, 0, 0.7);
}
.workspace-link a:hover{ color:
#167030;
}

```

```
.workspace-link a:active{
width: 360px;
}
```

Register.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <script src="index.js"></script>
  <link rel="stylesheet" href="index.css">
  <title>register</title>
</head>
<body>
  <div class="logform">
    
    <form name="regForm" >
      <h1><b>Register</b></h1>
      <p><b>User name</b></p>
      <input type="text" name="uname1" id="username" placeholder="Enter user name">
<p><b>Password</b></p>
      <input type="password" name="password1" id="password" placeholder="Enter Password">
      <p><b>Confirm Password</b></p>
      <input type="password" name="repassword1" id="password1" placeholder="Enter Comfirm
password">

      <br>
      <button type="button" onclick="register()" class="subbtn"><b>Submit</b></button>
      <button type="button" class="reset-btn"><b>Reset</b></button>

    </form>
    <p>Already user?<a href="index.html">Login</a></p>

  </div>

</body>
</html>
```

Workspace.html

```
<!DOCTYPE html>
<html lang="en">
<head>
```

```

<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" href="workspace.css">
<title>workspace</title>
</head>
<body>
  <div class="ws-container">
    <div class="ws">
      <iframe
src="https://us3.ca.analytics.ibm.com/bi/?perspective=dashboard&pathRef=.my_folders
%2FDifferent%2BSeason%2BWith%2BAverage%2BProduction&closeWindowOnLast
View=true&ui_appbar=false&ui_navbar=false&shareMode=embedded&
action=view&mode=dashboard&subView=model0000018412e034f3_00000000"
width="320" height="200" frameborder="0" gesture="media" allow="encrypted-media"
allowfullscreen=""></iframe>
      <iframe
src="https://us3.ca.analytics.ibm.com/bi/?perspective=dashboard&pathRef=.my_folders
%2FDifferent%2BSeason%2BWith%2BAverage%2BProduction&closeWindowOnLast
View=true&ui_appbar=false&ui_navbar=false&shareMode=embedded&
action=view&mode=dashboard&subView=model0000018412eb6bc8_00000000"
width="320" height="200" frameborder="0" gesture="media" allow="encrypted-media"
allowfullscreen=""></iframe>
    </div>
    <div class="homepage-link">
      <a href="home.html">Go to Homepage</a>
    </div>
  </div>
</body>
</html>

```

Workspace.css

```

html{
  scroll-behavior: smooth;
}
*::selection{
  color: #000000;
  background-color:#505050;
}

ul{
  list-style: none
} a{
  text-decoration: none;

```

```

} body{   background: url(https://res.cloudinary.com/dtpgi0zck/image/upload/s--
KuHP6sEY-/c_fill,h_580,w_860/v1/EducationHub/photos/crops-growing-in-thailand.jpg)
no-repeat fixed center;
    -webkit-background-size: cover;
    -moz-background-size: cover;
-o-background-size: cover;
background-size: cover;
background-color: #f6f5f5;
margin: 0px;   padding: 0px;
    position: relative;

```

```

}
/* ----- home page link ----- */

```

```

.homepage-link a{
    text-align: center;
background-color: #06370c;
color: #fff;   width: 500px;
font-weight: bolder; font-size:
30px; border-radius: 15px;
padding: 10px;
    box-shadow: 4px 4px 10px rgba(0, 0, 0, 0.7);
opacity: 0.7;

```

```

}
.homepage-link a:hover{
    color: #000;
}

```

```

.homepage-link:active{
transform: scale(1.05); }

```

```

/* ----- */

```

```

.ws-container{   display:
flex; flex-direction:
column; justify-
content: center; align-
items: center;}
.ws{   width: 90%;
height: 1000px;
background-color: #fff;
margin: 40px; border-
radius: 25px;
    box-shadow: 2px 2px 12px rgba(0, 0, 0,0.3);

```

```

}

```

GitHub :

<https://github.com/IBM-EPBL/IBM-Project-54074-1661588720>

Project Demo link:

<https://www.loom.com/share/334ccc428471400588b50ef46d3f58d9>

https://drive.google.com/file/d/1JFWqqTXPdSJpzFKkDE_dK8Isvx3CU1c9/view?usp=drivesdk