## SPRINT 3

| Date          | 08 November 2022  |
|---------------|---|
| Team ID       | PNT2022TMID023  |
| Project Name  | IoT Based Safety Gadget for Child Safety<br>Monitoring and Notification |
| Manimum Marks | 8 Marks   |

## LOCAL FORAGE:

```
{if("object"==typeof exports&&"undefined"!=typeof
!function(a)
module)module.exports=a();
        else if("function"==typeof define&&define.amd)define([],a);
else{var b;
b="undefined"!=typeof window?window:"undefined"!=typeof
global?global:"undefined"!=typeof
self?self:this,b.localforage=a()}}(function(){
return function a(b,c,d){ function
e(g,h)\{if(!c[g])\{if(!b[g])\}\ var
i="function"==typeof
                         require&&require;
if(!h\&\&i)return i(g,!0);if(f)return f(g,!0);
var j=new Error("Cannot find
                                    module
""+g+""");
throw j.code="MODULE_NOT_FOUND",j}var k=c[g]={exports:{}};
             b[g][0].call(k.exports,function(a){
             var c=b[g][1][a]; return e(c||a)}, k, k. exports, a, b, c, d)} return
c[g].exports}
```

```
for(var f="function"==typeof require&&require,g=0;g<d.length;g++)e(d[g]); return
e \{\left(\{\frac{1:}[function(a,b,c)\{(function(a)\{\frac{1:}} function c()\{k=\frac{1:}} function c(
               a,b,c=l.length;c;){
                                                                        for(b=1,1=[],a=-
1;++a<c;)b[a]();c=l.length}k=!1}
function d(a)\{1!==1.push(a)||k||e()\}var
e,f=a.MutationObserver||a.WebKitMutationObserver;
                                                                 if(f){var g=0,h=new
f(c),i=a.document.createTextNode("");h.observe(i,{characterData:!0}),e=function(){i.data=g=
                             else if(a.setImmediate void ea.MessageChannel)e="document"in
all"onreadystatechange in a.document.createElement("script") function(){var b=a.
document.createElement("script");b.onreadystatechange-function()(c(),b.
onreadystatechange=null,b.parentNode.removeChild
(b),b=null),a.document.documentElement.appendChild(b)}:function()
(setTimeout(c,8));else{var j-new
a.MessageChannel;j.port1.onmessage=c,efunction(){j.port2.postMessage(0)}}var k,1-
[];b.exports-d)).call(this, "undefined"!=typeof global?global: "undefined"!=typeof self?self:
"undefined"!=typeof window?window:
{})},{}],2: [function(a,b,c){"use strict"; function d()() function e(a){if("function" I-typeof a)
throw new TypeError("resolver must be a function"); this.states, this.queue=[], this.outcome vald
0,aldi(this,a)} function f(a,b,c){this.promise-a, "function"==typeof b&&(this.onFulfilledb,
this.callFulfilled-this.otherCallFulfilled), "function"typeof c&&(this.onRejected=c,
INDEX:
<!DOCTYPE html>
                                                              <a href="height: 100%; margin: 0;">
                      <head>
                                   <meta charset="UTF-8"/>
                                   <meta name="description" content="The Home Page after</pre>
Logged In" />
                                   <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0" />
               <title>IOT Based Safety Gadget for Child Safety Monitoring and
              Notification</title>
<script src="./localforage.js"></script>
                <script>
                             if (window.location.hostname !== "localhost") {
```

```
if (location.protocol !== "https:") {
location.replace(
                               `https:${location.href.substring(
location.protocol.length
                                        )}`
     }
}
        async function check() { let data =
localforage.getItem("userData") if (data
== null) {
window.location.href = "/login"
}
check()
        </script>
                  <body
    </head>
style="
height: 100%;
margin: 0;
font-weight: 300; font-family: -apple-system, BlinkMacSystemFont, 'Segoe
UI', Robotot,
            Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue',
      sans-serif;
>
        class="wrapper"
<div
                           style="
      height: 90%; display: flex;
      flex-direction:
                          column;
      align-items:
                            center;
      justifycontent: center;
text-align: center;
```

```
>
<div
     class="details"
style=" display: flex; flex-
            direction:
                         column;
            align-items:
                          center;
            gap: 20px; padding:
            1rem; border-radius:
            5px;
            box-shadow: 0 0 8px 0px #44444444; max-width: 80%;
>
     <h1 class="name" style="margin: 0"></h1>
     <div
         class="imageContainer"
         style="padding: 10px; height: 10rem; width: 10rem" >
<img class="image" alt="profile picture" />
     </div>
     <h2 class="email" style="margin: 0"></h2>
<a style="text-decoration: none;text-align: center;font-size: 1.2rem;color:</pre>
#0070f3;font-weight: 400;" href="./dashboard">Go to Dashboard ?</a>
          </div>
     </div>
                  <script>
async function main() {
let name = document.querySelector(".name") let
image = document.querySelector(".image")
                                               let
email = document.querySelector(".email")
userData = await localforage.getItem("userData")
if(userData == null) {
    window.location.href = "/login"
```