ASSIGNMENT 4 GURUAAKASH R

Team ID: PNT2022TMID22488

DATE: 1 November,2022

Import the necessary libraries

import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import LabelEncoder
from keras.models import Model
from keras.layers import LSTM, Activation, Dense, Dropout, Input, Embedding
from keras.optimizers import RMSprop
from keras.preprocessing.text import Tokenizer
from keras.preprocessing import sequence
from keras.utils import to_categorical
from keras.callbacks import EarlyStopping
%matplotlib inline

Load the data into Pandas

df = pd.read_csv('/content/spam.csv',delimiter=',',encoding='latin-1')
df.head()


	v1	v2	Unnamed: 2	Unnamed: 3	Unnamed: 4
0	ham	Go until jurong point, crazy Available only	NaN	NaN	NaN
1	ham	Ok lar Joking wif u oni	NaN	NaN	NaN
2	spam	Free entry in 2 a wkly comp to win FA Cup fina	NaN	NaN	NaN
3	ham	U dun say so early hor U c already then say	NaN	NaN	NaN
4	ham	Nah I don't think he goes to usf, he lives aro	NaN	NaN	NaN

df.tail()

	v1	v2	Unnamed: 2	Unnamed: 3	Unnamed: 4
5567	spam	This is the 2nd time we have tried 2 contact u	NaN	NaN	NaN
5568	ham	Will i _ b going to esplanade fr home?	NaN	NaN	NaN
5569	ham	Pity, * was in mood for that. Soany other s	NaN	NaN	NaN
5570	ham	The guy did some bitching but I acted like i'd	NaN	NaN	NaN
5571	ham	Rofl. Its true to its name	NaN	NaN	NaN

Checking datatype

```
df.info()
     <class 'pandas.core.frame.DataFrame'>
     RangeIndex: 5572 entries, 0 to 5571
     Data columns (total 5 columns):
          Column
                      Non-Null Count Dtype
          -----
                      -----
      0
          v1
                      5572 non-null
                                      object
      1
                      5572 non-null
         v2
                                      object
      2
         Unnamed: 2 50 non-null
                                      object
      3
          Unnamed: 3 12 non-null
                                      object
          Unnamed: 4 6 non-null
                                      object
     dtypes: object(5)
     memory usage: 217.8+ KB
df.drop(['Unnamed: 2', 'Unnamed: 3', 'Unnamed: 4'],axis=1,inplace=True)
df.info()
     <class 'pandas.core.frame.DataFrame'>
     RangeIndex: 5572 entries, 0 to 5571
     Data columns (total 2 columns):
          Column Non-Null Count Dtype
      0
          v1
                  5572 non-null
                                  object
      1
          v2
                  5572 non-null
                                  object
     dtypes: object(2)
     memory usage: 87.2+ KB
sns.countplot(df.v1)
plt.xlabel('Label')
plt.title('Number of ham and spam messages')
 /usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43:
   FutureWarning: Pass tFutureWarning
 Text(0.5, 1.0, 'Number of ham and spam messages')
```



```
# Convert list into array
x_train,y_train = np.array(x_train),np.array(y_train)
# Building model

from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import LSTM, Dense
model = Sequential()
model.add(LSTM(50, input_shape=(60, 1),return_sequences=True))
model.add(LSTM(50,return_sequences=True))
model.add(LSTM(50,return_sequences=True))
model.add(LSTM(50,return_sequences=True))
model.add(Dense(1))
model.compile(optimizer='adam',loss='mse')
# save model
model.save('LSTM.h5')
```