
Assignment -3

Assignment Date	5 October 2022
Student Name	A.Manokaran
Student Roll Number	921319205070
Maximum Marks	2 Marks

Question-1:

Create a Bucket in IBM object storage.

Solution:



Question-2:

Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

Solution:

Obj.html

```
<!DOCTYPE html>
```

<html>

<head>

<link rel="stylesheet" href="https://9nutri-assistant.s3.jp-tok.cloud-objectstorage.appdomain.cloud/styl.css">

</head>

<body>

<img src="https://9nutri-assistant.s3.jp-tok.cloud-object-storage.appdomain.cloud/docker.png"
alt="diet" style="width:200px;height:200px;">

<img src="https://9nutri-assistant.s3.jp-tok.cloud-object-storage.appdomain.cloud/API.png"
alt="diet" style="width:200px;height:200px;">


<img src="https://9nutri-assistant.s3.jp-tok.cloud-object-storage.appdomain.cloud/Flaskimg.png"
alt="diet" style="width:200px;height:200px;">

<img src="https://9nutri-assistant.s3.jp-tok.cloud-object-storage.appdomain.cloud/python.png"
alt="diet" style="width:200px;height:200px;">

</body>

</html>

(web url)https://9nutri-assistant.s3.jp-tok.cloud-object-storage.appdomain.cloud/obj.html



Question-3

Upload a css page to the object storage and use the same page in your HTML code:

Solution: obj.html

<!DOCTYPE html>

<html>

<head>

<link rel="stylesheet" href="https://9nutri-assistant.s3.jp-tok.cloud-object-</pre>

storage.appdomain.cloud/styl.css">

</head>

<body>


<img src="https://9nutri-assistant.s3.jp-tok.cloud-object-storage.appdomain.cloud/docker.png"
alt="diet" style="width:200px;height:200px;">

```
<img src="https://9nutri-assistant.s3.jp-tok.cloud-object-storage.appdomain.cloud/API.png"
alt="diet" style="width:200px;height:200px;">
<img src="https://9nutri-assistant.s3.jp-tok.cloud-object-storage.appdomain.cloud/Flaskimg.png"
alt="diet" style="width:200px;height:200px;">
<img src="https://9nutri-assistant.s3.jp-tok.cloud-object-storage.appdomain.cloud/db2-
tutorial.png" alt="diet" style="width:200px;height:200px;">
<img src="https://9nutri-assistant.s3.jp-tok.cloud-object-storage.appdomain.cloud/python.png"
alt="diet" style="width:200px;height:200px;">
</body>
</html>

Styl.css

body {
    background-color:grey;
}
```

(web url)https://9nutri-assistant.s3.jp-tok.cloud-object-storage.appdomain.cloud/obj.html



Question-4

Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment:

Solution:

hospitalbot.html <!doctype


<html>


```
<html lang="en">
  <head>
   <!--Required meta tags-->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width,initial-scale=1">
    <!--Bootstrap CSS-->
k href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.min.css"
rel="stylesheet"
integrity="sha384iYQeCzEYFbKjA/T2uDLTpkwGzCiq6soy8tYaI1GyVh/UjpbCx/TYkiZhlZB6+fzT"
crossorigin="anonymous">
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.bundle.min.js"</pre>
integrity="sha384-
u1OknCvxWvY5kfmNBILK2hRnQC3Pr17a+RTT6rlHI7NnikvbZlHgTPOOmMi466C8"
crossorigin="anonymous"></script>
<!--<li>k rel="stylesheet" href="static/css/style.css"-->
</head>
<body>
  <nav class="navbar navbar-expand-lg bg-light">
    <div class="container-fluid">
     <a class="navbar-brand" href="chat">chat</a>
     <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-
bstarget="#navbarSupportedContent" aria-controls="navbarSupportedContent"
ariaexpanded="false" aria-label="Toggle navigation"> <span class="navbar-
toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
     <a class="nav-link active" aria-current="page" href="home">Home</a>
      <a class="nav-link" href="signup">signup</a>
```

```
<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown"
aria-expanded="false">
       Dropdown
      </a>
      <a class="dropdown-item" href="about">About</a>
       <a class="dropdown-item" href="blog">blog</a>
       <hr class="dropdown-divider">
       <a class="dropdown-item" href="signin">Signin</a>
      <a class="nav-link disabled">disabled</a>
     <form class="d-flex" role="search">
     <input class="form-control me-2" type="search" placeholder="Search" arialabel="Search">
     <button class="btn btn-outline-success" type="submit">Search</button>
     </form>
    </div>
   </div>
   </nav>
 <div class="container mt-5">
 </div>
 <script>
```

```
window.watsonAssistantChatOptions =
                                                    integrationID: "517f465d-2977-465f-899b-
{ c4b94ad970e2", // The ID of this
                                                     region: "jp-tok", // The region your
integration. integration is hosted in.
    serviceInstanceID: "a8fd5579-a080-4040-8bfb-f586e4399ce4", // The ID of your
service instance.
    onLoad: function(instance) { instance.render(); }
   };
   setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | | 'latest') + "/WatsonAssistantChatEntry.js";
document.head.appendChild(t);
   });
  </script>
</body>
</html> (weburl) <a href="https://9nutri-assistant.s3.jp-tok.cloud-">https://9nutri-assistant.s3.jp-tok.cloud-</a>
object-storage.appdomain.cloud/hospitalbot.html
```

chat Home signup Dropdown • disabled





Question-5:

Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

```
Solution: bas.html

<!doctype html>

<html lang="en">

<head>

<!--Required meta tags-->

<meta charset="utf-8">

<meta name="viewport" content="width=device-width,initial-scale=1">

<!--Bootstrap CSS-->
```

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-</pre>


```
iYQeCzEYFbKjA/T2uDLTpkwGzCiq6soy8tYaI1GyVh/UjpbCx/TYkiZhlZB6+fzT"
crossorigin="anonymous">
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.bundle.min.js"</pre>
integrity="sha384-
u1OknCvxWvY5kfmNBILK2hRnQC3Pr17a+RTT6rIHI7NnikvbZlHgTPOOmMi466C8"
crossorigin="anonymous"></script>
<!--<li>k rel="stylesheet" href="static/css/style.css"-->
</head>
<body>
 <nav class="navbar navbar-expand-lg bg-light">
   <div class="container-fluid">
    <a class="navbar-brand" href="chat">chat</a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-
bstarget="#navbarSupportedContent" aria-controls="navbarSupportedContent"
ariaexpanded="false" aria-label="Toggle navigation"> <span class="navbar-
toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
     <a class="nav-link active" aria-current="page" href="home">Home</a>
      <a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown"
aria-expanded="false">
        Dropdown
       </a>
       <a class="dropdown-item" href="about">About</a>
```

```
<a class="dropdown-item" href="blog">blog</a>
        <hr class="dropdown-divider">
        <a class="dropdown-item" href="signin">Signin</a>
        <a class="nav-link disabled">disabled</a>
       <form class="d-flex" role="search">
       <input class="form-control me-2" type="search" placeholder="Search" arialabel="Search">
       <button class="btn btn-outline-success" type="submit">Search</button>
      </form>
     </div>
    </div>
    </nav>
  <div class="container mt-5">
  </div>
  <script>
   window.watsonAssistantChatOptions = {
                                               integrationID: "231da11b-5283-449c-
a7a9-8dfc4a571a0d", // The ID of this integration.
                                                    region: "jp-tok", // The region your
integration is hosted in.
     serviceInstanceID: "a8fd5579-a080-4040-8bfb-f586e4399ce4", // The ID of your service
instance.
             onLoad: function(instance) { instance.render(); }
   };
    setTimeout(function(){
                              const
t=document.createElement('script');
     t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | | 'latest') + "/WatsonAssistantChatEntry.js";
document.head.appendChild(t);
```

});
 </script>
</body>
</html>


(Web url) https://9nutri-assistant.s3.jp-tok.cloud-object-storage.appdomain.cloud/bas.html






A

Built with IBM Watson® (1)





Type something...

Built with IBM Watson® (i)

