

SPRINT - 3


Creating Chat Bot for Application:


```
Command Prompt - docker-compose up
(c) Microsoft Corporation. All rights reserved.

C:\Users\HP>cd /d "C:\Users\HP\chatotapp"


C:\Users\HP\chatotapp>docker-compose up
[+] Running 2/1
- Container rasa-chatbot-server Created 0.0s
- Container rasa-chat-app Created 0.0s
Attaching to rasa-chat-app, rasa-chatbot-server
rasa-chat-app | * Serving Flask app 'app' (lazy loading)
rasa-chat-app | * Environment: production
rasa-chat-app | WARNING: This is a development server. Do not use it in a production deployment.
rasa-chat-app | Use a production WSGI server instead.
rasa-chat-app | * Debug mode: on
rasa-chat-app | * Running on all addresses.
rasa-chat-app | WARNING: This is a development server. Do not use it in a production deployment.
rasa-chat-app | * Running on http://172.18.0.3:5000/ (Press CTRL+C to quit)
rasa-chat-app | * Restarting with stat
rasa-chat-app | * Debugger is active!
rasa-chat-app | * Debugger PIN: 828-185-107
rasa-chatbot-server | Matplotlib created a temporary config/cache directory at /tmp/matplotlib-kirbc2jg because the default path (/config/matplotlib) is not a writable directory; it is highly recommended to set the MPLCONFIGDIR environment variable to a writable directory, in particular to speed up the import of Matplotlib and to better support multiprocessing.
rasa-chatbot-server | 2022-11-25 04:57:59 WARNING rasa.utils.common - Failed to write global config. Error: [Errno 13] Permission denied: '/.config'. Skipping.
rasa-chatbot-server | 2022-11-25 04:58:05 INFO root - Starting Rasa server on http://localhost:5005
rasa-chatbot-server | 2022-11-25 04:58:05 INFO rasa.model - Loading model models/20210425-161726.tar.gz...
rasa-chatbot-server | 2022-11-25 04:58:38 INFO root - Rasa server is up and running.
rasa-chat-app | 172.18.0.1 - - [25/Nov/2022 04:58:42] "GET / HTTP/1.1" 200 -
```

➔ Container Resgistry





Complete Chat-Bot



Program:

Index file

```
<!doctype html>
<html>
<head>
</head>
<body>
  <script>!(function () { let e =
document.createElement("script"),
  t = document.head || document.getElementsByTagName("head")[0];
(e.src =
  "https://cdn.jsdelivr.net/npm/rasa-webchat@1.0.0/lib/index.js"),
  // Replace 1.x.x with the version that you want
  (e.async = !0),
  (e.onload = () => {
    window.WebChat.default(
      {
        customData: { language: "en" },
socketUrl: "http://localhost:5005",
        // add other props here
      },
null    );
    }),
    t.insertBefore(e, t.firstChild);
  })();
</script>
</body>
</html>
App.py
from flask import Flask
from flask import render_template # creates a Flask
application, named app
app = Flask(__name__,
static_url_path='/static')
@app.route("/") def
index():
  return render_template('index.html')

# run the application if
__name__ == "__main__":
  app.run(host="0.0.0.0", debug=True)

docker compose
version: '2'
services:
  rasa-
  flask:
    image: rasa-chatotapp:latest
  build:
    context: .
```

```
dockerfile: Dockerfile
container_name: rasa-chat-app volumes:
- ./rasa_app ports:
- 5000:5000 command: python3 app.py rasa-server:
image: rasa/rasa:2.1.2-full
container_name: rasa-chatbot-server
volumes: - ./app ports:
- 5005:5005
command: run -m models --enable-api --cors "*"

```

docker file

```
FROM tensorflow/tensorflow:2.2.0
RUN mkdir -p /rasa_app
WORKDIR /rasa_app
COPY . /rasa_app
RUN python -m pip install -U pip
RUN pip install -r requirements.txt
#RUN pip install --user rasa-nlu==0.14.0
#RUN pip install --user rasa-core==0.13.2
RUN python -m spacy download en
RUN pip install --user rasa==2.1.2
RUN pip install --user sanic==19.9.0

```

Domain

```
version: "2.0"

```

intents:

- greet
- goodbye
- affirm
- deny
- mood_great
- mood_unhappy
- bot_challenge

```
responses: utter_greet: -
text: "Hey! How are you?"

```

```
utter_cheer_up:
- text: "Here is something to cheer you up:"
image: "https://i.imgur.com/nGF1K8f.jpg"

```

```
utter_did_that_help: -
text: "Did that help you?"

```

```
utter_happy: - text:
"Great, carry on!"

```

```
utter_goodbye:
- text: "Bye"

```

utter_iamabot: - text: "I am a bot,
powered by Rasa."

session_config:
 session_expiration_time: 60
 carry_over_slots_to_new_session: true
datafile
version: "2.0"

nlu: - intent:

greet

examples: |

- hey
- hello
- hi
- hello there
- good morning
- good evening
- moin
- hey there
- let's go
- hey dude
- goodmorning
- goodevening
- good afternoon

- intent: goodbye examples: |

- cu
- good by
- cee you later
- good night
- bye
- goodbye
- have a nice day
- see you around
- bye bye
- see you later

- intent: affirm examples: |

- yes
- y
- indeed
- of course
- that sounds good
- correct

- intent: deny examples: |

- no
- n
- never
- I don't think so

- don't like that
- no way
- not really

- intent: mood_great examples: | - perfect
- great
- amazing
- feeling like a king
- wonderful
- I am feeling very good
- I am great
- I am amazing
- I am going to save the world
- super stoked
- extremely good
- so so perfect
- so good
- so perfect

- intent: mood_unhappy examples: | - my day was horrible
- I am sad
- I don't feel very well
- I am disappointed
- super sad
- I'm so sad
- sad
- very sad - unhappy
- not good
- not very good
- extremely sad
- so sad
- so sad

- intent: bot_challenge examples: |
- are you a bot?
- are you a human?
- am I talking to a bot?
- am I talking to a human?