### **INDEX**

### 1. INTRODUCTION

- 1.1 Project Overview
- 1.2 Purpose

#### 2. LITERATURE SURVEY

- 2.1 Existing problem
- 2.2 References
- 2.3 Problem Statement Definition

#### 3. IDEATION & PROPOSED SOLUTION

- 3.1 Empathy Map Canvas
- 3.2 Ideation & Brainstorming
- 3.3 Proposed Solution
- 3.4 Problem Solution fit

### 4. REQUIREMENT ANALYSIS

- 4.1 Functional requirement
- 4.2 Non-Functional requirements

### 5. PROJECT DESIGN

- 5.1 Data Flow Diagrams
- 5.2 Solution & Technical Architecture
- 5.3 User Stories

### 6. PROJECT PLANNING & SCHEDULING

- 6.1 Sprint Planning & Estimation
- 6.2 Sprint Delivery Schedule
- 6.3 Reports from JIRA

# 7. CODING & SOLUTIONING (Explain the features added in the project along with code) $\frac{1}{2}$

- 7.1 Feature 1
- 7.2 Feature 2
- 7.3 Database Schema (if Applicable)

### 8. TESTING

- 8.1 Test Cases
- 8.2 User Acceptance Testing

### 9. RESULTS

9.1 Performance Metrics

### 10. ADVANTAGES & DISADVANTAGES

- 11. CONCLUSION
- 12. FUTURE SCOPE

#### 13. APPENDIX

Source Code

GitHub & Demo Link

### 1. INTRODUCTION

### **Introduction to Smart Farming Application**

Smart Farming has enabled farmers to reduce waste and enhance productivity with the help of sensors (light, humidity, temperature, soil moisture, etc.) and automation of irrigation systems. Further with the help of these sensors, farmers can monitor the field conditions from anywhere. Internet of Things based Advanced Farming is highly efficient when compared with the conventional approach. The applications of intelligent Agriculture solutions not only targets conventional, large farming. With operations, but could also be new levers to uplift other growing or common trends in agricultural like organic farming, family farming (complex or small spaces, particular cattle and/or cultures, preservation of specific or high-quality varieties, etc.), and enhance highly transparent Farming. Automatic adjustment of farming equipment made possible by linking information like crops/weather and equipment to auto-adjust temperature, humidity, etc. In large farmland, Internet of Things equipped drone helps to receive the current state of crops and send the live pictures of farmland. Analysing farmland from the land using its Solutions you will know the current situation of fields and crops in.

### **Project Overview:**

In Internet of Things based smart agriculture, a system is formed to monitor the farmland with the help of sensors, which senses components like temperature, light, humidity, soil moisture, etc. Then, automate the irrigation system and allow farmers to monitor their field conditions from anywhere through IoT Analytics Platform. To make the agricultural process even smarter and accurate, precision agriculture is used. This makes agricultural practice more controlled and precise in terms of raising livestock and farming. Internet of Things based Advanced Farming plays a vital role when it comes to the use of IT and other elements like sensors, agricultural drones, autonomous vehicles, control systems, automated hardware, robotics, variable speed technology, and others. he most common challenge for the Internet of Things in agriculture is connectivity. Every area doesn't have proper internet connectivity. The second most common challenge for Internet of Things based Advanced Farming is the lack of awareness among consumers. Due to various service providers, it becomes really difficult to

maintain interoperability between different IoT systems. A scalable solution that can be integrated with thousands of IoT devices for large farms is seen as a challenge.

#### **Purpose:**

Internet of Things Smart technology enables new digital agriculture. Today technology has become a necessity to meet current challenges and several sectors are using the latest technologies to automate their tasks. Advanced agriculture, based on Internet of Things technologies, is envisioned to enable producers and farmers to reduce waste and improve productivity by optimizing the usage of fertilizers to boost the efficiency of plants. It gives better control to the farmers for their livestock, growing crops, cutting costs, and resources. The world's total population touched 6.60 billion in 2000 but is projected to grow to 9.32 billion by 2050. Hence, it is necessary to increase the yield on the limited farmland. It is a high-tech system to grow crop cleanly and sustainably for the masses. It is the application of modern Information and Communication Technologies in agriculture. The parameters like temperature, humidity, and soil moisture are updated to the Watson IoT platform. The device will subscribe to the commands from the mobile application and control the motors accordingly. APIs are developed using Node-RED service for communicating with Mobile Application. A mobile application is developed using the MIT App inventor to monitor the sensor parameters and control the motors.

#### 2. LITERATURE SURVEY

#### <u>Review – 1:</u>

Title of the paper: DIGITAL TECHNOLOGIES IN AGRICULTURE AND RURAL AREAS

Author: Nikola M. Trendov, Samuel Varas, and Meng Zeng

**Outcome:** The agriculture and food sector is facing multiple challenges. With the global population projected to grow from 7.6 billion in 2018 (UN DESA, 2019) to over 9.6 billion in 2050 there will be a significant increase in the demand for food (UN DESA, 2017). At the same time, the availability of natural resources such as fresh water and productive arable land is becoming increasingly constrained. Production is not the only concern; although agricultural output is currently enough to feed the world, 821 million people still suffer from hunger (FAO, 2018). Processes such as the rapid rate of urbanization are also having important implications for patterns of food production and consumption. The agri-food sector remains critical for livelihoods and employment. There are more than 570 million smallholder farms worldwide (Louder et al., 2016) and agriculture and food production accounts for 28% of the entire global workforce (ILOSTAT, 2019). Achieving the UN Sustainable Development Goal of a 'world with zero hunger' by 2030 will require more productive, efficient, sustainable, inclusive, transparent and resilient food systems (FAO, 2017b p. 140). This will require an urgent transformation of the current agri-food system

### <u>Review − 2:</u>

**Title of the Paper:** Agriculture 4.0: Broadening Responsible Innovation in an Era of Smart Farming

Author: Rose, David Christian; Chilvers, Jason

Outcome: Agriculture is undergoing a new technology revolution supported by policy-makers around the world. While smart technologies, such as Artificial Intelligence, robotics, and the Internet of Things, could play an important role in achieving enhanced productivity and greater eco-efficiency, critics have suggested that the consideration of social implications is being sidelined. Research illustrates that some agricultural practitioners are concerned about using certain smart technologies. Indeed, some studies argue that agricultural societies may be changed, or "rescripted," in undesirable ways, and there is precedent to suggest that wider society may be concerned about radical new agricultural technologies. We therefore encourage policy-makers, funders, technology companies, and researchers to consider the views of both farming communities and wider society. In agriculture, the concept of responsible innovation has not been widely considered, although two recent papers have made useful suggestions. We build on these interventions by arguing that key dimensions of responsible innovation—anticipation, inclusion, reflexivity, and responsiveness—should be applied to this fourth agricultural revolution. We argue,

however, that ideas of responsible innovation should be further developed in order to make them relevant and robust for emergent Agri-tech, and that frameworks should be tested in practice to see if they can actively shape innovation trajectories. In making suggestions on how to construct a more comprehensive framework for responsible innovation in sustainable agriculture, we call for a more systemic approach that maps and attends to the wider ecology of innovations associated with this fourth agricultural revolution; a broadening of notions of "inclusion" in responsible innovation to account better for diverse and already existing spaces of participation in Agri-tech.

### Review -3:

Title of the Paper: Smart Agriculture System using IoT Technology

Author: Adithya Vadapalli

Outcome: The farming of agriculture has started past 12000 years back, Neolithic age gave birth of civilization, Farming and later being continued as traditional farming practices. India being an agrarian's country, Mostly Indian farming are dependent on rains, soil, dampness and environment challenges. Our farmers upgraded to modern state of art technology in cultivation. Globally the IoT systems has contributed its application in many fields and proven to be successful. It is the time that Indian farmer need to introduce the Smart Agricultural systems for higher crop yield. The productivity with compilation of data from sensors, actuators and modern electronic gadgets the farmer can monitor agricultural fields. Smart Agriculture can forecast weather data, switching ON the pump motor acknowledging the dampness of soil terms of moisture levels with help of sensors which are interfaced to process module Arduino-UNO. The Smart agriculture system can be operated from anywhere with help of networking technology. On joining process in research and development in Smart Agriculture& Artificial Intelligence can be cutting edge technology in data compiling and resource optimization. The pest & insect's controls that protects damaging the crop and also optimisation resources utilisation can be breakthrough

### Review – 4:

**Title of the Paper:** Smart Farming: IoT Based Smart Sensors Agriculture Stick for Live Temperature and Moisture Monitoring using Arduino, Cloud Computing & Solar Technology

Author: Er. Vikram Puri

**Outcome:** Internet of Things (IoT) technology has brought revolution to each and every field of common man's life by making everything smart and intelligent. IoT refers to a network of things which make a self-configuring network. The development of Intelligent Smart Farming IoT based

devices is day by day turning the face of agriculture production by not only enhancing it but also making it cost-effective and reducing wastage. The aim / objective of this paper is to propose a Novel Smart IoT based Agriculture Stick assisting farmers in getting Live Data (Temperature, Soil Moisture) for efficient environment monitoring which will enable them to do smart farming and increase their overall yield and quality of products. The agriculture stick being proposed via this paper is integrated with Arduino Technology, Breadboard mixed with various sensors and live data feed can be obtained online from Thingsspeak.com. The product being proposed is tested on Live Agriculture Fields giving inaccuracy over 98% in data feeds

### <u>Review – 5:</u>

Title of the Paper: A RESEARCH PAPER ON SMART AGRICULTURE USING IOT

Author: Ritika Srivastava, Vandana Sharma, Vishal Jaiswal, Sumit Raj

**Outcome:** Smart agriculture is an emerging concept, because IOT sensors are capable of providing information about agriculture fields and then act upon based on the user input. The feature of this paper includes development of a system which can monitor temperature, level of water, moisture and even the movement if any happens in the field which may destroy the crops in agricultural field through sensors using Arduino UNO board. Smart agriculture is an emerging concept, because IOT sensors are capable of providing information about agriculture fields and then act upon based on the user input. The project aims at making use of evolving technology i.e., IOT and smart agriculture using automation. Once hardware has been developed depending on the change in requirements and technology the software needs the updating. The updated hardware is called new version of the software. This new version is required to be tested in order to ensure changes that are made in the old version work correctly and it will not bring bugs in other part of the software. This is necessary because updating in one part of the hardware may bring some undesirable effects in other part of the hardware

### 2.1 Existing problem:

Choosing sensor brands and types of sensors are typically the easiest tasks when building a smart agriculture system. Setting up monitoring and automation software packages to implement actions, such as watering triggers, alarms and notifications, will require software expertise that some agricultural experts will find challenging. For example, how often should a crop be watered? What is the minimum level of soil moisture that should be permitted before starting a watering routine? Software integration with sensors and agricultural equipment is a time-consuming activity, but also one where seasonal conditions and crop expertise need to be considered.

#### The Challenges of Smart Farming application:

1.The second most common challenge for Internet of Things based Advanced Farming is the lack of awareness among consumers.

- 2. The most common challenge for the Internet of Things in agriculture is connectivity. Every area doesn't have proper internet connectivity.
- 3.A unified solution which can be integrated with different types of Internets of Things devices.

#### 2.2 References:

https://miro.com/app/board/uXjVPIvbQCY=/

### 2.3 Problem Statement Definition:

Create a problem statement to understand user's needs and requirements. Large farm owners can benefit from IoT applications to collect data regarding the location, well-being, and health of their cattle. To provide efficient decision support system using wireless sensor network which handle different activities of farm and gives useful information related to farm field to farmer

Problem Statement (PS)	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	Smart Farmer	To make the user handle easily and remote	They must have the knowledge to use the device	Integration of sensors analytics driving automation and response activities	Being Monitored

### 3. IDEATION & PROPOSED SOLUTION

### 3.1 Empathy Map Canvas:

An empathy map helps to map what a design team knows about the potential audience. This tool helps to understand the reason behind some actions a user takes deeply. This tool helps build Empathy towards users and helps design teams shift focus from the device to the users who are going to use the device. As the team learns more about the users, they place that information on the chart and gain an in-depth view of the user behavior, problems, opportunities.

The benefits include are below:

More understanding of the Target Audience

More Organized Information in easy to understand format

Fast and Inexpensive

**Easy Customization** 

Common Understanding and same mindset of whole team members

It describes what users think, say, feel, do

#### Says

Miner have use thereof there pay?
What have one imagine them expens?

Shoppers will get a notification once insufficient of product/ material

> Notification should be in perfect time and secure with shopkeeper

Once the product gets overfleast value of stock, it automatically orders. from wholesaler with a notification to owner

Monitoring the datas collected or provided



Since it is cloud based IMS, internet and computing needed

> Sendgrid stack is used for notification purpose



#### Thirds

What are their warris, hearth, hearts, and dissering What other thoughts regard influence their behinden?

> RFID contains customer details with unique ID

Python for coding. Flask for framework, IBM DB2 for database, Docker for deliver software, Kubernetes for scaling and management

Sing from a name or a partner to emporing

Owner should be approve to continue the automatic process of big deals

Complete analytics will be shown

#### Does

What believes have an observed? What let up traight that doing?



Compare the products with other wholesalers



When using RFID and credit based process, it gives on trust While computing, data should be handled correctly

Categorisation of one such product can be confused or been categorised to others


#### Feet

Militat are their leave, fundations, and emphasis what place feedings study infrarest their terresion


### 3.2 Ideation & Brainstorming:

Brainstorming is when you deliberately try to think up new ideas or solutions to problems. In writing—whether creative, academic, or business—it's a beneficial preliminary stage that helps writers know precisely what's going into their projects. Ideas are the most valuable resource in any communication, which makes brainstorming for writing a crucial part of the process. But for people who mostly wait around for ideas to find them, brainstorming can be quite difficult or even frustrating.

Step-1: Brainstorm, Idea Listing and Grouping



### **Step-2: Idea Prioritization**



# 3.3 Proposed Solution:

Project team shall fill the following information in proposed solution.

S.No	Parameter	Description
•	Problem Statement (Problem to be solved)	<ul> <li>Lack of Modernization and Mechanization</li> <li>Invest in farm productivity and improving yield production.</li> <li>Cope with climate change, soilerosion</li> <li>Watering the fieldis a difficult process, Farmers have to wait in the field until the water covers the whole farm field.</li> <li>Power Supply is also one of the problems. In Village Side, the power supply may vary.</li> <li>The Biggest Challenges Faced by IoTin the Agricultural Sectorare Lack of Information, High Adoption, Cost and Security Concerns, etc</li> </ul>
•	Idea / Solution description	<ul> <li>Smart Farming systems uses modern technology to increase the quantity and quality of agricultural products.</li> <li>Livestock tracking and Geo fencing. Smart logistics and warehousing. Smartpest management. SmartGreenhouses</li> </ul>

	Novelty / Uniqueness	<ul> <li>Smart farming systems reduce waste, improve productivity and enablemanagement of a greater number of resources through remote sensing</li> <li>In traditional farming methods, it was a mainstay for the farmer to be out in the field, constantly monitoring the land and condition of crops.</li> <li>REMOTE ACCESS – It helps the farmer to operate the motor from anywhere.</li> <li>ALERT MESSAGE – IoT sensor nodes collect information from the farming environment, such as soil moisture, air humidity, temperature, nutrient ingredients of soil, pest images, and water quality, then transmit collected data to IoT backhaul devices</li> </ul>
4.	Social Impact / Customer Satisfaction	<ul> <li>Reduces the wagesfor labors whowork in the agricultural field.</li> <li>It saves a lot of time.</li> <li>IoT can help improve customerrelationships by enhancing the customer's overallexperience.</li> <li>Easily identify maintenance needs, build better products, send personalized communications, andmore.</li> <li>IoT can also help e-commerce businesses thriveand increase sales.</li> <li>It makes a wealthy society</li> </ul>
5.	Business Model (Revenue Model)	It's a subscription model, where user haveto pay for their internet.  • Customer services are supported  • It supports third party devices also Reachcustomers via Referral, Agents, Third party applications

6. Scalability of the Solution	Scalability in smartfarming refers to the adaptability of a system to increase the capacity, for example, the number of technology devices such as sensors and actuators, while
	<ul> <li>enabling timely analysis.</li> <li>Our product is scalable with ourdevices (extra addons) as well as third party devices also. Ability to provides various features in a application like</li> </ul>
	features in reports genera

### 3.4 Problem Solution fit:

Project Design Phase-I - Solution Fit Template

Team ID: PNT2022TMID42568
Project Title: Smart Farmer – IOT Enabled Smart Farming Application

<b>Bolleo_CS_dibi</b>	Customer segments     Customer are the Farmers who cultivate agriculture.	cs	CUSTOMER CONSTRAINTS  Cope with climate change, soil erosion and biodiversity loss.  Satisfy consumers' changing tastes and expectations.	CC	5. AVAILABLE SOLUTIONS Increasing incomes. Agricultural transformation is very slow in India. Generating employment opportunities. Reducing risks in agriculture. Developing agri-infrastructure.
cus on J	JOBS-TO-BE-DONE / PROBLEMS     Maintaining the condition of the crop and soil. Watering is the most important job to be done by the farmers. Protecting from the insects.	J&P	9. PROBLEM ROOT CAUSE  Agriculture provides most of the world's food and fabrics. Cotton, wool, and leather are all agricultural products. Agriculture also provides wood for construction and paper products. These products, as well as	RC	7. BEHAVIOUR  Insufficient Water Supply  Less Use of Modern Farming Equipment  Over Dependence on Traditional Crops  Poor Storage Facilities  Transportation Problems  High Interest Rates.  Government Schemes are yet to reach Small Farmers.
Agr don not basi trig	IRIGGERS  iculture is the most important job to be the for the survival of the all living beings only the surveil of farmers. Food is the tic requirement for the survival. It the gers the Farmers to cultivate the crops to generation to generation	TR	10. YOUR SOLUTION  10T in agriculture uses robots, drones, remote sensor and computer imaging combined with continuously progressing machine learning and analytical tools for monitoring crops, surveying, and mapping the fields, and providing data to farmers for rational farm		8. CHANNELS of BEHAVIOUR  In the context of farmer behaviors, 'external factors' refers to physical, environmental, farm business structure, financial and time factors on farm management; all of which can have an impact on farmer behaviors. External factors create the context within which farmer behavior can or cannot be
H	MOTIONS: BEFORE / AFTER A lack of marketing skills and resources. ligh levels of competition. faking the move to selling online ogistical issues of getting products to customer	EM.	management plans to save both time and money.		influenced.

# 4. REQUIREMENT ANALYSIS

# **4.1 Functional requirement:**

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Gmail
FR-2	User Confirmation	Confirmation via OTP
FR-3	User Login	Login with Email Id and Password
FR-4	Forgot Password	Confirmation Of OTP and verification with Email
FR-5	Query Form	Make a note of the problems and issues faced by user when using the application
FR-6	Weather And Sensors	To find and show climatic conditions like humidity, temperature in a particular area using different sensors
FR-7	Database Management	To show various agriculture related data are stored
FR-8	Exit	After user verified every information, user can Exit the application


### **Non-functional Requirements:**

Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	Time consumption is less, Productivity is high.
NFR-2	Security	It has low level of security features due to integration of sensor data.
NFR-3	Reliability	Accuracy of data and hence it is Reliable.
NFR-4	Performance	Performance is high and highly productive.
NFR-5	Availability	With permitted network connectivity the application is accessible
NFR-6	Scalability	It is perfectly scalable many new constraints can be added

### 5. PROJECT DESIGN


#### **5.1 Data Flow Diagrams:**



#### 5.2 Solution & Technical Architecture:

- The different soil parameters (temperature, humidity, light intensity, pH level) are sensed using different sensors and the obtained value is stored in IBM cloud.
- The L293D is a 16-pin Motor Driver IC which can control a set of two DC motors simultaneously in any direction.
- The L293D is designed to provide bidirectional drive currents of up to 600 mA (per channel) at voltages from 4.5 V to 36 V (at pin 8!).
- Arduino UNO is used as a processing unit which processes the data obtained from sensors and weather data from weather API.

- Node-RED is a programming tool for wiring together hardware devices, APIs and online services in new and interesting ways. It provides a browser-based editor.
- The MQTT protocol is followed for communication.
- All the collected data are provided to the user through a mobile application which was developed using MIT app inventor.
- Open Weather provides hyperlocal minute forecast, historical data, current state and from short-term to annual and forecasted weather data. All data is available via industry standard APIs.
- The user could make decision through an app, whether to water the crop or not, depending upon the sensor values.



#### **5.3 User Stories:**

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user)	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account / dashboard	High	Sprint-1
		USN-2	As a user, I will receive confirmation email once I have registered for the application	I can receive confirmation email & click confirm	High	Sprint-1
		USN-3	As a user, I can register for the application through Facebook	I can register & access the dashboard with Facebook Login	Low	Sprint-1
		USN-4	As a user, I can register for the application through Gmail	I can register the application	Medium	Sprint-1
	Login	USN-5	As a user, I can log into the application by entering email & password	I can log into the application	High	Sprint-1
	Dashboard	USN-6	As a user I want to a organized widget section	I can access my dashboard	High	Sprint-2
		USN-7	As a user I want to see everything in a single widget	A single view is achieved	Medium	Sprint-2
		USN-8	As a user I want a graphical representation of data for better understanding	I can access the graphical representation of data	High	Sprint-2
Customer (Web user)	Dashboard	USN-9	As a user I want a graphical/pictorial representation		Low	Sprint-2
		USN-10	As a user I want to see a dashboard where I can customise myself	Dashboard with customisation	Low	Sprint-2
Customer (Mobile and Web)	IoT Device Setup	USN-10	As a user, I need a multiple sensors for various data	Usage of multiple sensors	High	Sprint-2
·		USN-11	Have to use a least sensor and get better output	I can get the output	High	Sprint-2

		USN-12	As a user, I need a low cost IoT devices for farming	Low cost is implemented	High	Sprint-2
Customer Care Executive	User Problems	USN-13	As a user, I need my application to work on most of the mobiles	To ensure the usage is efficient and user-friendly	High	Sprint-3
		USN-14	As a user, I don't how to use the application	Manual guide will be there	High	Sprint-3
		USN-15	As a user, I am facing issue in the application	Query form will be there	High	Sprint-3
Administrator	Particular Access	USN-16	As a admin, I give access only to authorised person	Only authorised person can access the account	High	Sprint-3
	Query Clarification	USN-17	As a admin, I give solutions to their queries	I can able solve the queries	High	Sprint-3
	Connection with IOT devices	USN-18	As a admin, I ensure the correct working of the devices. If any problem arises it will be shared to user	To ensure it works in a correct way	Medium	Sprint-4
Customer (Mobile User)		USN-19	As a user, I need a events for better productivity	I can make a better productivity	Low	Sprint-4
		USN-20	As a user, I need a more info about plants inside a application	To gather information about plants	Medium	Sprint-4
		USN-21	As a user, I need to control my devices	Commands for devices	High	Sprint-4

# 6. PROJECT PLANNING & SCHEDULING

# **6.1 Sprint Planning & Estimation:**

Sprint	Functional Requirement (Epic)	User StoryNumbe r	User Story/ Task	Sto ry Poin ts	Priori ty	Team Members
Sprint-1	Simulation Creation	USN-1	Connect sensors, Arduino and esp8266	2	High	Bharathi
Sprint-1	Software	USN-2	IBM Watson IoT platorm, Workflows forIoT scenarios using Node-red	3	High	Kavi Priya
Sprint-2	Software and Hardware	USN-3	To develop a mobileapplication using MIT	3	Medi um	Bharath Narayanan
Sprint-2	Software	USN-4	Application development for project	4	High	Keerthana
Sprint-3	Software	USN-5	Connecting application with Node-Red	4	High	Kavi Priya
Sprint-3	Software	USN-6	Further- application and IOT platform cloudant development	2	Medi um	Keerthana
Sprint-4	Testing	USN-7	Testing developed application and working model of hardware	3	High	Kavi Priya

# **6.2. Sprint Delivery Schedule**

TITLE	DESCRIPTION	DATE
Literature Survey & Information Gathering	Gathering information by referring technical papers, research publications describe literature survey.	16SEPTEMBER 2022
Prepare Empathy Map	To establish users' pros and cons,prepare the empathy map canvas on problem statement.	19SEPTEMBER 2022
Ideation	Establishing brainstorm sessions and emphasize the top ideas based on the importance of scalability and feasibility.	20SEPTEMBER 2022
Proposed Solution	Prepare the proposed solution which describes idea, uniqueness, customer satisfaction, business model and scalability of solution.	22SEPTEMBER 2022
Problem Solution Fit	Prepare problem - solution fit which describes the existence of a problem.	24SEPTEMBER 2022
Solution Architecture	Defining process of developing solution based on pre-defined processes.	25SEPTEMBER 2022

Customer Journey	Prepare a customer journey mapwhich understand the customers on userinteraction and experiences from scratch tofinding solution.	03 OCTOBER 2022
Functional Requirement	Prepare the functional requirement document.	08 OCTOBER 2022
Data Flow Diagrams	Draw the data flow diagramsbasedon problem statement.	11 OCTOBER 2022
Technology Architecture	Prepare a technology architecturediagram.	14 OCTOBER 2022
Prepare Milestone &Activity List	Prepare the milestones & activitylist for the project.	16 OCTOBER 2022
Project Development - Delivery of Sprint- 1, 2, 3 &4	Develop & submit the developedcode by testing it.	19 NOVEMBER 2022

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date(Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date(Actual)
Sprint-1	5	6 Days	24 Oct 2022	29 Oct2022	7	30 Oct 2022
Sprint-2	7	6 Days	31 Oct2022	05 Nov 2022	8	08 Nov 2022
Sprint-3	6	6 Days	07 Nov 2022	12 Nov 2022	2	14 Nov 2022
Sprint-4	3	6 Days	14 Nov 2022	19 Nov 2022	6	18-19 Nov 2022

# **Velocity:**

Imagine we have a 10-day sprint duration, and the velocity of the team is 21 (points per sprint). Let's calculate the team's average velocity (AV) periteration unit (story points per day)


Total Sprint Points = 21

Total Sprint = 7


Average Velocity = 21/7 = 3

# 6.3 Reports from JIRA:


# **Cumulative Flow Report**



# **Sprint Burndown Report**



### **Velocity Report**




### 7. CODING & SOLUTIONING

#### **7.1 Feature 1:**

#### IBM Watson IOT Platform interfaced with NODE-RED

IBM Watson<sup>TM</sup> IoT Platform is a fully managed, cloud-hosted service that makes it simple to derive value from Internet of Things (IoT) devices.

Simply register and connect your device, be it a sensor, a gateway, or something else, to Watson IoT Platform and start sending data securely up to the cloud using the open, lightweight MQTT messaging protocol. You can set up and manage your devices using your online dashboard or our secure APIs, so that your apps can access and use your live and historical data.



#### **Basic concepts**

Familiarize yourself with some basic Platform Service concepts.

#### **Organizations**

When you register with the Platform Service, you are provided with an organization ID, a unique six-character identifier for your account. Organizations ensure that your data is only accessible by your devices and applications.

**Important**: For security reasons, direct communication between different organizations is not possible. To transmit data between two organizations, you must register one application with each organization and have the two applications communicate with each other to transfer data.

Device type	Description	
Managed devices	Devices that contain a device management agent. A device management agent is a set of logic that allows the device to interact with the Platform Service Device Management service by using the Device Management Protocol. Managed devices can perform device management operations, including location updates, firmware downloads and updates, restarts, and factory resets.	
Unmanaged devices	Devices without a device management agent. Unmanaged devices can connect to the Platform Service and send and receive events and commands, but they cannot send device management requests or perform device management operations.	

A device can be anything that has a connection to the internet and that can push data into the cloud. However, devices cannot communicate directly with other devices, instead devices accept commands from applications, and send events to applications.

Devices in Platform Service are identified by a unique authentication token. Devices must be registered before they can connect to Platform Service.

#### **Gateways**

Gateways are specialized devices that have the combined capabilities of an application and a device. This lets them serve as access points for other devices. Devices that cannot connect directly to the internet can access the Platform Service service by first connecting to the gateway device.

Gateways must be registered before they can connect to the service, and like standard devices can be managed or unmanaged.

#### **Applications**

An application is anything that has a connection to the internet and interacts with data from devices and control the behaviour of those devices. Applications identify themselves with the Platform Service by using an API key and a unique application ID. Unlike devices, individual applications do not need to register before they can connect to the Platform Service. However, they must use a valid registered API key.

#### **Events**

Events are the mechanism by which devices publish data to the Platform Service. Devices control the content of their messages, and assign a name for each event that is sent. The Platform

Service uses the credentials that are attached to each event received to determine which device sent the event. This architecture prevents devices from impersonating one another.

Applications can process events in real time, and see the source of the event and the data that is contained if. Applications must be configured to define which devices and events they subscribe to.

### **Automated Alerting using Fast2sms**



**Fast2SMS**is a popular bulk SMS service provider in India. It was started in 21st July 2011. Due to its simplicity and ease of use it has become one of the mostly used SMS portals and has 2 million users

#### **Features of Fast2SMS**

**Bulk SMS** – Bulk SMS refers to business sending SMS to one or more recipients and can scale up to millions of persons at the same time. It refers to sending large number of messages to a predefined set of customers.

**Quick SMS feature** – Fast2SMS provides a very unique and useful feature which is not available in any other bulk SMS service provider. You can send SMS to DND and Non DND numbers even if you are not registered in the DLT portal.

**API SMS** – API refers to Application Programming Interface. SMS API integration is the fastest and simplest way to send automated messages directly from your platform. Fast2SMS provide API for bulk SMS, which ensures security and it is a very reliable source of sending data.

Add contacts with QR – Fast2SMS offers the facility of adding contacts with QR. QR stands for quick response. The main benefit of QR code is it takes very less space for storing information. It is a form of barcode and has become quite popular these days. In this feature you can add contacts by creating a QR code. Simply you need to add your group name and group URL name and then click on create QR. The QR code gets created

There is a lot of debate on the topic whether to go for bulk SMS or email marketing. Let's look into some facts related to email and SMS:

- 1. The average person receives 178 text messages in a month.
- 2. And they receive approx. 1216 emails in a month.
- 3. 98% of text messages get read in a month
- 4. 22% of emails are read in a month.
- 5. 91% of adults have their smartphone within arm's reach.
- 6. There are 6 billion active mobile phones in the world.
- 7. 6 billion Email accounts are there in the world.
- 8. According to the findings, 19% of people click the URL in the SMS.
- 9. According to the findings, 2% of people click the URL sent in the email.

The picture is clear. SMS is a more powerful way to connect to the target audience and establish rapport with them. The open rate of an SMS is more than that of an email. As everybody of us might have noticed that as soon as a notification sound comes in our mobile, we immediately grab our phone and check who has sent SMS and the details. This is why SMS has a high readability and is more likely to get opened.

In case of an email, we postpone reading it as it is usually very long. The positive points of an SMS are that it is to the point, conveys essential information in a clear-cut manner and does not require an internet connection to view it.

#### **PYTHON CODE**

import time

import sys

import ibmiotf.application

import ibmiotf.device

```
organization = "Org ID"
deviceType = "Device Type"
deviceId = "Device ID"
authMethod = "token"
authToken = "authtoken"
def myCommandCallback(cmd):
print("Command received: %s" % cmd.data)
if cmd.data['command']=='motoron':
print("MOTOR ON IS RECEIVED")
elif cmd.data['command']=='motoroff':
print("MOTOR OFF IS RECEIVED")
if cmd.command == "setInterval":
if 'interval' not in cmd.data:
print("Error - command is missing required information: 'interval'")
else:
interval = cmd.data['interval']
elif cmd.command == "print":
if 'message' not in cmd.data:
print("Error - command is missing required information: 'message'")
else:
output=cmd.data['message']
print(output)
try:
deviceOptions = {"org": organization, "type": deviceType, "id": deviceId, "auth-method":
authMethod, "auth-token": authToken}
deviceCli = ibmiotf.device.Client(deviceOptions)
```

except Exception as e:

print("Caught exception connecting device: %s" % str(e))


sys.exit()

deviceCli.connect()

while True:


deviceCli.commandCallback = myCommandCallback


deviceCli.disconnect()




#### **7.2 Feature 2:**

### **CODE BLOCKS AND DESIGN UI**





### 7.3 Database Schema (if Applicable):



#### 8. TESTING

#### **8.1 Test Cases:**

A test case is a document which has a set of conditions or actions that are performed on the software application in order to verify the expected functionality of the feature.

After test scripts, test cases are the second most detailed way of documenting testing work. They describe a specific idea that is to be tested, without detailing the exact steps to be taken or data to be used. This doesn't mention how to apply the coupons or whether there are multiple ways to apply. It also doesn't mention if the tester uses a link to apply a discount, or enter a code, or have a customer service apply it. They give flexibility to the tester to decide how they want to execute the test.

#### **Benefits of Writing Test Cases**

The key purpose of a test case is to ensure if different features within an application are working as expected. It helps tester, validate if the software is free of defects and if it is working as per the expectations of the end users. Other benefits of test cases include:

- i. Test cases ensure good test coverage
- ii. Help improve the quality of software,
- iii. Decreases the maintenance and software support costs
- iv. Help verify that the software meets the end user requirements
- v. Allows the tester to think thoroughly and approach the tests from as many angles as possible
- vi. Test cases are reusable for the future anyone can reference them and execute the test.

So, these are a few reasons why test cases are extremely useful in software testing. Test cases are powerful artifacts that work as a good source of truth for how a system and a particular feature of software works. However, before we deep dive into the lessons for writing top-notch test cases, let us have a basic idea on the terminologies associated with them.

#### **Test Case Format**

The primary ingredients of a test case are an ID, description, bunch of inputs, few actionable steps, as well as expected and actual results. Let's learn what each of them is:

- a. **Test Case Name:** A test case should have a name or title that is self-explanatory.
- b. **Test Case Description:** The description should tell the tester what they're going to test in brief.
- c. **Pre-Conditions:** Any assumptions that apply to the test and any preconditions that must be met prior to the test being executed should be listed here.
- d. **Test Case Steps:** The test steps should include the necessary data and information on how to execute the test. The steps should be clear and brief, without leaving out essential facts.
- e. **Test Data:** It's important to select a data set that gives sufficient coverage. Select a data set that specifies not only the positive scenarios but negative ones as well.
- f. **Expected Result:** The expected results tell the tester what they should experience as a result of the test steps.
- **g. Actual Result:** They specifies how the application actually behaved while test cases were being executed.
- h. **Comments:** Any other useful information such as screenshots that tester want's to specify can be included here.


	•			Date Trem D Project Name	IBNOVIZ PHIODOTHOGODE Smart Farming - CIT Enabled Smart Farming Application	,	H:		*		1 24	i Ma		0	
Test spec ID	Feature Tage	Companie	Test Scenario	Machine Maca Pre Regulate	Name To Descrip	Test Data	Experied South	Actual Result	States	Commets	TC to Asternation(C/No	BUG B	Decided by		
Lagerhage_TCJ	Functional	Fage	verify uper is able to see the Lagranges		Librar URL and pick go Liberty logic displayed or has	Ing. In the second of	Lago Shows Francis	Monthly by	Pess	moning			(Rorath Korovenon S		
Logindage_TC_D 00	Furctional	nume onte	Verifywaer is able to lag into application with fallid credentials.		1 tree Ullump (1%) application init, with WEDERSON 14 MEDIE, and ORD \$0 2 tigs frage will be displayed. I they half a demanded manifestation in their set too. 4 tires and personal in passessed to too.	Gernane April	Start should navigate to Admin. Distributed	Bristing as expected	Pecs.	moved			Braiath Karayanan S		
Lagerdage, TC, II 03	futores	Light page	Verify user is able to log into application with invalid (redentials		1.0 teer USUNTO (162 approximation mit, etc.) MCCONDICT (4.000.00), and OVO 40 2.10gm Figs will be displayed. 1.0 tee ordered upon description in Small teet box 4.0 teer until displayment in password feet box password feet box	Integraligna-I peoseord Teering(2)	Application should shipe 'Imerial logic production,' will detail in message.	Mortory as expected	Pacsi	moving			Reothana K		
Lagratheek_1C_C G4	Functional	sager sage	Verify-wate is able to log limit Bopic-proof with Interfall conductions		Lines Usump (162 approximation init, with Wisconstitutional), and old gib Lings heggs will be disprised in Small residency brighted in Small residency in presented password in presented their box	onager@gmail.com personal Testings26/7666/766676	Approxime should show 'inclined enail or pedawool' will defrom message.	Burking as expected	Peqs.	Boxoq			Sportharris II		
LaguePage_10_0 CS	Funtional	login page	Verify/user is able to log into application without preferriors		1.free Ukung, (192 septiments mit, etc.) McCostCoThiustCot, end olicity and and the section of charles are as a		Approximit should show userhane is enigry	Storcing as aspected	Pens	Satisf			Sharethi A		


Project Name    Stand Row   Stand Project   Stand Row   Stand Row	of particular control of the control	Figure 10	Name   Company	Table 10 Market Name Comment of the																		
Project Name  Text takes ID  Text t	of particular control of the control	Part	Page 1 forms of the control of the c	Part						18-No-22 PNT2922TMID42168											1	-
Test sear D  Test	Text Description of the Comment of t	Secretary Note Secretary (1997)	Section of the sectio	March   Marc	l				3 2 2 2 2 2 2 2 2	Smart Farming - IOT Engited	9											
Test save ID feature Type Lagrant specific Code Lagrant Code Lagrant Specific Code Lagrant	Stope the Decision  for (IVM 2 acquimments me.  Incompany (IVM 3 acquimments)  Incom	Section   State State   Stat	Service of the control of the contro	Total Market (Market (Market))  Total Market (Market)  Total Market					0.000110000												-	+
Lagenthages_TC_D   Functional   Lagenthages   Lagenthage	Comments shaped in the control of th	Companies to service to the residence of the companies of	Comment of the property of t	Comment   Comm	Setum D	Summa Store	Correcces	ter Soneir			Test Date	Toperind Street	N.	Steel	Dates Com	maria.	TO be Assumation	occupa b	100	Decement Se	100	
Lagrandinger, TC,D   Punctional   Lagrandinger   September   Lagrandinger   Lag	in Congression and a construction of the const	The property of the property o	School Service and the service	Management   Man					- The same	Lêrrer	Userane shape	Application should show	Re	suit		111111	The state of the state of		0		000	7
Note Red Overtices (JCC) Note Red	rag and source the nodes  regard advantage of a  proposed control of  pr	Day part for the results   Day part for the re	Displace	To the last of the content of the co	Loginflage_TC_D Oli	Functional	Login singe	topication without	ma	URL(http://wi2.appinvertion.m/ edu/8603990774596538; bnd shisk ga 2.cogin Fage will be displayed 5.2pg/s antar username/email		Resourd is empty	Work	ting as ected	Pless Wo	ning				Savi Priya R	S.	
Note Red  Punctional  Destroom  Overner of Grape Rode and Overner of State Rode (Institute Rode)  Testing a grape and the distinguish overner of Rode Rode (Institute Rode)  Testing a grape and the distinguish over one and of State Rode (Institute Rode)  Testing a grape and the distinguish over one and overner one and	and deschalated  3.0-pulsy the projects  4.0-pulsy the projects  4.0-pulsy the projects  4.0-pulsy the project  4.0-pulsy the project  5.0-pulsy the project  6.0-pulsy the proje	Course of Cour	Contract of once You bear and Section of the Contract of the C	Configuration   Contract   Cont		. Punctional		Of Cheete a Node End Deuthor	wd	1.0 ray and drop the nodes 2 Configure the node with the and dechloood 3.0 waiting the project 4.0 pen the below set, enter the URL https://node-med-spine 2022-12-06.au aud mjobulamin and belgifful aud mjobulamin and belgifful 5000-00-00-00-00-00-00-00-00-00-00-00-00		Node Red Dephosord shoot drap Feynd	iste wor	ong as ected	Pass Wo	ting				laerithena f		
Testing Red  Obstroom (2009)  Shopenzer Testicases  Testiscontrillos  Testiscontrill	International Control of the Control	Unitary in the Secretary and S	United Services a form contained and accessment with the Conductor of Services a form contained and accessment with the Conductor of Services and Accessment	This fact is a fine of the conduct o		Punctional	Deshiba	write a function tab to disc	ode.	2 Configure the hode with 19 and discribined 5 Copies the project. 4 Open the trouver, enter the URL https://noode-the-grown 1003-11-08-am 500 mplayers recipies those 1004-06-am 1009 force:			r		Pess Wo	ting				Geethana I		
Shopenzer Testcases    Continue	IMPLAZORS Image_ATT Exabled Image_ATT Exabled Image_ATT Exabled Image_Attribute  "I force" Init force Init Approvement mit.  To force Init Approvement mit. Init force Init Approvement mit. Init force Init Approvement mit. Init Init Init Init Init Init Init Init	Curpose   Season   Project Name   Season   Project Name   Project Name   Season   Project Name	Type: Computers Securing Conference and Conference	Shopener Testcases    Cols	Abde Red Deshboord_009	S Functional		somect with the clouds	a ne	URLINDS (16/2 appliments) in edu/WEXSESSITHEERISE) and CRO go Zilogin page still be displaye 3 Enter Valid upprison-re-lens in their text box	s d		e.		Pass We	wing				tavi Priya A		
Date   18-Nov-32   Team   Project Name   Project	INDUSES INDUSE	Components   Test Sensets   Test S	Type   Carponent   Test Sensets   Pass   Storage   Senset Senset   Senset Senset   Senset Senset   Senset Senset Senset   Senset	Team D PRINCEDING-CORRES Team D PRINCEDING-CORRES Team D PRINCEDING-CORRES Team Type Clarams Managem Ratio American Agencian Agencian Agencian Managem Ratio Agencian Managem Ratio Agencian Managem Ratio	403	Shopenzer Testcas	es Too	sceamics 💮		# Enter Indian Section in		-	-		_				_		_	-
Team D PRIOCONTINCASMS  Small Famining - DI Enable Small Famining Application  Migring Market  Test Sense B Feature Type Component  Test Sense B Peature Type Type Type Type Type Type Type Typ	INDUSES INDUSE	Part   Component   Part   Component   Part   Component   Compone	Figure 10 PRINCE/CONTRACTORS Project Companies Sensit Filters of S	Figure Tibure  Project Tibure	50 1				11 MOC 11	ANNOUNCE IN				9070				e Lateral de	_	_	Market	
Ester   UR_inter() (in 1 apprisence of equipment or equ	1 Street 16 Target 17 Targ	Displacer    Continue   Continue	Destroor  Oratin a form node and connect with the counters  roofe  Destroor  orat  Destroor  Oratin a form node and connect with the counters  1 Stems lived uperance/enable  2 Stems lived uperance/enable  2 Stems lived uperance/enable  2 S	Store   Components should be   Components s					Dies D.	PNT2022TMID42568										F	-	-
Destroom	In a deprivement mic.  Security (Michael and Coling)  get will be displayed  circle go  get will be displayed  circle go  get will be displayed  in displayed  in the displayed  in the colon  mention personnel  in the colon  mention personnel  in the colon  mention personnel  be obviousing enter the  schinder-end-circle  2015 of any  more replied showed  position  mention section  the displayed  position  mention	Use the content of th	Unashouse of the counter with the counter pools of the counter pools of the counter of the count	State   Marchana   Desidor   Oreste a form noted and connects with the cloudsert   Desidor   Desidor   Desidor   Connects with the cloudsert   Desidor   D					Team D Projed Name Majorium Marks	PNT2022TME\42568 Smart Farming - IOT Enabled Smart Farming Application 4 marks				land.		lu.	11-5-00-	805	Acres 1			
Note Fed   Functional   Dissibour   Configure the node separately all Deploy the project   3 Deploy the project   4 Open the broadcast	re the node with table of destributed of destributed plays the project or brivates print me to brivates print me to brivates print me to brivates print me to brivate print pr	2 Indigenee the node separately and different sales  2 Indigenee the node separately with with different sales  3 Deploy the project  4 Open the broader similar than 1	Desired Desired Configure the node separately of Service (Configure the node separately (	Today to the second of the sec	Test case ID	Feature Type	Component		Team D Projed Name Majorium Marks	PHT2022TMD-42968 Smart Farming - NOT Enabled Smart Farming Application it marks Steps to Execute	Sect Date	Expected Struct		Status	Consense	ten	a Astonation(1/N)	806 D	Esecuted	ithy		- /4
I Causto the ISM watcon ICT postors  If Watcon ICT functional Device Desire a device in ISM Watcon  1 Desire a device 1 Store the meta case that the Causto Store ISM Watcon  1 Store the meta case that the Causto Store ISM Watcon  1 Store the meta case that the Causto Store ISM Watcon	the IBM watcon IDT platform rate a device the meta data for backup on Finish Button the required modules a system code to to with the device a system code to data to the device data to the data to	Device Create a Service in IBM Warson  I Install the required modules  I Create a spring code to  I Create	Device Oeste a perior in IBM Window Device of Device a perior in IBM Window Device of Device of Device a perior code to publish data by publish data to the device of Device a perior code to publish data to the device of Device a perior code to publish data to the device of Device a perior code to publish data to the device of Device a perior code to publish data to the device of Device a perior code to publish data to the device of Device a perior code to publish data to the device of Device a perior code to publish data to the device of Device a perior code to publish data to the device of Device a perior code to publish data to the device of Device a perior code to publish data to the device of Device a perior code to publish data to the device of Device a perior code to publish data to the device of Device a perior code to publish data to the device of Device a perior code to publish data to the device of Device a perior code to publish data to the device of Device a perior code to publish data to the device of Device a perior code to publish data to the device of Device a perior code to publish data to the device of Device a perior code to publish data to the device of Device and Device of Device and Device of De	I Elaurich mei Still watcon ICT pration  1 Device Oeste a device in IBM Weston  1 Device Deste a device in IBM Weston  1 Device deste control and in IBM Street  1 Device Deste a device in IBM Weston  2 Device a device in IBM Weston  3 Device a device in IBM Street  4 Device on Finish Busson  4 Device on Finish Busson  5 Device a python code to publish data  7 Python 3.7 Device a python code to publish data  7 Python 3.7 Device a python code to publish data  8 Device a python code to publish data  9 Python 3.7 Device a python code to publish data in the device and	Node Red		Deshboer	Test Sensoria  Create a form node and connect with the cloudant	Team D Projed Name Majorium Marks	PAT 2027 TMC 42568 Smar F arming - OT Enables  Library - Library - OT Enables Library - OT	Test Data	Components should be		Pass:		ICA	a Astonation(17k)	806 D				
	e a python code to ct with the device e a python code to data to the device	Bacterid Deefit is python code to Pullind data  Deefit is python code to Pullind data Pullind data  Deefit is python code to Pullind data Deefit is python code to Deefit i	Badend Dealt a python tode to publish data Petition 3.7   I longskill the required modules   1 longskill the required mod	Stadend Stadend Punctional Functional Functi	Node Red eshboard_003	Functional	Deshboar d	Test Senare  Create a form node and connect with the couldant node  and only the node separately only give the node separately	Team D Projed Name Majorium Marks	PATTOCOTROCOSES Smart Farming - DT Enabled Smart Farming - DT Enabled Smart Farming - Enabled Smart Farming - Enabled Smart Farming - Enabled International - Enabled Internat		Components should be displayed in the displayed in the displayed.	Result		Working	TC 6	or Asternation(CFN)	805	Ravi Priy	p2		
Python 300. Functional Punctionia Badend Punctionia Punctionia Desete a python code to publish data  Desete a python code to publish data  1 Desete a python code to publish data  1 Desete a python code to publish data to the desice	the stope in strid	The second secon	Businest San	Restries Sms	Node Red eshboard, XXS Node Red Node Red Node Red	Functional  Functional	Deshboer d  Deshboer C	Test Seeals  Oreans a form node and connect with the coulant node  node of the node separately with with different sales	Team D Projed Name Majorium Marks	PRITOCOTROCOSES Smart Farming - DT Enabled Smart Farming - DT Enabled Smart Farming - Enabled Smart Farming - Enabled Smart Farming - Enabled Smart Farming - Enabled Identify - In Enabled Identify -		Components should be displayed in the di	Working as expected.	Pass	Working	tes	To Returnation (17%)	806 D	Ravi Priy	p2		
		Special Sea			Node Red Nod	Functional  Functional	Destrose G Describer G	Test Senario  Oneste a form node and connect with the couldant node  onfigure the node separately with with office of table senario office of table	Fem D Projed Name Macroyn Maris The Republic	PRITICATION CASES Smart Farming - DT Enabled Smart Farming - DT Enabled Smart Farming - DT Enabled Smart Farming - Enabled Smart Farming - Enabled Smart Farming - Enabled Smart Farming - Enabled I Sma		Components should be displayed in the displayed in the displayed of the displayed in the di	Result  Working as expected  Working as expected	Pass	Working	IC S	to Returnation (170)		Section	al al		
					Nade Red school of 2023 Nade Red school of 204 National 204 Nation 207 Redom 200	Functional  Functional	Destrose G Describer G	Test Senario  Oneste a form node and connect with the couldant node  onfigure the node separately with with office of table senario office of table	Fem D Projed Name Macroyn Maris The Republic	PRITICATION CASES Smart Farming - DT Enabled Smart Farming - DT Enabled Smart Farming - DT Enabled Smart Farming - Enabled Smart Farming - Enabled Smart Farming - Enabled Smart Farming - Enabled I Sma		Components should be displayed in the displayed in the displayed of the displayed in the di	Result  Working as expected  Working as expected	Pass	Working	IC S	to Returnation (17%)		Section	al al		

				por										_	
!				Team ID	PNT2022TMD42568										_
ı				Project Name	Smart Farming - IOT Enabled Smart Farming Application										
ı				ringeoursame	omat Farming Application										
i				Maximum Marks	4 marks										
Test case ID	Feature Type	Component	Test Scenario	Pre-Requisite	Steps To Execute	Test Data	Expected Result	Actual Result	Status	Communets	TC for Automation(Y/N)	BUG ID	Executed By		
Python_DDS	Functional	Backend Functionin E	Oreane a python-code to publish data	Python 3.7	Linetall the required modules 2.Create a python code to connect with the device 3.Create a python code to publish data to the device 4.Run the code in cmd			Working as expected	Pass	Working			Bhereth Nareyenan S		
Python_002	functional	Backend Functionin E	Create a python code to send sms using flest2sms	Python 3.7	1 install the required modules 2.Dreate a python code to send sms through flast2sms 3.Run the code in cmd		Receive Sms	Working as expected	Pass	Working			Kaul Priya R		
Python_003	Functional	Backend Functionin E	Combine the python codes to send alerts if the value passes the threshold values	Python 3.7	1.Run the code in cmd	Temp+79C	Receive Sms	Working as expected	Pass	Working			Keesthana K		
								_							-
															-
															_

# **8.2** User Acceptance Testing:

User Acceptance Testing (UAT)is a type of testing performed by the end user or the client to verify/accept the software system before moving the software application to the production environment. UAT is done in the final phase of testing after functional, integration and system testing is done.





The purpose of this document is to briefly explain the test coverage and open issues of the [Iot Enabled Smart Farming Application] project at the time of the release to User Acceptance Testing (UAT). The UAT test plan outlines the strategy that will be used to verify and ensure an application meets its business in smart farming requirements. It documents entry and exit criteria for UAT, Test scenarios and test cases approach and timelines of testing. UAT is performed by, • Consumer • Administrator UAT is performed by –

☐ Consumers

☐ Administrator

## **Need of User Acceptance Testing**

Need of User Acceptance Testing arises once software has undergone Unit, Integration and System testing because developers might have built software based on requirements document by their own understanding and further required changes during development may not be effectively communicated to them, so for testing whether the final product is accepted by client/end-user, user acceptance testing is needed.

1. Developers code software based on requirements document which is their "own" understanding of the requirements and may not actually be what the client needs from the software.

2. Requirements changes during the course of the project may not be communicated effectively to the developers.

#### 2. Defect Analysis

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved

,					
Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	4	3	1	1	9
Duplicate	1	0	2	1	4
External	2	1	1	3	7
Fixed	4	3	4	12	23
Not Reproduced	1	0	1	0	2
Skipped	1	0	1	1	3
Won't Fix	2	1	2	1	6
Totals	15	9	12	19	55

### 3. Test Case Analysis


This report shows the number of test cases that have passed, failed, and untested


•				
Section	Total Cases	Not Tested	Fail	Pass
Login	6	0	0	6
Node-red Dashboard	19	0	0	19
IBM Watson IOT Platform	5	0	0	5
MIT App Inventor	2	0	0	2


### 9. RESULTS


### **9.1 Performance Metrics:**

- 1. These metrics are used to track and measure the effectiveness and profitability of various projects.
- 2. Each stage of the project is tracked and measured against the goals that the project set out to achieve.
- 3. The data compiled from the metrics can be used to plan future projects and gives insight on how to make projects more efficient.









#### 10. ADVANTAGES & DISADVANTAGES

#### **ADVANTAGES**

- 1. It allows farmers to maximize yields using minimum resources such as water, fertilizers, seeds etc.
- 2. Smart agriculture uses drones and robots which helps in many ways. These improves data collection process and helps in wireless monitoring and control
- 3. It is cost effective method.
- 4. It delivers high quality crop production.

#### **DISADVANTAGES**

- The smart agriculture needs availability of internet continuously. Rural part of most of the developing countries do not fulfil this requirement. Moreover, internet connection is slower.
- 2. The smart farming based equipment require farmers to understand and learn the use of technology. This is major challenge in adopting smart agriculture farming at large scale across the countries.

### 11. CONCLUSION

Smart Agriculture using IoT can have a booming effect on today's agricultural growth. From this article, the main objective of this project is to improve the crop yield and thereby meet the demand. This project remotely measures and monitor water moisture levels in the soil to ensure that crops are getting optimal water resources and automatically trigger sprinkler systems to address low moisture levels in the soil to prevent crop damage or loss. This idea will improve the crop yield and manage them. The environmental conditions and the soil conditions can be easily and accurately monitored with the help of IoT based sensors. This methodology has a capability of sensing the moisture, humidity, temperature and obstacle.

These values can be used in an efficient and effective way to take all necessary steps and automate the process to agriculture.

### 12. FUTURE SCOPE

IoT solutions are focused on helping farmers close the supply demand gap, by ensuring high yields, profitability, and protection of the environment. The approach of using IoT technology to ensure optimum application of resources to achieve high crop yields and reduce operational costs is called precision agriculture. IoT in agriculture technologies comprise specialized equipment, wireless connectivity, software and IT services.

BI Intelligence survey expects that the adoption of IoT devices in the agriculture industry will reach 75 million in 2020, growing 20% annually. At the same time, the global smart agriculture market size is expected to triple by 2025, reaching \$15.3 billion (compared to being slightly over \$5 billion back in 2016).

Smart farming based on IoT technologies enables growers and farmers to reduce waste and enhance productivity ranging from the quantity of fertilizer utilized to the number of journeys the farm vehicles have made, and enabling efficient utilization of resources such as water, electricity, etc. IoT smart farming solutions is a system that is built for monitoring the crop field with the help of sensors (light, humidity, temperature, soil moisture, crop health, etc.) and automating the irrigation system. The farmers can monitor the field conditions from anywhere. They can also select between manual and automated options for taking necessary actions based on this data. For example, if the soil moisture level decreases, the farmer can deploy sensors to start the irrigation. Smart farming is highly efficient when compared with the conventional approach.

### 13. APPENDIX

#### **Source Code:**

```
import time
import sys
import ibmiotf.application
import ibmiotf.device
organization = "Org ID" #replace the ORG ID
deviceType = "Device Type"#replace the Device type wi
deviceId = "Device ID"#replace Device ID
authMethod = "token"
authToken = "authtoken" #Replace the authtoken
def myCommandCallback(cmd):
print("Command received: %s" % cmd.data)
if cmd.data['command']=='lighton':
print("MOTOR ON IS RECEIVED")
elif cmd.data['command']=='lightoff':
print("MOTOR OFF IS RECEIVED")
if cmd.command == "setInterval":
if 'interval' not in cmd.data:
print("Error - command is missing required information: 'interval'")
else:
interval = cmd.data['interval']
elif cmd.command == "print":
if 'message' not in cmd.data:
print("Error - command is missing required information: 'message'")
```

```
else:

output=cmd.data['message']

print(output)

try:

deviceOptions = {"org": organization, "type": deviceType, "id": deviceId, "auth-method": authMethod, "auth-token": authToken}

deviceCli = ibmiotf.device.Client(deviceOptions)

except Exception as e:

print("Caught exception connecting device: %s" % str(e))


sys.exit()

deviceCli.connect()

while True:

deviceCli.commandCallback = myCommandCallback
```

deviceCli.disconnect()



# GitHub & Project Demo Link:

#### GitHub:

https://github.com/IBM-EPBL/IBM-Project-21204-1659775126

## **Project Demo Link:**

https://www.youtube.com/watch?v=Z4TlfN5Ag-w