PROJECT DEVELOPMENT

DELIVERY OF SPRINT – 4

DATE	12 NOVEMBER 2022
TEAM ID	PNT2022TMID27825
PROJECT NAME	CUSTOMER CARE REGISTRY

STATUS CHECK:

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Status</title>
    <link rel="stylesheet" href="{{ url_for('static',filename='css/new.css')}}">
    <link rel="stylesheet" href="status.css">



    <link rel="stylesheet" href="homepage.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.0.0/css/all.min.css">
</head>
<body >
    <div class="main">
        <div class="navbar">
            <div class="icon">
             <h2  class="logo"><i class="fas fa-people-carry"></i>&nbsp</i>Custocare</h2>
            </div>
                <div class="search">
            <button class="dropbtn"><a href="frontpage.html" style="text-decoration:
none;color:#ff7200;">LOGOUT</a></button>
```

```html
      </div> </div>


    <div class="sidebar">
      <a class="active" href="homepage.html">Home</a>
      <a href="#">Agent Interaction</a>
      <a href="ticket.html">Raise ticket</a>
      <a href="status.html">Status</a>
      <a href="feedback.html">Feedback</a>
    </div>
  <fieldset disabled="disabled">


  <div class="container" style="border-style: solid;
  border-width: 5px;margin-top: 100px;background-color: white;">
  <p  style="color: #ff7200;font-size: 27px;font-weight: bold;font-family: Arial, Helvetica,
sans-serif ;align-items: center;margin-left: 125px;">STATUS BAR</p>
    <div id="stepProgressBar">
    <div class="step">
      <p class="step-text">VIEW</p>
      <div class="bullet"><div class="line1"></div></div>


    </div>
    <div class="step">
      <p class="step-text">IN PROGRESS</p>
      <div class="bullet"><div class="line2"></div></div>
    </div>
    <div class="step">
      <p class="step-text">COMPLETED</p>
      <div class="bullet"></div>
    </div>
  </div>


  </div>
  <script src="status.js"></script>
```

```
    <script src="{{ url_for('static',filename='js/status.js')}}"></script>
</fieldset>
</body>
</html>
```

STATUS.JS:

```
const previousBtn = document.getElementById('previousBtn');
const nextBtn = document.getElementById('nextBtn');
const finishBtn = document.getElementById('finishBtn');
const content = document.getElementById('content');
const bullets = [...document.querySelectorAll('.bullet')];

const MAX_STEPS = 5;
let currentStep = 1;

nextBtn.addEventListener('click', () => {
bullets[currentStep - 1].classList.add('completed');
currentStep += 1;
previousBtn.disabled = false;
if (currentStep === MAX_STEPS) {
nextBtn.disabled = true;
finishBtn.disabled = false;
}
});

previousBtn.addEventListener('click', () => {
bullets[currentStep - 2].classList.remove('completed');
currentStep -= 1;
nextBtn.disabled = false;
finishBtn.disabled = true;
if (currentStep === 1) {
previousBtn.disabled = true;
```

```
        }
        //content.innerText = `Step Number ${currentStep}`;
    });


    finishBtn.addEventListener('click', () => {
    location.reload();
    });
```

STATUS.CSS:

```css
#stepProgressBar {
    display: flex;
    justify-content: space-between;
    align-items: flex-end;
    width: 300px;
    margin: 0 auto;
    margin-bottom: 40px;


    }


    .step {
    text-align: center;
    }


    .step-text {
    margin-bottom: 10px;
    color: #28a745;
    }


    .bullet {
    border: 2px solid #080808;
    height: 50px;
    width: 50px;
```

```css
        border-radius: 100%;
        color: #28a745;
        display: inline-block;
        text-align: center;
        margin:5px;
        padding:-10px;
        position: relative;
        transition: background-color 500ms;
            line-height:20px;

}

.line1 {
    content: '';
    position: absolute;
    right: -50px;
    bottom: 25px;
    height: 1px;
    width: 50px;
    background-color: #28a745;
}

.line2 {
    content: '';
    position: absolute;
    right: -68px;
    bottom: 25px;
    height: 1px;
    width: 68px;
    background-color: #28a745;
}

.bullet.completed {
color:  white;
```

```css
  background-color: #28a745;
}




/*.bullet.completed::after {
content: '';
position: absolute;
right: -60px;
bottom: 10px;
height: 1px;
width: 54px;
background-color: #28a745;
}*/


/* Base styles and helper stuff */
.hidden {
display: none;
}


button {
padding: 5px 10px;
border: 1px solid black;
transition: 250ms background-color;
}


button:hover {
cursor: pointer;
background-color: black;
color: white;
}


button:disabled:hover {
opacity: 0.6;
```

```css
cursor: not-allowed;

}


.text-center {

text-align: center;

}


.container {

max-width: 400px;

margin: 0 auto;

margin-top: 20px;

padding: 40px;

}
```

OUTPUT:

FEEDBACK:

CODE:

```html
<!DOCTYPE html>

<html>

<head>

<meta name="viewport" content="width=device-width,initial-scale=1.0">

<title>Feedback Form</title>

<script src="https://kit.fontawesome.com/77a087af68.js"
```

```
crossorigin="anonymous"></script>
<style>
*{
margin:0;
padding:0;
box-sizing: border-box;
font-family: 'poppins',sans-serif;
}
.container{
width:100%;
height:100vh;
background-color:rgb(27, 20, 106);
display:flex;
align-items:center;
justify-content:left;

}
.feedbackbox{
background:#fff;
padding: 50px 50px;
border-radius:10px;
display:flex;
flex-direction:column;
align-items:center;
margin-left:300px;
}

.feedbackbox1{
width:100vh;
height:55vh;
background:#fff;
padding: 50px 50px;
border-radius:10px;
display:flex;
```

```css
flex-direction:column;
align-items:center;
justify-content:right;
margin-left:10px;
}
.emoji{
width:100px;
height:100px;
border-radius:50%;
margin-bottom:30px;
overflow:hidden;
}
.emoji img{
width:80px;
margin: 0 10px;
}
#emoji{
display:flex;
align-items:center;
transform:translateX(-400px);
transition:0.3s;
}
.fa-solid{
font-size:40px;
color:#e4e4e4;
cursor:pointer;
}
#demo{
width:100px;
height:100px;
text-align:center;
font-weight:bold;
font-size:40px;
font-style:italic;
```

```css
}
.reply{
padding:50px;
}
.btn1{
border-radius:45%;
width:100px;
height:200px;
background-image: linear-gradient(to right,#ff4b4b,#d12280);
font-weight:bold;
}
.heading{
width:300px;
margin-left:50px;
}
.main{
    width: 100%;
    background: rgb(27, 20, 106);
    background-position: center;
    background-size: cover;
    height: 100vh;
}

.navbar{
    height: 75px;
    margin: auto;
    display: flex;
    justify-content: space-between;
}


.logo{
    color: #ff7200;
    font-size: 35px;
```

```css
    font-family: Arial;
    padding-left: 20px;
    float: left;
    padding-top: 10px;
    margin-left: 160px;
    margin-top: 5px
}

.sidebar {
    margin: 0;
    padding: 0;
    width: 200px;
    background-color: #f1f1f1;
    position: fixed;
    height: 100%;
    overflow: auto;
  }

 /* Sidebar links */
 .sidebar a {
   display: block;
   color: black;
   padding: 16px;
   text-decoration: none;
 }

 /* Active/current link */
 .sidebar a.active {
   background-color: #ff7200;
   color: white;
 }

 /* Links on mouse-over */
 .sidebar a:hover:not(.active) {
```

```css
    background-color: #555;

    color: white;

  }


  /* Page content. The value of the margin-left property should match the value of the
sidebar's width property */
  div.content {

    margin-left: 200px;

    padding: 1px 16px;

    height: 1000px;

  }


  /* On screens that are less than 700px wide, make the sidebar into a topbar */
  @media screen and (max-width: 700px) {

    .sidebar {

      width: 100%;

      height: auto;

      position: relative;

    }

    .sidebar a {float: left;}

    div.content {margin-left: 0;}

  }


  /* On screens that are less than 400px, display the bar vertically, instead of horizontally */
  @media screen and (max-width: 400px) {

    .sidebar a {

      text-align: center;

      float: none;

    }

  }


  .dropbtn {

    background-color: var(--black);

    color: #ff7300;
```

```
        font-family: Arial, Helvetica, sans-serif;

        padding: 16px;

        font-size: 20px;

        font-weight: bold;

        border: none;

        cursor: pointer;


    }


    /* Dropdown button on hover & focus */
    .dropbtn:hover, .dropbtn:focus {
      background-color: #f1f1f1;
    }
</style>
</head>
<body>
    <div class="main">
      <div class="navbar">
        <div class="icon">
         <h2  class="logo"><i class="fas fa-people-carry"></i>&nbsp</i>Custocare</h2>
        </div>
            <div class="search">
        <button class="dropbtn"><a href="frontpage.html" style="text-decoration:
none;color:#ff7200;">LOGOUT</a></button>
      </div> </div>


      <div class="sidebar">
        <a  href="homepage.html">Home</a>
        <a href="#">Agent Interaction</a>
        <a href="ticket.html">Raise ticket</a>
        <a href="status.html">Status</a>
        <a class="active" href="feedback.html">Feedback</a>
      </div>
```

```html
<div class="container">
<div class="feedbackbox">
<div class="heading">
<h3><em>RATE YOUR EXPERIENCE</em></h3></div>
<div class="emoji">
<div id="emoji">
    <img src="https://hotemoji.com/images/dl/x/sad-emoji-by-google.png">
    <img src="https://hotemoji.com/images/emoji/l/nmuz4btco9bl.png">
    <img src="https://hotemoji.com/images/emoji/m/1ianb6011rcxjm.png">
    <img src="https://hotemoji.com/images/emoji/i/1j2kh57yls6zi.png">
    <img src="https://hotemoji.com/images/emoji/3/7ngxra8zxcj3.png">
</div>
</div>
<div id="demo"></div>
<div class"rating">
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star"></i>
</div>
</div>




<div class="feedbackbox1">
<h3><em>LEAVE YOUR VIEWS HERE!</em></h3>
<div class="reply">
<textarea id="my-reply" name="my-reply" rows="7" cols="50"></textarea>
</div>
<button class="btn1" name="submit" id="submit"><strong>SUBMIT</strong></button>
</div>
</div>
```

```
<script>
var stars=document.getElementsByClassName("fa-solid");
var emoji=document.getElementById("emoji");
var demo=document.getElementById("demo");
stars[0].onclick=function(){
stars[0].style.color="#ffd93b";
stars[1].style.color="#e4e4e4";
stars[2].style.color="#e4e4e4";
stars[3].style.color="#e4e4e4";
stars[4].style.color="#e4e4e4";
emoji.style.transform="translateX(0px)";
demo.innerHTML="WORST";
}

stars[1].onclick=function(){
stars[0].style.color="#ffd93b";
stars[1].style.color="#ffd93b";
stars[2].style.color="#e4e4e4";
stars[3].style.color="#e4e4e4";
stars[4].style.color="#e4e4e4";
emoji.style.transform="translateX(-100px)";
demo.innerHTML="BAD";
}

stars[2].onclick=function(){
stars[0].style.color="#ffd93b";
stars[1].style.color="#ffd93b";
stars[2].style.color="#ffd93b";
stars[3].style.color="#e4e4e4";
stars[4].style.color="#e4e4e4";
emoji.style.transform="translateX(-200px)";
demo.innerHTML="OK";
}
```

```
stars[3].onclick=function(){
stars[0].style.color="#ffd93b";
stars[1].style.color="#ffd93b";
stars[2].style.color="#ffd93b";
stars[3].style.color="#ffd93b";
stars[4].style.color="#e4e4e4";
emoji.style.transform="translateX(-300px)";
demo.innerHTML="GOOD";
}

stars[4].onclick=function(){
stars[0].style.color="#ffd93b";
stars[1].style.color="#ffd93b";
stars[2].style.color="#ffd93b";
stars[3].style.color="#ffd93b";
stars[4].style.color="#ffd93b";
emoji.style.transform="translateX(-400px)";
demo.innerHTML="SUPER";
}
</script>
</body>
</html>
```

OUTPUT:

SPRINT 4: STATUS CHECK AND FEEDBACK

STANDUP CALL NUMBER	DATE	DISCUSSION POINT	CONTRIBUTOR	STATUS
1	6th November 2022	Make the status tracking using responsive progress line	AISHWARYA B	Functionalities are defined and implemented
		Store the value of tracking in the database and retrieved to the user	MALAVIKA K R SINDHU D	Taken into consideration and implemented
		Status tracking should only visible to user whereas user cannot able to modify it	FARHANA SABREEN M	Implemented
2	8th November 2022	In feedback form, the rating can be done with the stars	MALAVIKA K R	Taken into consideration
		According to the rating of stars, the corresponding smiley image is displayed	AISHWARYA B FARHANA SABREEN M	Considered and implemented by AISHWARYA B
3	10th November 2022	Feedback about the system can provided in the comment box by the user	SINDHU D	Taken into consideration.
		Storing the value of rating star in the database and retrieve the smiley image in the user side	AISHWARYA B	Implemented by AISHWARYA B