```
PERFORM UPDATE DELETE SELECT QUERIES IN 10 TABLES:
========================================================
1.professional.employee
 UPDATE professional.employee
 SET name='pooja'
 WHERE id=102';
 select * from professional.employee
 delete * from table where name="karthi"
2.recipies
UPDATE recipies
 SET recipiename='vangibaath'
 WHERE id=1';
 select * from recipies;
 delete * from recipies where name="soup"
3.ingredients
 UPDATE ingredients
 SET ingredient_name="chicken"
 WHERE id=1';
 select * from ingrediens;
 delete * from ingredients where name="BBQ";
4.recipe_ingredients
 UPDATE recipe_ingredients
 SET recipe_id=2;
 WHERE amount='2';
 select * from recipe_ingredients;
 delete * from recipe_ingredients where ingredient_id='6';
5.groceries
 UPDATE groceries
 SET name=sapota
 WHERE id='2';
 select * from groceries;
 delete * from groceries where name=pumkin;
6. professional
 UPDATE professional
 SET name=manmadan;
 WHERE id='2';
 select * from professional;
 delete * from professional where name=karankumar;
7.fooditems
UPDATE fooditems
 SET recipe_name=gravy chicken;
 WHERE amount='2';
 select * from fooditems ;
 delete * from fooditems where name='masala magi';
8.items
 UPDATE items
 SET ingredient_name="soya saas"
 WHERE id=10';
 select * from items;
 delete * from items where name="sugar";
9. vehicles
 UPDATE vehicles
```

```
SET name='ffff'
WHERE id='5';
select * from vehicles;
delete * from vehicles where name='bbbb';
```
10.sweets
```
UPDATE sweets
SET recipiename='boondi'
WHERE id='3';
select * from sweets;
delete * from sweets where name="sweet pufs";
```