```
Index.py
import ibm db
dictionary={}
def printTableData(conn):
  sql = "SELECT * FROM userdetails"
  out = ibm_db.exec_immediate(conn, sql)
  document = ibm db.fetch assoc(out)
  while document != False:
    dictionary.update({document['USERNAME']:document['PASSWORD']})
    document = ibm db.fetch assoc(out)
def insertTableData(conn,rollno,username,email,password):
  sql="INSERT INTO userdetails(rollno,username,email,password) VALUES
({},'{}','{}','{}')".format(rollno,username,email,password)
  out = ibm_db.exec_immediate(conn,sql)
  print('Number of affected rows : ',ibm db.num rows(out),"\n")
def updateTableData(conn,rollno,username,email,password):
  sql = "UPDATE userdetails SET (username,email,password)=('{}','{}','{}') WHERE
rollno={}".format(username,email,password,rollno)
  out = ibm_db.exec_immediate(conn, sql)
  print('Number of affected rows:', ibm db.num rows(out), "\n")
def deleteTableData(conn,rollno):
  sql = "DELETE FROM userdetails WHERE rollno={}".format(rollno)
  out = ibm db.exec immediate(conn, sql)
  print('Number of affected rows:', ibm db.num rows(out), "\n")
```

```
try:
  conn=ibm db.connect("DATABASE=bludb;HOSTNAME=b0aebb68-94fa-46ec-a1fc-
1c999edb6187.c3n41cmd0nqnrk39u98g.databases.appdomain.cloud;PORT=31249;SECURIT
Y=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;PROTOCOL=TCPIP;UID=lmf89137;PWD
=veOooJR9cKcT0IB3;", "", "")
  print("Db connected")
except:
  print("Error")
from flask import Flask,render_template,request,url_for,session
app=Flask( name )
@app.route("/")
@app.route("/login",methods=['POST','GET'])
def login():
  if request.method=="POST":
    printTableData(conn)
    username=request.form['username']
    password=request.form['password']
    if dictionary[username] == password:
      return "Logged in successfully"
  return render_template('login.html')
@app.route("/register",methods=['POST','GET'])
def register():
  if request.method=="POST":
```

```
email = request.form['email']
    password = request.form['password']
    age = request.form['age']
    profession = request.form['profession']
    insertTableData(conn,email, password, age, profession)
    #printTableData(conn)
    return render_template('login.html')
  return render template('registration.html')
#deleteTableData(conn,6)
#printTableData(conn)
#print(dictionary)
if name ==" main ":
  app.run(debug=True)
Login Page
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-</pre>
KJ3o2DKtlkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
  <script src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"</pre>
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"</pre>
integrity="sha384-
```

```
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYI"
crossorigin="anonymous"></script>
  <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
  <title>Login page</title>
 <style type="text/css">
    body{
      background-color: rgb(179, 237, 176);
    }
    .msg,.login{
      text-align: center;
      margin-top: 25px;
      margin-bottom:25px;
    }
    form{
      margin-left: 550px;
      width: 30%;
    }
  </style>
</head>
<body>
 <nav class="h1 navbar navbar-light p-3 mb-2 bg-primary text-white justify-content-
between">
   <a class="navbar-brand">Personal Expense Tracker</a>
 </nav>
 <form action="/login" method="POST">
```


```
<h5 class="msg" style="color:rgb(50, 41, 211);">Fill the neccessary details to
login.</h5>
    <div class="form-group">
      <label for="exampleInputEmail">Email</label>
      <input type="text" name="email" class="form-control" id="exampleInputEmail" aria-
describedby="emailHelp" placeholder="Enter Username">
    </div>
    <div class="form-group">
      <label for="exampleInputPassword">Password</label>
      <input type="password" name="password" class="form-control"
id="exampleInputPassword" placeholder="Password">
    </div>
    <div>
      New User? Click to <a href="{{url_for('register')}}">Register</a>
    </div>
    <br>
    <button type="submit" class="btn btn-primary">Submit</button>
 </form>
</body>
</html>
Registration Page
<!DOCTYPE html>
<html lang="en">
<head>
```

```
<meta charset="UTF-8">
  <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-
KJ3o2DKtlkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
  <script src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"</pre>
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"</pre>
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYI"
crossorigin="anonymous"></script>
  <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
  <title>Register page</title>
 <style type="text/css">
    body{
      background-color: rgb(179, 237, 176);
    }
    .msg,.login{
      text-align: center;
      margin-top: 25px;
      margin-bottom:25px;
    }
    form{
      margin-left: 550px;
      width: 30%;
    }
```

```
</style>
</head>
<body>
 <nav class="h1 navbar navbar-light p-3 mb-2 bg-primary text-white justify-content-</p>
between">
   <a class="navbar-brand">Personal Expense Tracker</a>
 </nav>
 <form action="/register" method="POST">
    <h5 class="msg" style="color:rgb(50, 41, 211);">Fill the neccessary details to
register.</h5>
    <div class="form-group">
      <label for="exampleInputUsername">User Name</label>
      <input type="text" name="username" class="form-control"</pre>
id="exampleInputUsername" aria-describedby="emailHelp" placeholder="Enter
Username">
    </div>
    <div class="form-group">
      <label for="exampleInputEmail">Email</label>
      <input type="text" name="email" class="form-control" id="exampleInputEmail" aria-
describedby="emailHelp" placeholder="Enter Username">
    </div>
    <div class="form-group">
      <label for="exampleInputPassword">Password</label>
      <input type="password" name="password" class="form-control"
id="exampleInputPassword" placeholder="Password">
    </div>
    <div class="form-group">
      <label for="exampleInputAge">Age</label>
      <input type="age" name="age" class="form-control" id="exampleInputage"
placeholder="Age">
    </div>
```

Output:

Login page:



Registration Page:

