REAL TIME WATER QUALITY MONITORING SYSTEM

IBM NALIYA THIRAN

PROJECT REPORT

Submitted By

GAJAPATI.V.E.S

ROSHINI.S

SURYA.S

WASIMUDDIN.A

in partial fulfillment for the award of the degree

of

BACHELOR OF ENGINEERING

in

COMPUTER SCIENCE AND ENGINEERING

KNOWLEDGE INSTITUTE OF

TECHNOLOGY, SALEM-637504

ANNA UNIVERSITY : CHENNAI 600

025 NOVEMBER 2022

REAL TIME WATER QUALITY MONITORING SYSTEM

IBM NALIYA THIRAN

PROJECT REPORT

Submitted By

GAJAPATI.V.E.S

ROSHINI.S

WAISUMDEEN.A

SURYA.S

in partial fulfillment for the award of the degree
of
BACHELOR OF ENGINEERING
in
COMPUTER SCIENCE AND ENGINEERING

KNOWLEDGE INSTITUTE OF
TECHNOLOGY, SALEM-637504

ANNA UNIVERSITY : CHENNAI 600
NOVEMBER 2022

ANNA UNIVERSITY : CHENNAI 600 025

BONAFIDE CERTIFICATE

Certified that this project report titled **"REAL TIME WATER QUALITY**

MONITORING SYSTEM" is the bonafide work of **"GAJAPATI.VE.S (611219104019), WASIMUDEEN.A (611219104309) SURYA.S (611219104702), ROSHINI (611219104701)"** who carried out the project work under my supervision.

SIGNATURE SIGNATURE

Dr. V. KUMAR M.E., Ph.D., MR. R. SIVAGURU M.E., **HEAD OF THE DEPARTMENT FACULTY MENTOR PROFESSOR ASSISTANT PROFESSOR** Department of Computer Science Department of Computer Science and Engineering, and Engineering,

Knowledge Institute of Technology, Knowledge Institute of Technology,

Kakapalayam, Kakapalayam,

Salem- 637 504. Salem- 637 504.

Submitted for the Project Viva-Voce Examination held on _____

FACULTY EVALUATOR SPOC NASSCOM

ACKNOWLEDGEMENT

At the outset, we express our heartfelt gratitude to **GOD,** who has been our strength to bring this project to light.

At this pleasing moment of having successfully completed our project, we wish to convey our sincere thanks and gratitude to our belovedpresident **Mr. C. Balakrishnan,** who has provided all the facilities to us.

We would like to convey our sincere thanks to our beloved Principal **Dr. PSS. Srinivasan,** for forwarding us to do our project and offering adequate

duration in completing our project.

We express our sincere thanks to our Head of the Department **Dr. V. Kumar,** Department of Computer Science and Engineering for fostering the excellent academic climate in the Department.

We express our pronounced sense of thanks with deepest respect and gratitude to our internal guide **Mr. R. Sivaguru,** Assistant Professor, Department of Computer Science and Engineering, for his valuable and precious guidance and for having amicable relations.

With deep sense of gratitude, we extend our earnest and sincere thanks to our project coordinators **Mr. T. Karthikeyan,** Associate Professor **and Mrs. N. Subha,** Assistant Professor, Department of Computer Science and Engineering for their guidance and encouragement during this project.

We would also like express our thanks to all the faculty members of our Department, friends and students who helped us directly and indirectly in all aspects of the project work to get completed successfully

CHAPTER - 1
INTRODUCTION

1.1.Project Overview

In Today's world water is an essential resource without which we cannot live without, hence it can be said that water is a critical resource in the lives of people who both will have benefits from its use and who are harmed by its misuse and unpredictability (flooding, droughts, salinity, acidity, and degraded quality).

Water pollution is one of the biggest fears for green globalization. In order to ensure the safe supply of the drinking water the quality needs to be monitored in real time The project is based on solving the issues related with the pollution levels of water by identifying the underlying issues present in the quality of

water by analyzing the intrinsic issues which cause the quality of water from a different source to degrade and cause This project is mainly Inspired By The amount of diseases present in the water in most Indian localities which cause a lot of harm to the populace mainly in rural areas and areas where water is not readily available or easy to is not readily available or easy to check.This Project Is highly relevant today's world wheremoneyistime.So,the system allows us to monitor the quality of water in real time easily.This project is executed by considering all the sensor values from the sensors are appropriately taken. These values contain the parameters of the water sample being tested such as temperature, pH , turbidity , flow etcIn addition to the parameters listed above some additional details can also be gained by the use of simple scientific knowledge. For example the density of water can be found using theflow rate of water, which can in turn be used along with the temperature sensor values to find if the water is contaminated by specific bacteria which can exist in the water sample only if specific requirements for their survival are met. One such example is E-coli bacteria which exists in the guts (intestine and stomach mainly) of humans and other animals. It needs a relatively higher temperature and density to survive (the harmful strain of the bacterium E. coli O157:H7, can cause severe abdominal cramps, bloody diarrhea and vomiting). Although it can spread through other sources, one of its main transmission sources is through water sources.

1.2 Purpose

It has been seen that the quality of the water being distributed to most areas (both rural and urban) has been deteriorating with time as the water sources from where the water is being drawn gets polluted, as well as lapses in the part of the civic body responsible for the maintenance of the quality of water. It may also be due to no proper maintenance of the machines which perform the actions

necessaryto clean or improve the quality of water being distributed to homes. This has been observed to majorly affect the number of water borne-diseases in the city.This project works on achieving proper evaluation of the quality of water with respect to some of the most basic parameters i.e. the temperature will be monitored so that the climatic changes don't affect the water. The PH will be monitored so that it remains in the most optimal range and is fit for human

consumption and prevents the growth of disease-causing microbes. The flow of the water is monitored so that there are no disruptions or leaks and also to maintain a specific flow rate which prevents the growth of fungal and small plants in the transport network. Finally The turbidity of the water is monitored so that it gives us a measure of the amount of impurities in the water and if needed it can prompt the required action to change or modify the quality of water if it's not in the permissible range. A major advantage of the system is the real time monitoring of the quality of the water (i.e : its immediate quality is monitored) which gives us the ability to immediately determine if the water is really safe for consumption or not. The system provides us the facility to immediately identify the attributes or parameters of water and see if there is a WaterMonitoring System being sent to us.This Helps us to make clear cut decisions if we need to purchase additional equipment or not, which in turn helps us to save money and time.

CHAPTER - 2
LITERATURE
REVIEW

SOLVING REAL TIME WATER QUALITY MONITORING SYSTEMUSING SUPPORT RASPBERRY PI AND ARDUINO PYTHON

Internet of Things (IOT) is determined as the network of environmental objects which includes devices, homes, motors which are embedded with sensor, micro-controller, and community associativity It helps combine objects which can then exchange statistics. IOT is a gadget of interrelated computing gadgets, virtual machines, objects, animals or people with specific identifiers and ability to transfer statistics over a community with non-human to-human or human-to-pc interplay. IOT Includes net enabled devices that use sensors, embedded processor and hardware to retrieve, ship and get entry to information they gather from their environments. IOT gadgets share the sensor records they acquire by using connecting to an IOT gateway to the device where information is both sent to the cloud to be analyzed or analyzed domestically. The real-global programs are net of factors, tiers from purchaser

IOT and organization IOT to production and commercial IOT. IOT has advanced from the convergence of wi-fi technologies, microelectromechanical structures, micro services and the internet. IOT encourages agencies to rethink the ways they technique their corporations, industries and markets and gives them equipment to enhance their commercial enterprise techniques. Because of IOT now more electronic gadgets are connected to the net and communicate to each other without any human interference. ATM (Automated Teller Machine) was one of the earliest IOT enabled devices ever to be introduced. Wearable devices like fitness trackers, smartwatches are connecting extra regular customers to the IOT. The generation of internet linked garbage is coming. Smart homes are not a factor for the futureanymore. Human beings have already commenced adopting smart home, home.

Ensuring the safety of water is a challenge due the excessive sources of pollutants, most of which are man-made. The main causes for water quality problems are overexploitation of natural resources. The rapid pace of industrialization and greater emphasis on agricultural growth combined with latest advancements, agricultural fertilizers and non-enforcement of laws have led to water pollution to a large extent. The problem is sometimes aggravated due to the non-uniform distribution of rainfall. Individual practices also play an important role in determining the quality of water (Central Ground Water Board, 2017) . Water quality is affected by both point and non-point sources of pollution, which include sewage discharge, discharge from industries, run off from agricultural fields and urban run-off. Other sources of water contamination include floods and droughts and due to lack of awareness and education among users. The need for user involvement in maintaining water quality and looking at other aspects like hygiene, environment sanitation, storage and disposal are critical elements to maintain the quality of water resources. Poor water quality spreads disease, causes death and hampers socio economic progress. Around 5 million people die due to waterborne diseases around the world (Water Resource Information System of India, 2017). Fertilizers and pesticides used by farmers can be washed through the soil by rain, to end up in rivers. Industrial waste products are also washed into rivers and lakes. Such contaminations enter the food chain and accumulate until they

reach toxic levels, eventually killing birds, fish and mammals. Chemical factories also dispose wastes in the water. Factories use water from rivers to power machinery or to cool down machinery. Raising the temperature Smart Water © The Author(s). 2017 Open Access This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. Geetha and Gouthami Smart Water (2017) 2:1 DOI 10.1186/s40713-017-0005-y of the water lowers the level of dissolved oxygen and upsets the balance of life in the water (Central Ground Water Board, 2017). All the above factors make water quality monitoring essential. Water quality monitoring is defined as the collection of information at set locations and at regular intervals in order to provide data which may be used to define current conditions, establish trends, etc. (Niel et al., 2016; Muinul et al., 2014; Jianhua et al., 2015). Main objectives of online water quality monitoring include measurement of critical water quality parameters such as microbial, physical and chemical properties, to identify deviations in parameters and provide early warning identification of hazards. Also, the monitoring system provides real time analysis of data collected and suggest suitable remedial measures. The aim of this paper is twofold. One is to provide a detailed survey of recent work carried out in the area of smart water quality monitoring in terms of application, communication technology used, types of sensors employed etc. Second, is to present a low cost, less complex smart water quality monitoring system using a controller with inbuilt Wi-Fi module to monitor parameters such as pH, turbidity and conductivity. The system also includes an alert facility, to inform the user on deviation of water quality parameters. This research paper focuses on Detection on water pollution and water management using smart sensors iotTo ensure the safe supply of drinking water the quality should be monitored in real time for that purpose new approach IOT (Internet of Things) based water quality monitoring has been proposed.This system consists some sensors. Which measure the water quality parameter such as pH, turbidity, conductivity, dissolved oxygen, temperature. The measured values from the sensors are

processed by microcontroller and these processed values are transmitted remotely to the core controller that is raspberry pi using Zigbee protocol. Based on a study of existing water quality monitoring system and scenario of water we can say that proposed system is more suitable to monitor water quality parameters in real time. Based on a study of existing water quality monitoring system and scenario of water we can say that proposed system is more suitable to monitor water quality parameters in real time

this research paper focuses on Sensor Web for River Water Pollution Monitoring and Alert System Sensor Web has provided infrastructure for
collecting and processing data from distributed and heterogeneous sensors. This set of technologies has found various implementations, especially in the area of environmental monitoring. The Sensor Web architecture for crisis management, described in this paper, provides active monitoring of measuring parameters and timely responses in cases of environmental disasters. The River Water Management and Alert System built on this architecture

Enable access, control and management of river water pollution.

This research paper focuses on Wireless Sensor Network for River Water Quality Monitoring in India This paper introduces a river water quality monitoring system based on wireless sensor network which helps in continuous and remote monitoring of the water quality data in India. The wireless sensor node in the system is designed for Maneesha monitoring the pH of water, which is one of the main parameters that affect the quality of water. Wireless sensor Network which aids in River Water Quality Monitoring. This paper also proposes a novel technique for the design of a water quality sensor node which can be used for monitoring the pH of water.

This paper describes the conjunction of the Smart City Initiative and the concept of Industry 4.0. The term smart city has been a phenomenon of the last years, which is very inflected especially since 2008 when the world was hit by the financial crisis. The main reasons for the emergence of the Smart City Initiative are to create a sustainable model for cities and preserve quality of life of their citizens. The topic of the smart city cannot be seen only as a technical discipline, but different economic, humanitarian or legal aspects must be involved as well. In the concept

of Industry 4.0, the Internet of Things (IoT) shall be used for the development of so–called smart products. Sub[1]components of the product are equipped with their own intelligence. Added intelligence is used both during the manufacturing of a product as well as during subsequent handling, up to continuous monitoring of the product lifecycle (smart processes). Other important aspects of the Industry 4.0 are Internet of Services (IoS), which includes especially intelligent transport and logistics (smart mobility, smart logistics), as well as Internet of Energy (IoE), which determines how the natural resources are used in proper way (electricity, water, oil, etc.). IoT, IoS, IoP and IoE can be considered as an element that can create a connection of the Smart City Initiative and Industry 4.0 – Industry 4.0 can be seen as a part of smart cities.

D. Zhanwei Sun, Chi Harold Liu, Chatschik Bisdikia_, Joel W. Branch and Bo Yang, 2012 9th Annual IEEE Communications Society Conference on Sensor, Mesh and Ad Hoc Communications and Networks.

Zhanwei Sun, Chi Harold Li, Chatschik Bisdikian, Joel W.Branch and Bo Yang entitled "QOI-Aware Energy Management in Internet-of-Things Sensory Environments". In this paper an efficient energy management frame work to provide satisfactory QOI experience in IOT sensory environments is studied. Contrary to past efforts, it is transparent and compatible to lower protocols in use, and preserving energy-efficiency in the long run without sacrificing any attained QOI levels. Specifically, the new concept of QOI-aware "sensor-to-task relevancy" to explicitly consider the sensing capabilities offered by an sensor to the IOT sensory environments, and QOI requirements required by a task. A novel concept of the "critical covering set" of any given task in selecting the sensors to service a task over time. Energy management decision is made dynamically at runtime, as the optimum for long-term traffic statistics under the constraint of the service delay. Finally, an extensive case study based on utilizing the sensor networks to perform water level monitoring is given to demonstrate the ideas and algorithms proposed in this paper, and a simulation is made to show the performance of the proposed algorithms.

The developed model is used to test samples of water and the data collected from the sensors is uploaded over the internet is analysed. This model is less complex and low cost smart water quality monitoring system with a core controller having built in Wi-Fi module for monitoring quality parameters like turbidity, conductivity and pH.

2.1.EXISTING PROBLEM

The amount of diseases caused by water borne microorganisms in todays India is increasing at an alarming rate and has become a critical issue which hinders the growth of the populace and its affecting the effective working of the citiesas a whole. One The Major reasons for this is the pollution of most water bodies and no proper methods to detect if the water being sent to us is treated properly or not. No Effective measures have been taken with respect the quality control of water sources. Water Monitoring System Identify the reasons for this growing amount of pollution to the water sources in the city.

One of the few and most important reasons is that there is no restriction on the private

2.3 PROBLEM STATEMENT DEFINITION.

Problem Statement (PS)		I am (Customer) I'm trying to	But Because	Which makes me feel	
PS-1 the problem statement is not quality water available in shop	water contains germs and fungus I am not buy the water in that shop	about water managemet system Get the quality of water in another shop	quality of water to people i will try to avoid these shops to buy water	resource management it is very danger and harmful to people	Angry
					Sadness
PS-2 the problem statement is	I will complain	make awarenes about poor	i willgive complaint about water	This is very badfor childs and peoples	

3.IDEATION & PROPOSED SOLUTION 3.1

Empathy Map Canvas

3.2 IDEATION & BRAINSTORMING

Brainstorm

Write down any ideas that come to mind that address your problem statement.

Group ideas

Take turns sharing your ideas while clustering similar or related notes as you go. In the last 10 minutes, give each cluster a sentence-like label. If a cluster is bigger than six sticky notes, try and see if you and break it up into smaller sub-groups.

Prioritize

Your team should all be on the same page about what's important moving forward. Place your ideas on this grid to determine which ideas are important and which are feasible.

Importance

Feasibility

3.3 Proposed Solution

S.No.	Parameter	Description

1	Problem statement (problem to solved)	The problem statement of real water quality monitoring system is how to maintain the fresh water and avoid how to maintain sustainable.
2	Idea/solution descripritor	The Solution statement Of the project isused to removed all the dust by equipments in water by filter by in device
3	Novelty/uniqueness	The novelty and uniqueness of this project is easily to identify the project easily and used to purify the water easily and giving the alarm signal to the dangerous position immediately of contamination of water
4	Social Impact/customer satisfication	The customer and social impact of this project is very useful for this social used and economically growth used
5	Business model/ revenue model	The business and revenue model for this project is used to manufacture for the instrumentation and selling the NKE to device
6	Scability of the solutior	The main hardware of the system consists of off-shell electronical chemical sensor, a microcontroller, a wireless communication system and the customized buoy. It detects water temperature, dissolved oxygen and ph a pre programming time interval. The develop prototype disseminates the gathered information in graphical and tablur formats through a customized web based portal and preregistered mobile phones

3.4 PROBLEM STATEMENTS

CUSTOMER SEGMENTS(S)

The customers of this project are by type ph testing dissolved oxygen analyser is analyser conductivity sensor.

By application marine lab testing ground water surface water residential and commercial.

PROBLEMS/ PAINS *(ITS FREQUENCY)*

The problems and painsof this project are testing methods are more and we have using more devices andthere are some decimalerrors.

CUSTOMER LIMITATIONS

The customer limitation of this project is must because water is essentialto our earth so customer limitation is very huge level.

BEHAVIOUR ITS INTENSITY

The behavior of intensity in this projectis used to search the website and ask experts to relate in thisproject.

TRIGGERS TO ACT

identified during a period of a few hours, while the discrete segment of the distribution system is shut down..

YOUR SOLUTION

My solution for this project is used to filter the bacteria and germs and another solution is used to maintain the pH level and maintain the temperature and humidity nutrient.

PROBLEM ROOT/ CAUSE

The root cause occurs dueto some device issue and varying the levels of nutrient and mineral in water.

AVAILABLE SOLUTIONS

The available solutions in this project are used to search in the survey literature and search the website.

A primary "trigger" mechanism that identifies any addition (chemical or biological) to water within the distribution system. Thismust be instantaneous or "real-time Secondary detection technology that allows for the contaminant to be

CHANNELS OF BEHAVIOUR

(ONLINE)

The channels of behavior of in this project in online are used to search website send the mail and watching the television these are channels of behavior

4.REQUIREMENT ANALYSIS

4.1 Functional requirement

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	the user registration of our project is registering thewebsite and can login the webpage and it also register the form
FR-2	User Confirmation	the user confirmation is after send the reach the confirmation message or mail

FR-3 EXTERNAL INTERFACE

FR-4 REPORTING REQUIREMENT

**FR-5 certification requirement
the external interface are used in our
project ishardware components and** after the fill the form
coding method

**the reporting requirement in our project
is used tomaintain pressure air humidity
and pressure**

**the certification requirement of our
project is used tomaintain the accuracy
and quality**

4.2 NON FUNCTIONAL REQUIREMENTS

| FR No. Non-Functional	Requirement Description
NFR -1 Usability The usability of this project is very essential the economic	production used to well growth health and it is used for agriculture and maintenance of aquatic animals
NFR-2 Security The security of this project is very	essential, safe and secure if some other person wants to check this in this project.it will not show theparameters measure
NFR-3 Reliability the reliability of this project areused to	very efficient and it canmove to next phase
NFR-4 Performance The performance of this project isvery	good and excellent. it reducetime, cost and it give accurate solution
NFR-5 Availability the availability of this project arevery	accurate and efficient performance
NFR-6 Scalability the scalability of this project is littlebit	advanced because it is very highexternal requirements are used

5.PROJECT DESIGN

5.1Data Flow Diagrams

DATA FLOW DIAGRAM

5.2 Solution & Technical Architecture

5.3 TECHNICAL ARCHITECTURE

5.4 User Stories

User Type Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Developer Developing with hardware external check the parameters of water and measure it parameters of water and measure it	US-1	As i developer after getting approval of my project i can launch the project into market	high sprint 1 the products i have develop		
Customer mobile user Registration	US-2 As	a user, I will receive confirmation email once I have registered fot the application mobile I can receive	confirmation email & click confirm	high	sprint1
		user login dashboard US-3 As user i can register through the facebook and gmail through gmail I can register & access thedashboard with Facebook Login	high sprint 1 Customer executive officer care customer complaints provide US-4 If any complaints provided to the As customer executive officr they medium sprint 1		
Customer web		approximate	customer or any provided		

| | | executive officer will contact the customer and they provide approprite | appropriate solutions to the customer | | |

| Administrat e solution within the time limits | The functional system works within the support functional application support problem occur it or any error will occur the customer | US-5 Preparing, organizing and storing information in paper and digital form. Dealing with queries on the phone nd by email,greeting visitor at reception | As i administrator he will maintains all record | low | sprint 2 |

6 PROJECT PLANNING & SCHEDULING

6.1Sprint Planning & Estimation

Sprint	Functional Requirement (Epic) User Story	Number User Story / Task Story Points	Priority Team Members
		confirming	
Sprint-1 registration USN-1 As a user, I can register for the application by entering my email, password, and		my _password._	
		Sprint-2 login USN-2 As a user i will login the throughwebsite	

and developer will see registration process
2 High roshini waisumden

1 medium gajapati.ve.s roshni

dashboard

2 Low surya gajapati

.ve.s

USN-3 As a user, I can register in the login dashboard

Sprint-3 login

USN-4 As a developer i can able to develop the products requirements by

hardware and connecting to the software requirements

waismuden gajapati.ve.s surya

Sprint -4 developing the product

2 high roshini with safety purpose soi canbe able to protect my databy hackers

Sprint-5 IoT Platforms

and Security USN-5 As a

1 HighGajapati.v ssurya

developer developI can able to secure my iot platform

6.1 Sprint Delivery Schedule

Sprint total	store Points duration Sprint Start Date	Sprint End Date (Planned) Story	Points Completed (as on	Planned EndDate) Sprint Release Date	(Actual date sprint)
	5 4 Days		31 Oct		
Sprint 1	5 5 Days 24 Oct		2022	05 Nov 2022	
Sprint 2	2022	29 Oct 2022			
Sprint 3					
	Sprint 4	Sprint	13 13 Days		
		6 4 Days			

12 Nov 2022 26 Nov 2022

14
8 8 Nov
07 2022
Nov
2022 27 nov

DAYS 2022 6 Nov 2022

5

Velocity:

Imagine we have a 25-day sprint duration, and the velocity of the team is10 (pointsper sprint). Let's calculate the team's average velocity (AV) per iteration unit (story points per day)

Average velocity = sprint duration/velocity = 25/10 =2.5

6.2 Reports from JIRA

7.CODING & SOLUTIONING (Explain the features added in the project along withcode)

7.1Feature 1

The features added in the our project are node red and ibm cloud The node red

are used tools for programming visually and allow the user to program without

having to type a language. Node-RED is a browser-based flow editor where you can add or remove nodes andwire them together in order to make them communicate with each other. The another feature added in our project is dashboard the dashboard it contains all the parameter of water like ph temperatureturbidity moisture and dust and it give percentage of all parametersof water and it will give percentage also it will connected with alarm signal if the water will danger or moisture level the alarm will signal to people to avoid the drinking water of people. The next is sendingsms to the user and it will send the information of the quality of water and percentage of minerals contained in the water. These arethe 1st features added in our project.

7.2 feature 2

The second feature is the ibm watson iot platform the ibm watson iot platform is A fully managed, cloud-hosted service with capabilities for device registration, connectivity, control, rapid visualization and data storage. it is a fully managed, cloud-hosted service designed to make itsimple to derive value from your Internet of Things devices. It provides capabilities such as device registration, connectivity, control, rapid visualization and storage of Internet of Things data. The ibm Watson iot platform is used to store data and used to register the device. Is the fastest device and used to store large amount of data and it uses to send the data toweb ui server .The next is used to generate the random code for pycharm it isused to fix all the values of parameters range in feature the next is Zigbee is a standards-based wireless technology developed to enable low-cost, low-power wireless machine-to-machine (M2M) and internet of things.

8.TESTING

8.1.Test Cases

The test case will refer to show all the parameters of water like ph temperature turbidity and moisture will give the information to user itcan the user will collect all information and show the output

8.2User Acceptance Testing

Resolution	Severity 1		Severity 3	Severity 4	Subtotal
By Design	10	7	6	5	27
Duplicate	2	6	7	5	20
External	0	3	7	1	11

Fixed	5	3	4	17	29
Not Reproduced	0	0	2	1	3
Skipped	0	0	0	0	0
Won't Fix	0	0	0	0	0
Totals	17	19	26	26	82

Outsource Shipping	2	0	0	3
Exception Reporting	6	0	0	6
Final Report Output	8	0	0	8
Version Control	14	0	0	14

9.RESULTS

9.1.Performance Metrics

s.no	Project name	Scope/ feature	Functional change	Hardware change	Software change	Impact of downtime	justification	Load/ Volume change

1	Real water quality monitor system		Existing	Moderate	Low	moderate	low	>5 to 10%
2	Real water quality monitori ng system		existing	Moderate	Low	moderate	low	No changes
3	Real water quality monitor ing system		sno	moderate	Low	moderate	low	>5 to 10%
4	Real waterquality monitor system	NEW	new	NO CHANGES		moderate	HIGH	>10 to 20%

NFT-detailed test plan				
s.no	Project overview	NFT test approch	Assumption/dependencies/risk	Approval/signoff

1	As part of simulation we have checking the parameters of water	yes we can have nt test approach	there is no risk but we have assumption in testing	yes we canhave approval sign off

s n	Pro ov	o ew		NFT test approch NFR- MET Test overcom	e Go/no go decision Recommendation	Identified defects
1 As part of simulation we have checking the para meters of	water it can	yes yes we can	positive No approach met the	No Closed functional requirments	desicion recommendati on	

2	To global ization of watera nd making enviro nment clean	Yes it ca n approa ch	yes we can met nr test	positiv e	NO GO decisi on	Yes recommendation	Closed

3	To make purify of water	yes it can approch	yes we can met nr test	positive	NO GO DECISION	Yes recommendati on Closed

10.ADVANTAGES & DISADVANTAGES

Advantage of real time water quality monitoring system

Modern smart water monitoring systems analyze data continually and instantly alert users to changes in the system, giving peace ofmind and reducing the need for unreliable and expensive sampling.

The advantage of a real time water quality monitoring system is Water purification can protect against harmful organisms.

The third advantage of real time water quality monitoring systems is Water in the The fourth advantage is the alarm will be fixed and it will send themessage signal to theuser.

Then it will give a warning message to the people that water will be dangerous so will avoid drinking the poisonous water.

The fifth advantage is more user friendly, efficient. Drawback is the high cost   smart sensors. This system uses wireless sensors for monitoring quality of water   parameter monitored areph, turbidity, conductivity, temperature. A microcontroller has the task of signal digitizing, data transmission, and   Network management.

This developed novel water quality monitoring system has variousadvantages like   of less consumption power, no carbon emission and higher limberness. The seventh advantage is that it's also doing simulation method soit can't be bad for the environment and nature also. It safe for environment is Advantage of real time water quality monitoring system

The first disadvantage is the real water quality monitoring system.The system is less effective as sensors are installed very deep inside the water and their positions are fixed

The second disadvantage is the real time water quality monitoringsystem, the sensor and devices are very costly.

The fourth disadvantage is the real time water quality monitoring system. The maintenance is costly and high so that the electricity power and area of consumption is also high. These are the fourthdisadvantage of water quality monitoring systems.

The fifth disadvantage is for the power problem if the devices willrun the power will shut down the process of work will get delayedsometimes it may error occur.

11. CONCLUSION

Monitoring of Turbidity, PH & Temperature of Water makes use of water detection sensors with unique advantage and existing GSM network. The need to monitor these values of water arises with the risein the risk caused due to the current water quality and standards of water available for drinking, domestic and household purposes. Even if we humans get adapted to the current standards and quality of water content, there are many other living widespread applications and an extension value. In this project, a IOT based bio monitoring system is proposed   which uses sensors to get the most essential values which can be used

to obtain other parameters of all the sensors that are being used in the model. The project serves its purpose well to cater the needsof current and future generations. The fact that it focuses on the most sensitive and basic need for survival makes it that valuable and resourceful. The project focuses completely on something that goes

completely unnoticed and ignored, the quality of water being consumedand used for other needs. If the quality of water of many places were known, people would immediately stop consuming or avoid using that particular water due to how harmful and dangerous it may turn out to be for daily usage. People moving into new locations have no idea aboutthe water quality and standards of that place, and need a source to monitor the same, this project would definitely prove to be of great use in such circumstances. Also, knowledge of such quality of water would help make changes and provide better water henceforth, as prevention is always better than cure. Monitoring of Turbidity, PH & Temperature of Water makes use of a water detection sensor with unique advantage and existing GSM network. The system can monitor

water quality automatically, and it is low in cost and does not require people on duty. So the water quality testing is likely to be more economical, convenient and fast. The system has good flexibility. Only byreplacing the corresponding sensors and changing the relevant software programs, this system can be used to monitor other water quality parameters. The operation is simple. The system can be expanded to monitor hydrologic, air pollution, industrial and agricultural production and so on. It has widespread application and extension value. By keepingthe embedded devices in the environment for monitoring enables self protection (i.e., smart environment) to the environment. To implement this, we need to deploy the sensor devices in the environment for collecting the data and analysis. By deploying sensor devices in the environment, we can bring the environment into real life i.e. it can interact with other objects through the network. Then the collected dataand analysis results will be available to the end user through the Wi-Fi.

12. FUTURE SCOPE

The data that is collected over time can be sent to a system or program that can be used to obtain additional parameters such as density, amount of bacteria,

the viscosity of water etc. and then these parameters can be analyzed by the software. This project serves as a great purpose to current and future generations. Water monitoring in these times of having irregular and low quality water supply proves to be very essential to household and domestic needs. The current generation, having suffered a lot of water pollution and unsafe water, definitely need an approach to keep track of the water that they are consuming and using for domestic needs. The future however, this project can be implemented just the way it is or also with major and minor changes to suit the needs of the future generations. The fact thatthere are a lot of dying water bodies and the need for water arising every day, this project would indeed be of great help to many people.

In the future we will use the IOT concept in this project Detecting the more parameters for the most secure purpose Increase the parameters by addition of multiple sensors. By interfacing the relay we control the supply of water. a prototype water monitoring system using IoT is presented. .For this some sensors are used. The collected data from all the sensors are used for analysis purposes for better solution of water problems. The data is sent to the cloud server via Wi Fi module ESP8266.

So this application will be the best challenger in real time monitoring & control system and used to solve all the water related problems

.

13. APPENDIX

Source Code

```html
<html>
<head>
<meta name="viewport" content="width=device-width,
initial-scale=1"> <title> Login Page </title>
<style>
Body {
  font-family: Calibri, Helvetica, sans-serif;
  background-color: pink;
```

```css
        }
    button {
        background-color: #4CAF50;
        width: 100%;
        color: orange;
        padding: 15px;
        margin: 10px 0px;
        border: none;
        cursor: pointer;
        }
    form {
        border: 3px solid #f1f1f1;

        }
    input[type=text], input[type=password] {
        width: 100%;
            margin: 8px 0;
        padding: 12px 20px
 display: inline-block; border:

k2px solid green;box-sizing: border-box;

        }
    button:hover {
        opacity: 0.7;
        }
     .cancel btn {
        width: auto;
        padding: 10px 18px;
        margin: 10px 5px;
    }
```
```html
    < center> <h1> Student Login Form </h1> </center>
    <form>
      <div class="container">
        <label>Username : </label>
```

```html
<input type="text" placeholder="Enter Username" name="username"
required> <label>Password : </label>
<input type="password" placeholder="Enter Password" name="password"
required>
<button type="submit">Login</button>
<input type="checkbox" checked="checked"> Remember me
<button type="button" class="cancel btn"> Cancel</button>
Forgot <a href="#"> password? </a>
</div>
</form>
</body>
</html>
```

Arduino code for sensation generate the value

```python
for i in range(5):
    print("Test case:",i+1)
    print("Welcome to Real-Time River Water Quality Monitoring and ControlSystem")
    temperature = int(rand.randint(-40,125))pH =
    int(rand.randint(0,14))
    DO = int(rand.randint(0,100)) TSS =
    int(rand.randint(0,3700))
    Manganese = int(rand.randint(0,1000)) Copper =
    int(rand.randint(0,2000)) ammonia_Nitrate =
    int(rand.randint(0,100))Hardness =
    int(rand.randint(0,1000))
    Zinc = int(rand.randint(0,100))
    Conductivity = f"{float(rand.uniform(0.001,2000)):.2f}"Chloride  =
    int(rand.randint(0,200))
    Sulfate = int(rand.randint(0,1000))
    #These variables store value of random data to be shared to the cloud

    #printing the values
    print(
```

"Temperature:", temperature,

"\npH:", pH,

"\nDO:", DO,

"\nTSS:", TSS,

"\nManganese:", Manganese,

"\nCopper:", Copper,

"\nAmmonia & Nitrate:",ammonia_Nitrate,

"\nHardness:",Hardness,

"\nZinc:", Zinc, "\nConductivity:",

Conductivity,

"\nChloride:", Chloride,

"\nSulphate:", Sulphate, "\n"

GitHub & Project Demo Link   https://youtu.be/s6xf0IpBUFw

2.1 REFERENCES

1. Vaishnavi Daigavane, Dr. M A Gaikwad, "Water quality monitoring system based on IoT", Advances in wireless and mobile communications ,ISSN 0973-6972 Volume
10,Number 5,2017,pp. 1107-1116

2. Cheng-Liang Lai, Chien- Using image processing technology for water quality monitoring system", July 2011 EEE, pp. 1856-186

3. A, Filippo A, Carlo G C,Anna M L,"A Smart sensor network for sea water quality monitoring, IEEE Sensors J 15(5):2514-2522,May 2015.

4. Niel Andr e Cleote, Reza Malekian and Lakshmi Nair, "Design of smart sensors for real-time water quality monitoring,",vol 13, no. 9, September 2014 IEEE, pp 1-16

5. Nikhil Kedia, Water Quality Monitoring for Rural Areas- A Sensor Cloud Based Economical Project, in 1st International Conference on Next Generation Computing Technologies (NGCT-2015) Dehradun, India, 4-5 September 2015. 978-1-4673-6809-4/15/$31.00 ©2015 IEEE

6. Michal lom, ondrej pribyl & miroslav svitek, Internet 4.0 as a part of smart cities,978-1-5090-1116-2/16/$31.00 ©2016 IEEE

7. Zhanwei Sun, Chi Harold Liu, Chatschik Bisdikia_, Joel W. Branch and Bo Yang, 2012 9th Annual IEEE Communications Society Conference on Sensor, Mesh and Ad Hoc Communications and Network

8. Akanksha Purohit, Ulhaskumar Gokhale, Real Time Water Quality Measurement System based on GSM , IOSR (IOSR-JECE) Volume 9, Issue 3,Ver. V (May - June. 2014)

9. Eoin O'Connell, Michael Healy, Sinead O'Keeffe, Thomas Newe, and Elfed Lewis, IEEE sensors journal, vol. 13, no. 7, July 2013, 1530-437x/$31.00 © 2013 IEEE

10. Nidal Nasser, Asmaa Ali, Lutful Karim, Samir Belhaouari, 978-1-4799- 0792-2/13/$31.00 ©2013 IEEE.

11. Niel Andre cloete, Reza Malekian and Lakshmi Nair, Design of Smart Sensors for Real-Time Water Quality monitoring, ©2016 IEEE conference.