

Assignment -4

Assignment Date	12 october 2022
Student Name	Logeshvaran.T
Student Roll Number	513419106019
Maximum Marks	2 Marks

Question-1:

Write code and connections in wokwi for the ultrasonic sensor. Whenever the distance is less than 100 cms send an "alert" to the IBM cloud and display in the device recent events. Upload document with wokwi share link and images of IBM cloud

Solution:

```
#include <WiFi.h>
#include <PubSubClient.h>
WiFiClient wifiClient;
String data3;
#define ORG "mquylm"
#define DEVICE_TYPE "esp"
#define DEVICE_ID "esp-32"
#define TOKEN "_wobQnsPnCX!120Zv6"
#define speed 0.034 #define led 14 char server[] = ORG
".messaging.internetofthings.ibmcloud.com"; char
publishTopic[] = "iot-2/evt/Data/fmt/json"; char topic[] =
"iot-2/cmd/home/fmt/String"; char authMethod[] = "use-token-
auth"; char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":"
DEVICE_ID; PubSubClient client(server, 1883,
wifiClient); void publishData();

const int trigpin=5; const
int echopin=4;
String command;
String data="";

long duration; float
dist;

void setup()
{
```

```

    Serial.begin(115200);
pinMode(led, OUTPUT);
pinMode(trigpin, OUTPUT);
pinMode(echopin, INPUT);
wifiConnect(); mqttConnect();
} void loop() { bool
isNearby = dist < 100;
digitalWrite(led, isNearby);

publishData();
delay(500);
    if (!client.loop())
{
    mqttConnect();
}
}
void wifiConnect() {
    Serial.print("Connecting to ");
Serial.print("Wifi"); WiFi.begin("Wokwi-GUEST", "",
6); while (WiFi.status() != WL_CONNECTED) {
delay(500);
    Serial.print(".");
}
    Serial.print("WiFi connected, IP address: ");
Serial.println(WiFi.localIP());
} void
mqttConnect() {
    if (!client.connected()) {
        Serial.print("Reconnecting MQTT client to ");
Serial.println(server); while (!client.connect(clientId, authMethod,
token)) { Serial.print("."); delay(500);
        }
        initManagedDevice();
        Serial.println();
    }
} void initManagedDevice() {
if (client.subscribe(topic)) {
    // Serial.println(client.subscribe(topic));
    Serial.println("IBM subscribe to cmd OK");
} else {

```



```

        Serial.println("subscribe to cmd FAILED");
    } } void
publishData()
{    digitalWrite(trigpin,LOW);
digitalWrite(trigpin,HIGH);
delayMicroseconds(10);
digitalWrite(trigpin,LOW);
duration=pulseIn(echopin,HIGH);
dist=duration*speed/2;
if(dist<100){
    String payload = "{\"Normal
Distance\":\"";    payload += dist;
payload += "}";

    Serial.print("\n");
    Serial.print("Sending payload: ");
Serial.println(payload);
    if (client.publish(publishTopic, (char*) payload.c_str())) {
        Serial.println("Publish OK");
    }
}

    if(dist>101 && dist<111){
        String payload = "{\"Alert
distance\":\"";    payload += dist;
payload += "}";

        Serial.print("\n");
        Serial.print("Sending payload: ");
Serial.println(payload);
        if(client.publish(publishTopic, (char*) payload.c_str())) {
            Serial.println("Warning crosses 110cm -- it automaticaly of the loop");
digitalWrite(led,HIGH);
        }else {
            Serial.println("Publish FAILED");
        }
    }

}

    void callback(char* subscribeTopic, byte* payload,
unsigned int payloadLength){
    Serial.print("callback invoked for
topic:");    Serial.println(subscribeTopic);
for(int i=0; i<payloadLength; i++){

```

```

    dist += (char)payload[i];
  }
  Serial.println("data:" + data3);  if(data3=="lighton"){
Serial.println(data3);      digitalWrite(led,HIGH);
  }  data3="";
}

```

Output:

WOKWI

```

1 #include <WiFi.h>
2 #include <PubSubClient.h>
3 WiFiClient wifiClient;
4 String data3;
5 #define ORG "mqyilm"
6 #define DEVICE_TYPE "esp"
7 #define DEVICE_ID "esp:32"
8 #define TOKEN "wobQnsPnCK1120Zv6"
9 #define speed 0.034
10 #define led 14
11 char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
12 char publishTopic[] = "iot-2/evt/data/fmt/json";
13 char topic[] = "iot-2/cmd/home/fmt/String";
14 char authMethod[] = "use-token-auth";
15 char token[] = TOKEN;
16 char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
17 PubSubClient client(server, 1883, wifiClient);
18 void publishData();
19
20
21 const int trigpin=5;
22 const int echopin=4;
23 String command;
24 String data="";
25
26 long duration;
27 float dist;
28
29
30

```

Simulation

Reconnecting MQTT client to mqyilm.messaging.internetofthings.ibmcloud.com
IBM subscribe to cmd OK

Sending payload: {"Normal Distance":37.98}
Publish OK

Sending payload: {"Normal Distance":37.98}
Publish OK

IBM Watson IoT Platform

srinivasandehibabu@gmail.com
ID: mqyilm

Browse Action Device Types Interfaces

The recent events listed show the live stream of data that is coming and going from this device.

Event	Value	Format	Last Received
Data	{"Normal Distance":37.98}	json	a few seconds ago
Data	{"Normal Distance":37.89}	json	a few seconds ago
Data	{"Normal Distance":37.98}	json	a few seconds ago
Data	{"Normal Distance":37.98}	json	a few seconds ago
Data	{"Normal Distance":37.98}	json	a few seconds ago

Items per page 50 | 1-3 of 3 items

1 of 1 page

Wokwi link:

<https://wokwi.com/projects/347742426566230610>