


DEPLOYMENT OF APP IN IBM CLOUD DEPLOY IN KUBERNETES CLUSTER

Date	1 Nov 2022
Team ID	PNT2022TMID27420
Project Name	Smart Fashion Recommender Application



Hostname: echoserver-deployment-859b75d8c4-w75jn

Pod Information:

node name: 10.94.21.13
pod name: echoserver-deployment-859b75d8c4-w75jn
pod namespace: default
pod IP: 172.30.45.7

Server values:

server_version=nginx: 1.13.3 - lua: 10008

Request Information:

client_address=172.30.45.5
method=GET
real_path=/
query=
request_version=1.1
request_scheme=http
request_url=http://echoserver.arpad-ipv6-test-aug14.us-south.containers.appdomain.cloud:8080/

Request Headers:

accept=/*/*
host=echoserver.arpad-ipv6-test-aug14.us-south.containers.appdomain.cloud
user-agent=curl/7.54.0
x-forwarded-for=195.21.1.1
x-forwarded-host=echoserver.arpad-ipv6-test-aug14.us-south.containers.appdomain.cloud
x-forwarded-port=443
x-forwarded-proto=https
x-global-k8fdic-transaction-id=fc9b6d1fpoc1b7b63bf96cbf02396378
x-real-ip=195.21.1.1

Request Body:

-no body in request-

```
$ curl http://169.61.18.4:1884
```

```
Hostname: echoserver-deployment-859b75d8c4-r6s62
```

Pod Information:

```
node name:      10.73.115.27
pod name:       echoserver-deployment-859b75d8c4-r6s62
pod namespace:  default
pod IP: 172.30.154.209
```

Server values:

```
server_version=nginx: 1.13.3 - lua: 10008
```

Request Information:

```
client_address=195.21.195.21
method=GET
real path=/
query=
request_version=1.1
request_scheme=http
request_uri=http://169.61.18.4:8080/
```

Request Headers:

```
accept=/*/*
host=169.61.18.4:1884
user-agent=curl/7.54.0
```

Request Body:

```
-no body in request-
```

```
$ curl https://echoserver.arpad-ipvs-test-aug14.us-south.containers.appdomain.cloud

Hostname: echoserver-deployment-859b75d8c4-d6fdx

Pod Information:
  node name:      10.73.115.19
  pod name:       echoserver-deployment-859b75d8c4-d6fdx
  pod namespace:  default
  pod IP: 172.30.116.132

Server values:
  server_version=nginx: 1.13.3 - lua: 10008

Request Information:
  client_address=172.30.119.129
  method=GET
  real path=/
  query=
  request_version=1.1
  request_scheme=http
  request_uri=http://echoserver.arpad-ipvs-test-aug14.us-south.containers.appdomain.cloud:8080/

Request Headers:
  accept=/*/*
  host=echoserver.arpad-ipvs-test-aug14.us-south.containers.appdomain.cloud
  user-agent=curl/7.54.0
  x-forwarded-for=10.184.100.58
  x-forwarded-host=echoserver.arpad-ipvs-test-aug14.us-south.containers.appdomain.cloud
  x-forwarded-port=443
  x-forwarded-proto=https
  x-global-k8fdic-transaction-id=838e8708691877ea4ac7448370362e22
  x-real-ip=10.184.100.58

Request Body:
  -no body in request-
```

mycluster-free - IBM Cloud

(1) how to creat ibm Contain

cloud.ibm.com/kubernetes/clusters/cdrk7gef0hec6fjom1dg/overview

IBM Cloud

Search resources and products...

Catalog Manage Arivazhagan A's Account

Clusters / mycluster-free

Preparing master, workers... Expires in 30 days Add tags

Help Kubernetes dashboard Actions...

Overview

Worker nodes

Worker pools

DevOps New

Expires in 30 days: Be sure to back up your data, your cluster will be deleted in 30 days. To access the full capabilities of the service, try out a standard cluster.

Node status: 1 of 1 Pending Details

Add-on status: 0 of 0 Normal Details

Master status: Unknown Docs

Ingress status: Pending Docs

Details

Cluster ID	Version	Infrastructure	Zones
cdrik7gef0hec6fjom1dg	1.24.8_1544	Classic	Milan 01

Created Resource group Image security enforcement

Help

- Log in to your cluster
- Deploy your app
- Expose your app
- Add storage to your app
- Connect integrations
- Install add-ons
- Troubleshoot

14:07 18-11-2022

