



Thalavapalayam, Karur - 639 113.

ASSIGNMENT - II

Assignment Questions:

- 1. Create User table with user with email, username, roll number, password.
- 2. Perform UPDATE, DELETE Queries with user table
- 3. Connect python code to db2.
- 4. Create a flask app with registration page, login page and welcome page. By default load the registration page once the user enters all the fields store the data in database and navigate to login page authenticate user username and password. If the user is valid show the welcome page.

Assignment - II

Assignment2.py

```
import ibm db
dictionary={}
def printTableData(conn):
  sql = "SELECT * FROM userdetails"
  out = ibm db.exec immediate(conn, sql)
  document = ibm db.fetch assoc(out)
  while document != False:
    dictionary.update({document['USERNAME']:document['PASSWORD']})
    document = ibm db.fetch assoc(out)
def insertTableData(conn,rollno,username,email,password):
  sql="INSERT INTO userdetails(rollno,username,email,password) VALUES
({},'{}','{}')".format(rollno,username,email,password)
  out = ibm db.exec immediate(conn,sql)
  print('Number of affected rows : ',ibm db.num rows(out),"\n")
def updateTableData(conn,rollno,username,email,password):
  sql = "UPDATE userdetails SET (username,email,password)=('{}','{}','{}') WHERE
rollno={}".format(username,email,password,rollno)
  out = ibm db.exec immediate(conn, sql)
  print('Number of affected rows: ', ibm db.num rows(out), "\n")
def deleteTableData(conn,username):
  sql = "DELETE FROM userdetails WHERE username={}".format(username)
  out = ibm db.exec immediate(conn, sql)
```

```
print('Number of affected rows: ', ibm db.num rows(out), "\n")
try:
  conn=ibm db.connect("DATABASE=bludb;HOSTNAME=ba99a9e6-d59e-4883-8fc0-
d6a8c9f7a08f.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=31321;SECURITY
=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;PROTOCOL=TCPIP;UID=cll3376
1;PWD=JHRHpRtT82zDR0z6;", "", "")
  print("Db connected")
except:
  print("Error")
from flask import *
app=Flask( name )
@app.route("/")
@app.route("/login",methods=['POST','GET'])
def login(pbkdf2 sha256=None):
  if request.method=="POST":
    printTableData(conn)
    username=request.form['username']
    password=request.form['password']
    if dictionary[username] == password:
      return render template('user.html',uname=username)
  return render template('loginpage.html')
```

```
(@app.route("/register",methods=['POST','GET'])
def register():
  if request.method=="POST":
    rollno = request.form['rollno']
    username = request.form['username']
    email = request.form['email']
    password = request.form['password']
    insertTableData(conn, rollno, username, email, password)
    #printTableData(conn)
    return render template('loginpage.html')
  return render template('registerpage.html')
@app.route("/delected")
def delected():
  return render template('delectuser.html')
@app.route("/logout")
def logout():
  return redirect(url_for('login'))
#printTableData(conn)
#print(dictionary)
if name ==" main ":
  app.run(debug=True)
```

```
Loginpage.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-</pre>
KJ3o2DKtlkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN
" crossorigin="anonymous"></script>
  <script src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"</pre>
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"</pre>
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>
  <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
  <title>Login Page</title>
  <style type="text/css">
    body{
      background-color: #EAF6F6;
    }
        .msg,.login\{-->
<!--
<!--
          text-align: center;-->
<!--
          margin-top: 25px;-->
          margin-bottom:25px;-->
<!--
<!--
        }-->
```

```
form{
       width: 30%;
    .center {
     position: absolute;
     left: 0;
     right: 0;
     margin: auto;
  </style>
</head>
<body>
  <nav class="h1 navbar navbar-light p-3 mb-2 bg-primary text-white justify-content-
between">
   <a class="navbar-brand">Login Page</a>
  </nav>
  <br>
  <br>
  <form action="/login" method="POST" class="center">
    <div class="form-group">
       <label for="exampleInputEmail1">User Name</label>
       <input type="text" name="username" class="form-control"</pre>
id="exampleInputEmail1" placeholder="Enter Username">
    </div>
    <div class="form-group">
       <label for="exampleInputPassword1">Password</label>
       <input type="password" name="password" class="form-control"</pre>
id="exampleInputPassword1" placeholder="Password">
```

```
</div>
<div>
New User ? Click to <a href="{{url_for('register')}}">Sign-Up</a>
</div>
<br/>
<br/>
<br/>
<button type="submit" class="btn btn-primary">Submit</button>
</form>
</body>
</html>
```

Registerpage.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-</pre>
KJ3o2DKtlkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN
" crossorigin="anonymous"></script>
  <script src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"</pre>
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"</pre>
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>
  <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
```

```
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
  <title>Register page</title>
 <style type="text/css">
    body{
      background-color: #EAF6F6;
    .msg,.login{
      text-align: center;
      margin-top: 25px;
      margin-bottom:25px;
    }
    form{
      width: 30%;
    .center {
     position: absolute;
     left: 0;
     right: 0;
     margin: auto;
  </style>
</head>
<body>
 <nav class="h1 navbar navbar-light p-3 mb-2 bg-primary text-white justify-content-
between">
   <a class="navbar-brand">Register Page</a>
```

```
</nav>
 <form action="/register" method="POST" class="center">
    <div class="form-group">
      <label for="exampleInputUsername">Roll Number</label>
      <input type="number" name="rollno" class="form-control"</pre>
id="exampleInputRollNo" aria-describedby="emailHelp" placeholder="Enter Roll
Number">
    </div>
    <div class="form-group">
      <label for="exampleInputUsername">User Name</label>
      <input type="text" name="username" class="form-control"</pre>
id="exampleInputUsername" aria-describedby="emailHelp" placeholder="Enter
Username">
    </div>
    <div class="form-group">
      <label for="exampleInputEmail">Email</label>
      <input type="text" name="email" class="form-control" id="exampleInputEmail"</pre>
aria-describedby="emailHelp" placeholder="Enter Username">
    </div>
    <div class="form-group">
      <label for="exampleInputPassword">Password</label>
      <input type="password" name="password" class="form-control"</pre>
id="exampleInputPassword" placeholder="Password">
    </div>
    < div>
      Already a User? Click to <a href="{{url for('login')}}}">Login</a>
    </div>
    <br>
    <button type="submit" class="btn btn-primary">Submit</button>
 </form>
```

```
</body>
</html>
```

User.html

```
<html>
  <head>
    <title>User Page</title>
    <link rel="stylesheet" href="{{url for('static',filename='css/bootstrap.min.css')}}}">
    <script src="{{url for('static',filename='js/jquery.min.js')}}}"></script>
  </head>
  <body>
    <div class="container">
       <div class="col-md-5">
         <h3 class="page-header text-info">User Page</h3>
         <h3 ><marquee behavior="scroll" direction="left">Welcome
{{uname}}</marquee></h3><hr>
         <h4> <a href="{{url for('delete')}}}">Delete</h4>
         <h4><a href="{{url for('logout')}}}">Logout</a></h4>
       </div>
    </div>
  </body>
</html>
```

Output Screenshot:





