CREATE UI TO INTERACT WITH APPLICATION

Design an application with following specification

1. Registration page
2. Login page
3. Add the expenditure
4. Wallet page

Index.html

```html
<!DOCTYPE html>

<html lang="en" dir="ltr">

<head>

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Login Form | CodingLab</title>

<link rel="stylesheet" href="style.css">

<script src="https://kit.fontawesome.com/a076d05399.js"></script>

</head>

<body>

<div class="container">

<div class="wrapper">

<div class="title"><span>Login Form</span></div>

<form action="#">

<div class="row">

<i class="fas fa-user"></i>

<input type="text" placeholder="Email or Phone" required>

</div>

<div class="row">
```

```html
<i class="fas fa-lock"></i>

<input type="password" placeholder="Password" required>
</div>

<div class="pass"><a href="#">Forgot password?</a></div>

<div class="row button">

<input type="submit" value="Login">

</div>

<div class="signup-link">Not a member? <a href="#">Signup now</a></div>

</form>

</div>

</div>

</body>

</html>
```

Style.css

```css
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@400;500;600;700&display= s
wap'); *{ margin: 0; padding: 0; box-sizing: border-box; font-family: 'Poppins',sans serif;

}
body{  background:

#1abc9c;  overflow:

hidden;

}
::selection{ background:

rgba(26,188,156,0.3);

}
.container{ max

width: 440px;
```

```css
   padding: 0 20px;

   margin: 170px auto;
   }

   .wrapper{ width: 100%; background: #fff;

   border-radius: 5px; box-shadow: 0px 4px 10px

   1px rgba(0,0,0,0.1);

   }
.wrapper .title{ height:

90px; background:

#16a085; border-radius:

5px 5px 0 0;

 color: #fff;  font size:

30px; font weight:

600; display: flex;

align items: center;

justifycontent: center;

   }
   .wrapper form{ padding: 30px

   25px 25px 25px;

   }
   .wrapper

   form .row{height:

   45px;

    margin-bottom: 15px;

    position: relative;

   }
   .wrapper  form  .row

   input{height:

   100%;width:
```

```css
  100%; outline: none;

  padding-left: 60px;

  border-radius: 5px; border:
  1px solid lightgrey;

  font-size: 16px; transition:

  all 0.3s ease;

  }
form .row input:focus{ border-color: #16a085; box shadow:

inset 0px 0px 2px 2px rgba(26,188,156,0.25);

  }
form .row

input::placeholder{color:

#999;

  }
.wrapper  form  .row

i{position:   absolute;

width:  47px;  height:

100%;

 color: #fff; font

size: 18px;

 background: #16a085;

border: 1px solid #16a085;

border-radius: 5px 0 0 5px;

display: flex; align-items:

center; justify-content:

center;

  }
 .wrapper

 form .pass{ margin:

 -8px 0 20px 0;
```

```css
    }
    .wrapper form .pass a{
color: #16a085; font-
size: 17px; text

 decoration: none;

    }
.wrapper form .pass a:hover{ text

decoration: underline;

    }
    .wrapper form .button

 input{color: #fff; font-

 size:20px; font-weight:

 500;
padding-left: 0px;

background: #16a085;

border: 1px solid #16a085;

cursor: pointer;

    }
 form .button

 input:hover{background:

 #12876f;

    }
    .wrapper form .signup-

 link{text-align: center;

 margin-top: 20px; font

   size: 17px;

    }
.wrapper form .signup-link

a{color: #16a085; text
```

```css
      decoration: none;

    }
form .signup-link a:hover{ text

decoration: underline;

    }
```