```
M.Ramya-Team Leader
User Register Form
Assignment 1
```

User Register Form Coding:

```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style>
body{
font-family: Calibri, Helvetica, sans-serif;
 background-color: pink;
.container {
  padding: 50px;
 background-color: lightblue;
input[type=text], input[type=password], textarea {
 width: 100%;
 padding: 15px;
 margin: 5px 0 22px 0;
```

```
display: inline-block;
 border: none;
 background: #f1f1f1;
input[type=text]:focus, input[type=password]:focus {
 background-color: orange;
 outline: none;
div {
      padding: 10px 0;
hr {
 border: 1px solid #f1f1f1;
 margin-bottom: 25px;
.registerbtn {
 background-color: #4CAF50;
 color: white;
 padding: 16px 20px;
 margin: 8px 0;
 border: none;
 cursor: pointer;
 width: 100%;
 opacity: 0.9;
```

```
}
.registerbtn:hover {
 opacity: 1;
</style>
</head>
<body>
<form>
 <div class="container">
 <center> <h1> Registeration Form</h1> </center>
 <hr>
 <label> Firstname </label>
<input type="text" name="firstname" placeholder= "Firstname" size="15" required</pre>
<label> Lastname: </label>
<input type="text" name="Lastname" placeholder="Lastname" size="15" required</pre>
/>
<label>
Phone:
</label>
<input type="text" name="country code" value="+91" size="2"/>
<label> city: </label>
<input type="text" name="city" size="15"/> <br> <br>
<label for="email"><b>Email</b></label>
```

```
<input type="text" placeholder="Enter Email" name="email" required>

<label for="psw"><b>Password</b></label>
  <input type="password" placeholder="Enter Password" name="psw" required>
  <button type="submit" class="registerbtn">Register</button>
</form>
</body>
</html>
```

User Register Form:

Firstname		
Firstname		
.		
Lastname:		
D1	04	
Phone: +9	<i>3</i> 1	
Address		
Address		
Email:		
Password:		

Visual Coding:

```
• <!DOCTYPE html> • Untitled-2 - counderdemo - Visual Studio C...
                                                                       <!DOCTYPE html> Untitled-2
                                           1 <!DOCTYPE html>
     ∨ COUNDERDEMO
       > node_modules
       > public
                                              <meta name="viewport" content="width=device-width, initial-scale=1">
       # App.css
                                          6 body{
       JS App.js
                                                 font-family: Calibri, Helvetica, sans-serif;
                                                background-color: ■pink;
       JS App.test.js
       # index.css
                                               .container {
                                                  padding: 50px;
       logo.svg
                                                 background-color: ■lightblue;
       JS reportWebVitals.js
       JS setupTests.js
       gitignore
                                               input[type=text], input[type=password], textarea {
                                                 width: 100%;
      {} package-lock.json
                                                 padding: 15px;
      {} package.json
                                                 margin: 5px 0 22px 0;
      ③ README.md
                                                 display: inline-block;
                                                 border: none;
                                                 background: ■#f1f1f1;
(2)
                                               input[type=text]:focus, input[type=password]:focus {
                                                 background-color: ■orange;
     > OUTLINE
     > TIMELINE
```

```
File Edit Selection View Go Run Terminal Help
                                                        • <!DOCTYPE html> • Untitled-2 - counderdemo - Visual Studio C... 📗 🔲 📗 📗
                                         JS App.js
                                                                         <!DOCTYPE html> Untitled-2
                                                         ■ Untitled-1
                                                  background-color: morange;
     ∨ COUNDERDEMO
       > public
                                                            padding: 10px 0;
       # App.css
                                                border: 1px solid ■#f1f1f1;
       JS App.test.js
                                                 margin-bottom: 25px;
       # index.css
                                              .registerbtn {
                                                 background-color: ■#4CAF50;
       JS reportWebVitals.js
                                                  color: □white;
       JS setupTests.js
                                                  padding: 16px 20px;
                                                  margin: 8px 0;
       .gitignore
                                                  border: none;
      {} package-lock.json
      {} package.json
                                                  width: 100%;
      ① README.md
                                                  opacity: 0.9;
                                                .registerbtn:hover {
(Q)
     > OUTLINE
     > TIMELINE
                                                                                           Ln 11, Col 21 Spaces: 4 UTF-8 CRLF
```

```
• <!DOCTYPE html> • Untitled-2 - counderdemo - Visual Studio C...
📢 File Edit Selection View Go Run Terminal Help
                                                            ■ Untitled-1
                                                                            <!DOCTYPE html> Untitled-2
     ∨ COUNDERDEMO
       > node_modules
       ∨ src
                                                    <center> <h1> Registeration Form</h1> </center>
                                                  <label> Firstname </label>
       JS App.test.js
                                                  <input type="text" name="firstname" placeholder= "Firstname" size="15"</pre>
        # index.css
                                                  <label> Lastname: </label>
                                                  <input type="text" name="Lastname" placeholder="Lastname" size="15" requ</pre>
       ¹ logo.svg
                                                  Phone:
       JS reportWebVitals.js
       JS setupTests.js
                                                  <input type="text" name="country code" value="+91" size="2"/>
       .gitignore
      {} package-lock.json
      {} package.json
                                                  <input type="text" name="city" size="15"/> <br> <br> <label for="email"><b>Email</b></label>
      ① README.md
                                                   <input type="text" placeholder="Enter Email" name="email" required>
                                                       <label for="psw"><b>Password</b></label>
                                                      <input type="password" placeholder="Enter Password" name="psw" requi</pre>
                                                      <button type="submit" class="registerbtn">Register</button>
     > OUTLINE
```

Visual Studio Output Screen:

Firstname		
Lastname:		
Phone : +91		
Address		
Email:		
Password:		