

SPRINT 3

TEAM-ID : PNT2022TMID32082

TEAM LEADER : T.A.KAVIPRAKASH.

TEAM MEMBER-1 : B.CHIRADEEP.

TEAM MEMBER-2 : R.KUMARAVEL.

TEAM MEMBER-3 : S.POOVARASAN.

```
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
```

```
<html>
```

```
<head>
```

```
<title>Child Safety Tips - Kidnapping Escape </title>
```

```
<link href="https://www.crime-safety-security.com/crime.xml" rel="alternate" title="RSS"
type="application/rss+xml"/>
```

```
<style type="text/css">
```

```
#addSiteTo {
```

```
width:90%;
```

```
font-size:85%;
```

```
text-align:center;
```

```
padding:8px 0;
```

```
border:1px solid #000;
```

```
margin:12px auto;
```

```
background-color: #FFFFFF;
```

```
}
```

```
#addSiteTo p {
```

```
padding:2px 2px 4px;
```

```
margin:0;
```

```
}
```

```
#addSiteTo img {  
border:0;  
padding:1px 0;  
}
```

```
#addSiteTo .questionMark {  
padding:0;  
margin:1px auto;  
text-align:center;  
width:75%;  
}
```

```
#addSiteTo .questionMark img {  
margin:0 4px 4px 0;  
padding:0;  
}
```

```
</style>
```

```
<meta content="text/html; charset=utf-8" http-equiv="Content-Type"/>
```

```
<meta content="Child Safety Tips for stranger danger and personal safety devices to prevent child  
kidnapping." name="Description"/>
```

```
<meta content="Child Safety, Stranger Danger, child kidnapping, Personal Safety Devices"  
name="Keywords"/>
```

```
<link href="http://web.archive.org/web/20120213042846cs_/http://www.crime-safety-  
security.com/support-files/classic_footer.css" rel="stylesheet" type="text/css"/>
```

```
<meta content="SKYPE_TOOLBAR_PARSER_COMPATIBLE" name="SKYPE_TOOLBAR"/>
```

```
<link href="https://www.crime-safety-security.com/child-safety-kidnap.html" rel="canonical"/>
```

```
<script language="JavaScript" type="text/javascript">
```

```
<!--
```

```
function MM_swapImgRestore()
```

```

{
    var i,x,a=document.MM_sr; for(i=0;a&&i<a.length&&(x=a[i])&&x.oSrc;i++) x.src=x.oSrc;
}

```

```

function MM_preloadImages()

```

```

{
    var d=document;
    if(d.images)
    {
        if(!d.MM_p) d.MM_p=new Array();
        var i,j=d.MM_p.length,a=MM_preloadImages.arguments;
        for(i=0; i<a.length; i++)
            if (a[i].indexOf("#")!=0)
            {
                d.MM_p[j]=new Image; d.MM_p[j++].src=a[i];
            }
    }
}

```

```

function MM_swapImage()

```

```

{
    var i,j=0,x,a=MM_swapImage.arguments;
    document.MM_sr=new Array;
    for(i=0;i<(a.length-2);i+=3)
        if ((x=MM_findObj(a[i]))!=null){document.MM_sr[j++]=x; if(!x.oSrc) x.oSrc=x.src;
x.src=a[i+2];}
}

```

```

function MM_openBrWindow(theURL,winName,features)

```

```

{
    window.open(theURL,winName,features);
}

```

```
}
```

```
function MM_findObj(n, d)
```

```
{
```

```
    var p,i,x;
```

```
    if(!d) d=document; if((p=n.indexOf("?"))>0&&parent.frames.length)
```

```
    {
```

```
        d=parent.frames[n.substring(p+1)].document; n=n.substring(0,p);
```

```
    }
```

```
    if(!(x=d[n])&&d.all)
```

```
        x=d.all[n];
```

```
    for (i=0;!x&&i<d.forms.length;i++) x=d.forms[i][n];
```

```
    for(i=0;!x&&d.layers&&i<d.layers.length;i++)
```

```
        x=MM_findObj(n,d.layers[i].document);
```

```
    if(!x && d.getElementById)
```

```
        x=d.getElementById(n);
```

```
    return x;
```

```
}
```

```
//-->
```

```
</script>
```

```
<script language="JavaScript" type="text/JavaScript">
```

```
<!--
```

```
function MM_displayStatusMsg(msgStr) { //v1.0
```

```
    status=msgStr;
```

```
    document.MM_returnValue = true;
```

```
}
```

```
//-->
```

```
</script>
```

```
<style media="all" type="text/css">
```

```
body, td
```

```

{
    font:13px Verdana, Geneva, Arial, Helvetica, sans-serif;

    color:#000;

    margin: 0px;

}

</style>

</head>

<body alink="Red" background="http://www.crime-safety-security.com/imgs/backimage.gif"
bgcolor="#FFFFFF" link="Blue" onload="MM_preloadImages('http://www.crime-safety-
security.com/imgs/index-over.gif', 'http://www.crime-safety-security.com/imgs/crime-blog-over.gif',
'http://www.crime-safety-security.com/imgs/site-directory-over.gif', 'http://www.crime-safety-
security.com/imgs/index-sitemap-over.gif', 'http://www.crime-safety-security.com/imgs/Stranger-
Danger-over.gif', 'http://www.crime-safety-security.com/imgs/Internet-Safety-for-Kids-over.gif',
'http://www.crime-safety-security.com/imgs/Cyber-Bullying-over.gif', 'http://www.crime-safety-
security.com/imgs/Stop-Bullying-over.gif', 'http://www.crime-safety-security.com/imgs/School-
Violence-over.gif', 'http://www.crime-safety-security.com/imgs/Teen-Abuse-over.gif',
'http://www.crime-safety-security.com/imgs/Cyber-Stalking-over.gif', 'http://www.crime-safety-
security.com/imgs/College-Security-over.gif', 'http://www.crime-safety-security.com/imgs/Running-
Safety-over.gif', 'http://www.crime-safety-security.com/imgs/Street-Crime-over.gif',
'http://www.crime-safety-security.com/imgs/Purse-Snatching-over.gif', 'http://www.crime-safety-
security.com/imgs/Parking-Lot-Safety-over.gif', 'http://www.crime-safety-
security.com/imgs/Driving-Safety-Tips-over.gif', 'http://www.crime-safety-
security.com/imgs/Apartment-Security-over.gif', 'http://www.crime-safety-
security.com/imgs/Burglary-Prevention-over.gif', 'http://www.crime-safety-
security.com/imgs/Camping-Safety-over.gif', 'http://www.crime-safety-security.com/imgs/Myth-
Busters-over.gif', 'http://www.crime-safety-security.com/imgs/Urban-Myths-over.gif',
'http://www.crime-safety-security.com/imgs/Free-Range-Kids-over.gif', 'http://www.crime-safety-
security.com/imgs/Myths-and-Urban-Legends-over.gif', 'http://www.crime-safety-
security.com/imgs/True-Crimes-over.gif', 'http://www.crime-safety-security.com/imgs/True-Crime-
Stories-over.gif', 'http://www.crime-safety-security.com/imgs/True-Crime-Library-over.gif',
'http://www.crime-safety-security.com/imgs/Crimes-of-Passion-over.gif', 'http://www.crime-safety-
security.com/imgs/home-security-overview-over.gif', 'http://www.crime-safety-
security.com/imgs/outdoor-safety-overview-over.gif', 'http://www.crime-safety-
security.com/imgs/car-security-overview-over.gif', 'http://www.crime-safety-
security.com/imgs/travel-security-overview-over.gif', 'http://www.crime-safety-
security.com/imgs/child-safety-overview-over.gif', 'http://www.crime-safety-
security.com/imgs/women-safety-overview-over.gif', 'http://www.crime-safety-
security.com/imgs/workplace-safety-overview-over.gif', 'http://www.crime-safety-
security.com/imgs/criminal-minds-intuition-over.gif', 'http://www.crime-safety-
security.com/imgs/criminal-minds-overview-over.gif', 'http://www.crime-safety-
security.com/imgs/victims-options-overview-over.gif', 'http://www.crime-safety-
security.com/imgs/survival-options-overview-over.gif', 'http://www.crime-safety-
security.com/imgs/stress-control-overview-over.gif', 'http://www.crime-safety-
security.com/imgs/fighting-options-overview-over.gif', 'http://www.crime-safety-

```

security.com/imgs/Verbal-Self-Defense-over.gif', 'http://www.crime-safety-security.com/imgs/Self-Defense-over.gif', 'http://www.crime-safety-security.com/imgs/rape-escape-options-overview-over.gif', 'http://www.crime-safety-security.com/imgs/security-products-overview-over.gif', 'http://www.crime-safety-security.com/imgs/security-products-alarms-over.gif', 'http://www.crime-safety-security.com/imgs/DIY-Home-Security-Systems-over.gif', 'http://www.crime-safety-security.com/imgs/security-products-simple-electronic-over.gif', 'http://www.crime-safety-security.com/imgs/Door-Security-Systems-over.gif', 'http://www.crime-safety-security.com/imgs/Peepholes-over.gif', 'http://www.crime-safety-security.com/imgs/Home-Intercom-System-over.gif', 'http://www.crime-safety-security.com/imgs/Lock-Bumping-over.gif', 'http://www.crime-safety-security.com/imgs/Sliding-Door-Security-over.gif', 'http://www.crime-safety-security.com/imgs/Outdoor-Security-Lighting-over.gif', 'http://www.crime-safety-security.com/imgs/Pepper-Spray-over.gif', 'http://www.crime-safety-security.com/imgs/Personal-Security-Alarm-over.gif', 'http://www.crime-safety-security.com/imgs/GPS-Child-Locator-over.gif', 'http://www.crime-safety-security.com/imgs/Senior-Safety-Products-over.gif', 'http://www.crime-safety-security.com/imgs/crime-survivors-overview-over.gif', 'http://www.crime-safety-security.com/imgs/newsletter-archive-t-2-over.gif', 'http://www.crime-safety-security.com/imgs/Identity-Theft-over.gif', 'http://www.crime-safety-security.com/imgs/article-bank-t-2-over.gif', 'http://www.crime-safety-security.com/imgs/about-michael-over.gif', 'http://www.crime-safety-security.com/imgs/contact-us-over.gif', 'http://www.crime-safety-security.com/imgs/share-this-site-over.gif', 'http://www.crime-safety-security.com/imgs/privacy-policy-over.gif', 'http://www.crime-safety-security.com/imgs/terms-of-service-over.gif')" vlink="Purple">

<table align="center" border="0" cellpadding="0" cellspacing="0" width="725">

<tbody>

<tr align="left">

<td colspan="2" valign="top"></td>

</tr>

<tr>

<td bgcolor="#CCCCCC" valign="top" width="130">

<div id="Layer1" style="position:absolute; width:150px; z-index:1; visibility: visible; top: 130px;">

<style type="text/css">

.navheader {

display: block;

width: 150px;

font-family: Times New Roman;

font-size: 14px;

font-weight: bold;

color: #FFFFFF;

text-align: center;

border-top-width: 0px;

border-right-width: 0px;

border-bottom-width: 0px;

border-left-width: 0px;

background-color: #6699FF;

}

</style>

FAQs

MYTH BUSTERS

TRUE CRIMES

AVOIDING DANGER

<a onmouseout="MM_swapImgRestore()" onmouseover="MM_swapImage('Image33','http://www.crime-safety-security.com/imgs/car-

security-overview-over.gif',1)">

 FACING DANGER

 ESCAPING DANGER

<a onmouseout="MM_swapImgRestore()" onmouseover="MM_swapImage('Image48','','http://www.crime-safety-security.com/imgs/rape-

escape-options-overview-over.gif',1)">

SECURITY PRODUCTS

 RESOURCES

[!\[Contact Us\]\(http://web.archive.org/web/20120213042846im_/http://www.crime-safety-security.com/imgs/contact-us.gif\)](http://www.crime-safety-security.com/imgs/contact-us-over.gif)

[!\[Share This Site\]\(http://web.archive.org/web/20120213042846im_/http://www.crime-safety-security.com/imgs/share-this-site.gif\)](http://www.crime-safety-security.com/imgs/share-this-site-over.gif)

 fine print

[!\[Privacy Policy\]\(http://web.archive.org/web/20120213042846im_/http://www.crime-safety-security.com/imgs/privacy-policy.gif\)](http://www.crime-safety-security.com/imgs/privacy-policy-over.gif)

[!\[Terms of Service\]\(http://web.archive.org/web/20120213042846im_/http://www.crime-safety-security.com/imgs/terms-of-service.gif\)](http://www.crime-safety-security.com/imgs/terms-of-service-over.gif)

Enter your E-mail Address
<input name="email" size="12" type="text"/>
Enter your First Name (optional)
<input name="name" size="12" type="text"/>
Then
<input name="SUBMIT" type="SUBMIT" value="Subscribe"/>
 Don't worry -- your e-mail address is totally secure.
 I promise to use it only to send you The Crime-Safety-Security Newsletter. </td> |

```

</tr>

</tbody>

</table>

</form>

<br/>

<center>

<div id="addSiteTo">

<div class="questionMark">

    [

        <a onclick="javascript:window.open('http://www.crime-safety-
security.com/help/rss.html','help','resizable,status,scrollbars,width=600,height=500');return
false;"><span style="font-weight:bold;font-size:110%;">?</span></a>] Subscribe To This Site

    </div>

<p style="margin-top:4px;"><a onclick="alert('Sorry, please right-click on this button, and then copy
the shortcut (the URL of this link). Paste that URL into your RSS reader. If this message is confusing,
close this window and then please click on the question mark next to &quot;Subscribe to This
Site&quot;'); return false;" target="#new"></a><br/><a rel="nofollow"
target="new"></a><br/><a rel="nofollow" target="new"></a><br/><a rel="nofollow" target="new"> </a><br/><a rel="nofollow" target="new"></a></p>

</div>

</center>

</div> </td>

<td valign="top" width="595">

<table align="center" border="0" cellpadding="10" cellspacing="0" width="500">

<tbody>

<tr>

```

<td> <h1 style="text-align:center;">Child Safety Tips:
Kidnapping Escape</h1>
<p>
Kidnapping is the worst threat to Child Safety. Teach your child to:</p><p></p>
<center>

DO <u><i>ANYTHING</i></u> POSSIBLE TO ESCAPE FROM A KIDNAPPER!

</center><p></p><p></p><p>CHILD SAFETY DRILL: If a stranger in a car wants you to come closer, run as fast as you can in the opposite direction, and scream for someone to call 9-1-1.

</p>

<blockquote>

<i>Two men kidnapped 7-year-old Erica Pratt from a Philadelphia street in 2002. They locked her in the basement of an abandoned house and made ransom demands of her family. Erica gnawed through the duct tape binding her, kicked through a door panel, broke an outside window to call for help, and was freed with the help of kids nearby.<p></p></i>

<p><i>Rebecca Savarese was walking to school in Pittsfield MA on a wintry morning in 1993. A man exited his pickup truck parked at the curb of the busy intersection, then grabbed and pulled the 10-year-old toward his truck. She yelled and spun away, leaving him holding her backpack as she ran to safety. He dropped it on the sidewalk and casually drove away. Only one of many passersby noticed the kidnapping attempt and wrote down the truck's license plate number, leading to Louis Lent's arrest at his home (with cages concealed in the walls) â€” a suspected murderer of dozens of children.</i></p>

</blockquote><p></p><p>Rebecca was his only target who'd been taught child safety classes â€” to defy an adult and fight to escape <i>immediately</i>. Odds of survival are far better <i>on the spot</i> rather than at a secluded secondary crime scene where a kidnapper can carry out his evil plans. As early as possible, through role-playing (and playing Hide & Seek), teach Child Safety to your children â€” how to escape from a kidnapper. </p><h3 style="text-align:center;">STRANGER DANGER ESCAPE</h3> â€” Thrash, fight, bite, and scream, "Help! Police!" repeatedly, shed a jacket or backpack that is grabbed, drop any excess baggage slowing them down, <i>escape</i> to a populated area, and call the police. YELL! RUN! TELL! The kidnapper fears a public spectacle and may simply flee alone. Also, witnesses may intervene, or at least identify the kidnapper and/or vehicle.
â€” If there's a gun, ignore it and run! A gun is used to <i>scare</i> â€” rarely if ever to shoot a child. (Besides, if he's willing to quickly kill a child on the spot, he'll slowly do worse harm at leisure before killing the child later at a secluded, secondary crime scene anyway.)
â€” Pull the pin on their personal noisemaker alarm. See below.
â€” Run in circles around an object such as a parked car.
â€” Get under a car (belly up) and hold onto the underside so he can't drag them out. If he crawls under there after them, get out on the other side.
â€” Pull a fire alarm. <h3 style="text-align:center;">Child Safety Devices &
Program</h3> â€” See all of child safety throughout Crime-Safety-Security.com, especially <a>Home Security.
â€” <a>GPS Child Locator: a child tracking device. A variety of models are available. I <i>highly</i> recommend these if used with the utmost parental discretion.
â€” <a>Personal Security Alarm: a.k.a. noisemaker or screamer. Most attackers won't chase a noisy target.
â€” The RadKids.org superbly covers child self-defense (from bullies, molesters, kidnappers) as well as all-around child safety tips (for fires, traffic, getting lost,

etc.) for ages 5-12. The instruction level increases for each age group. And it's a terrific bargain: pay the low fee once (which barely covers overhead costs) and your child can return again and again for free at any RadKids location nationwide.

<center>

Windmilling

</center><p></p>

<blockquote>

<i>The haunting videotape from Evie's Car Wash camera in Sarasota FL shows 11-year-old Carlie Brucia being led to her death by Joseph P. Smith in 2004 – the first time the world actually saw a monster kidnapping a child – pulling her by the wrist out of sight.</i>

</blockquote><p></p><p>It might have never happened had she not been outdoors unsupervised, or had she known the child safety technique for kids to get away from an adult by “windmilling” their arm when it's grabbed – that is, <i>suddenly swinging the whole, straight arm from the shoulder in a large circle to break his grip. Then the child should run screaming for help.</i></p><p><i>If snatched while on a bike: hang onto the bike with hands and legs intertwined around the bike to prevent being shoved into a car. Scream all the while.</i></p><p></p>

<center>

IF THE CHILD IS <i>ALREADY</i> IN THE KIDNAPPER'S CAR

</center><p></p><p>

<tab>

CAUTION: These escape maneuvers may injure the child or others. The parents must assume

<i>all</i> responsibility and decide if the benefit of child safety outweighs the risk. Practice these maneuvers in a parked vehicle with the motor turned

<i>off</i>.

</tab></p><p>The main idea is to <i>stop</i> the kidnapper – the sooner the better – from driving the child to a secluded location. The child must disrupt the kidnapper's ability to drive and/or cause the car to crash while it's moving at a <i>slow</i> speed. This will attract the attention of other people and give the child a chance to flee. Then:</p><p>– <i>Immediately</i>, before he even begins to drive her away, she can thrust herself between the driver and steering wheel – hanging onto the steering wheel with all her might while blaring the horn. <i>Do this as soon as possible</i> – or whenever she gets the chance.
– Grab the ignition key to turn off the engine – causing the car to suddenly slow and the steering to freeze.
– Grab the steering wheel while he's in mid-turn.
– Brace her back against the door and attack the kidnapper with the powerful <i>Defensive Ground Kicks</i> taught in <a>Fighting Strategies. He won't be able to drive while absorbing a rapid-fire barrage of such kicks.
– Jump out the door whenever the car is not moving.
– Scream “Help! Police!” whenever a window or door is opened.
– If she's a back seat passenger, she may still be able to attack the driver by attacking his eyes or throat from behind at a critical time. <i>At a very slow speed, cause the car to

crash!</i></p><p>To enhance child safety, teach children <i>Clinch Attacks</i> at <a>Fighting Strategies. </p><h3 style="text-align:center;">GIRL OUTSMARTS KIDNAPPER</h3>

<blockquote>

<i>A burglar, Enrique Sosa Alvarez, kidnapped 9-year-old Jennette Tamayo from her San Jose CA home in 2003 and drove away with her in the back seat of his car. She felt panic when he spoke on his cellphone about killing her and thought, "Oh, my God! I have to find a way out." She stayed strong as she talked to him, saying that she was sick â so that he saw her as a person.</i>

<p><i>Spooked by intense media coverage and an Amber Alert, he dropped her off unharmed. She helped police find him by having memorized his cellphone number.</i></p>

</blockquote> <p></p><h3 style="text-align:center;">Safety Tips for Kids</h3> â <a>Child Safety - Overview
â <a>GPS Child Locator: a child tracking device.
â <a>Personal Security Alarm: a.k.a. screamer or noisemaker.
â <a>Child - Molester Safety: the subtle warning signs.
â <a>Child Safeguarding from molesters, bullies, and more.
â <a>Child - Internet Safety: the dangers & safeguards.
â <a>Internet Safety for Kids 10 things parents need to know FAQ.
â <a>Cyber Bullying: how to stop it FAQ.
â <a>Stop Bullying in school FAQ.
â <a>School Violence prevention FAQ.
â <a>Child - Outdoor Safety: staying out of harm's way.
â <a>Free-Range Kids vs Myth Busters
â <a>Child Kidnapping: dangers lurking at the Mall.
â <a>Child - Kidnapping Escape from a monster. (YOU'RE NOW ON <i>THIS</i> PAGE)
â <a>Stranger Danger vs Stranger Safety FAQ
â <a>911 Calls: how to do it right.
â <a>Recap & Resources: a summary of this section.
<p>Go to
 <a>Stranger Danger vs Stranger Safety FAQ
 <a>Stop Bullying FAQ
 <a>Child Safety - Overview
 <a>www.Crime-Safety-Security.com HOME PAGE </p>
 <script src="https://www.crime-safety-security.com/ssjs/socializeit.js" type="text/javascript"></script> <script type="text/javascript">socializeit({pack: 2, domain:'crime-safety-security.com', payItText:'Enjoy this page? Please pay it forward. Here\'s how...', szColor:'',whatIsThisUrl:''});

</script>

<!-- SB_START: sbitool_blocks.footer -->

<div class="page_footer_container">

<div class="page_footer_content">

<div class="liner">

<div class="footer_content">

Certified by the Michigan Commission of Law Enforcement Standards

for Police Academies/General Public.

No Copying without Permission

All Rights Reserved © Copyright 1990-2012

Michael Edward Loftus Sr â Crime-Safety-Security.com

```

        </div>
</div>
</div>
</div>
<!-- SB_END: sbitool_blocks.footer --> </td>
</tr>
</tbody>
</table> </td>
</tr>
</tbody>
</table>
</body>
</html>



```




NODE-RED:

CREATING CLOUDANT DB AND INTEGRATING NODE-RED WITH THE WEB UI

Create Cloudant DB:

Search by Device ID

Device Simulator ☐  

<input type="checkbox"/>	Device ID	Status	Device Type	Class ID
> <input type="checkbox"/>	Iot_ibm	 Disconnected	Device_1	Device
> <input type="checkbox"/>	Sprint_2	 Disconnected	ESP32_ibm	Device
> <input type="checkbox"/>	hcsr04_Sensor	 Disconnected	ESP32_Controller	Device

Items per page 50 | 1-3 of 3 items

1 of 1 page < 1 >

Node-RED : node-red-mctsg-201 x (2) WhatsApp x Cloudant Dashboard - database x +

28f8a343-0549-4230-b742-60b48462baa3-bluemix.cloudant.com/dashboard.html#database/tracker/_all_docs

tracker

Document ID

Options {} JSON

Create Document

All Documents

Query

Permissions

Changes

Design Documents

Log Out

	id	key	value
<input type="checkbox"/>	0ebf43b28138b777b48f34c5a76c3a	0ebf43b28138b777b48f34c5a76c3a	{"rev": "1-5e97009804800cfe64c39df8dccb6..."}
<input type="checkbox"/>	1166941e69d252626b8eca46080aeb6	1166941e69d252626b8eca46080aeb6	{"rev": "1-0842bb81b11c061fe20ed094ab2a..."}
<input type="checkbox"/>	703d29b74356ef26f949797731137cf2	703d29b74356ef26f949797731137cf2	{"rev": "1-d95bc0f570ae15c90cb7504c862b9..."}
<input type="checkbox"/>	97c5d59e72ae6c2a155702db7151fe7a	97c5d59e72ae6c2a155702db7151fe7a	{"rev": "1-c0293566773cc4e2db9e07a5ac8..."}
<input type="checkbox"/>	a79bf4f6dcdb1b32ebee5a5c478fa81d	a79bf4f6dcdb1b32ebee5a5c478fa81d	{"rev": "1-eeefce107643e599a668ede810bb81..."}
<input type="checkbox"/>	c7fc90ace4fce8b62132f4a9f2c28ca	c7fc90ace4fce8b62132f4a9f2c28ca	{"rev": "1-32cd76c4d4a5dc4aace8fae2a256a..."}
<input type="checkbox"/>	e9e28c06775212fe00e77dc99dc8e97d	e9e28c06775212fe00e77dc99dc8e97d	{"rev": "1-03ac3bfe844e7d696b5970b64dba..."}
<input type="checkbox"/>	f347b088872d7656a0ff956b53c31715	f347b088872d7656a0ff956b53c31715	{"rev": "1-fed4def46a583def9df7960c67198..."}
<input type="checkbox"/>	f908b61af224813129b44b117fda0a5f	f908b61af224813129b44b117fda0a5f	{"rev": "1-24f20fdd2e9e06c4b6ffbeee6b58..."}

Showing document 1 - 9. Documents per page: 20

WhatsApp x Meet x IBM x IBM Wat x Cloudant x Service x Applicat x Node-RED x Node-RED x Untitled x Applicat x +

28f8a343-0549-4230-b742-60b48462baa3-bluemix.cloudant.com/dashboard.html#/all_dbs

Databases

Database name

Create Database {} JSON

Your Databases

Name	Size	# of Docs	Partitioned	Actions
childsafety	14 bytes	1	No	
noderedmctsg20221117	29.5 KB	4	No	
tracker	1.8 KB	7	No	

Showing 1-3 of 3 databases. Databases per page 20

lotdevice.py

Show all

NODE-RED SERVICE IN AREA:

The screenshot displays the Node-RED web interface in a browser. The top navigation bar shows the URL: `node-red-mctsg-2022-11-17.eu-gb.mybluemix.net/red/#flow/b1c0a64b12333935`. The left sidebar contains a 'filter nodes' search bar and a list of nodes categorized by type, including 'location' nodes like 'worldmap', 'worldmap in', 'tracks', 'convex - hull', and 'geofence'. The main workspace, titled 'Flow 1', shows a complex flow diagram. It begins with an 'IBM IoT' node (connected), followed by a 'function' node. The flow then branches into multiple paths: one leading to a 'msg payload' node, another to a 'worldmap' node (connected), and a third to a 'geofence' node. These paths converge and lead to a 'filter' node, which then connects to a 'switch' node. The 'switch' node branches into three paths, each leading to a 'function' node. These 'function' nodes connect to various output nodes: 'msg payload', 'http request', 'show dialog', 'tracker', and another 'msg payload' node. The right sidebar features a 'debug' console showing a sequence of JSON messages. The messages are objects with properties like 'message', 'Time', 'name', 'lat', and 'lon'. The messages are as follows:

```
11/17/2022, 11:53:38 PM node: 7324e0cbbba2d1aa  
lot-2/type/CS1/Id/1234/ev/status/fmt/json : msg.payload  
Object  
{  
  message: "exit"  
  Time: "11/17/2022, 11:53:38 PM"  
  name: "Childtracker"  
  lat: 9.8796  
  lon: 78.881  
}
```

```
11/17/2022, 11:55:29 PM node: 7324e0cbbba2d1aa  
lot-2/type/CS1/Id/1234/ev/status/fmt/json : msg.payload  
Object  
{  
  message: "entry"  
  Time: "11/17/2022, 11:55:29 PM"  
  name: "Childtracker"  
  lat: 9.8796  
  lon: 78.881  
}
```


NODE-RED SERVICE OUT AREA:

The screenshot displays the Node-RED web interface in a browser. The top navigation bar shows various tabs including WhatsApp, Meet, IBM, IBM Watson, Cloudant, Service Desk, Application, and two instances of Node-RED. The address bar indicates the URL: `node-red-mctsg-2022-11-17.eu-gb.mybluemix.net/red/#flow/b1c0a64b12333935`.

The main workspace, titled "Flow 1", contains a complex flow diagram. The flow begins with an "IBM IoT" node (connected). It branches into two parallel paths. The upper path consists of a "function" node followed by a "msg payload" node. The lower path consists of a "function" node followed by a "worldmap" node (connected 1). These two paths converge into a "geofence" node. Following the "geofence" node, the flow splits again. One branch goes through a "function" node and a "filter" node to a "msg payload" node. The other branch goes through a "switch" node. The "switch" node has three outputs: a "function" node leading to an "http request" node (requesting), a "function" node leading to a "show dialog" node, and a "function" node leading to a "tracker" node. The "http request" node also leads to a "msg payload" node. The "show dialog" node leads to a "msg payload" node. The "tracker" node leads to a "msg payload" node.

The left sidebar shows a "filter nodes" search bar and a list of nodes categorized by "location". The "location" category includes "worldmap", "worldmap in", "tracks", "convex - hull", and "geofence".

The right sidebar, titled "debug", displays a log of messages. The messages are JSON objects with the following structure:

```
{
  "message": "entry",
  "Time": "11/17/2022, 11:55:29 PM",
  "name": "Childtracker",
  "lat": 9.8796,
  "lon": 78.081
}
```

The log also shows a "Not within the geofence" message and a "No url specified" error. The bottom status bar shows "lotdevice.py" and a "Show all" button.