## PROJECT DEVELOPMENT PHASE

## **SPRINT-1 SOURCE CODE**

Date	02-11-2022
Team ID	PNT2022TMID06020
Project Name	Intelligent vehicle damage assessment & cost estimator for insurance companies.
Maximum Marks	8 Marks

## **Index.php**

```
<?php
  session_start();
  if (isset($_SESSION['SESSION_EMAIL'])) {
header("Location: welcome.php");
                                      die();
  }
  include 'config.php';
  $msg = "";
  if (isset($_GET['verification'])) {
    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE
code='{$_GET['verification']}'")) > 0) {
       $query = mysqli_query($conn, "UPDATE users1 SET code=" WHERE
code='{$_GET['verification']}'");
      if ($query) {
         $msg = "<div class='alert alert-success'>Account verification has been successfully
completed.</div>";
       }
     } else {
       header("Location: index.php");
```

```
if (isset($_POST['submit'])) {
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $password = mysqli_real_escape_string($conn, md5($_POST['password']));
    $sql = "SELECT * FROM users1 WHERE email='{$email}' AND password='{$password}'";
$result = mysqli_query($conn, $sql);
    if (mysqli_num_rows($result) === 1) {
       $row = mysqli_fetch_assoc($result);
      if (empty($row['code'])) {
         $_SESSION['SESSION_EMAIL'] = $email;
header("Location: welcome.php");
       } else {
         $msg = "<div class='alert alert-info'>First verify your account and try again.</div>";
       }
    } else {
       $msg = "<div class='alert alert-danger'>Email or password do not match.</div>";
?>
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>Login Form - Damage Detection</title>
  <!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<meta charset="UTF-8"/>
<meta name="keywords"
content="Login Form" />
  <!-- //Meta tag Keywords -->
  k href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
  <!--/Style-CSS -->
  rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--//Style-</pre>
CSS -->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
    <div class="container">
       <!-- /form -->
       <div class="workinghny-form-grid">
         <div class="main-mockup">
           <div class="alert-close">
              <span class="fa fa-close"></span>
           </div>
           <div class="w3l_form align-self">
              <div class="left_grid_info">
                <img src="images/bsi1.png" alt="">
```

```
</div>
           </div>
            <div class="content-wthree">
              <h2>Login Now</h2>
              <?php echo $msg; ?>
              <form action="" method="post">
                <input type="email" class="email" name="email" placeholder="Enter Your Email"</pre>
required>
                <input type="password" class="password" name="password" placeholder="Enter Your
Password" style="margin-bottom: 2px;" required>
                <a href="forgot-password.php" style="margin-bottom: 15px; display: block;</p>
textalign: right;">Forgot Password?</a>
                <button name="submit" name="submit" class="btn" type="submit">Login</button>
              </form>
              <div class="social-icons">
                Create Account! <a href="register.php">Register</a>.
              </div>
            </div>
         </div>
       </div>
       <!-- //form -->
    </div>
  </section>
  <!-- //form section start -->
  <script src="js/jquery.min.js"></script>
  <script>
    $(document).ready(function (c) {
       $('.alert-close').on('click', function (c) {
         $('.main-mockup').fadeOut('slow', function (c) {
           $('.main-mockup').remove();
         });
```

```
});
        });
      </script>
   </body>
</html>
   logout.php
   <?php
   session_start();
   session_unset();
   session_destroy();
   header("Location: index.php");.php
   Register.php
<?php
  //Import PHPMailer classes into the global namespace
//These must be at the top of your script, not inside a function
  use PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\SMTP;
  use PHPMailer\PHPMailer\Exception;
  session_start();
  if (isset($_SESSION['SESSION_EMAIL'])) {
    header("Location: welcome.php");
    die();
  }
  //Load Composer's autoloader
require 'vendor/autoload.php';
  include 'config.php';
  $msg = "";
  if (isset($_POST['submit'])) {
```

\$name = mysqli\_real\_escape\_string(\$conn, \$\_POST['name']);
\$email = mysqli\_real\_escape\_string(\$conn, \$\_POST['email']);

```
$password = mysqli_real_escape_string($conn, md5($_POST['password']));
    $confirm password = mysqli real escape string($conn, md5($ POST['confirm-password']));
    $code = mysqli_real_escape_string($conn, md5(rand()));
    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE email='{$email}'")) >
0) {
       $msg = "<div class='alert alert-danger'>{$email} - This email address has been already
exists.</div>";
    } else {
       if ($password === $confirm password) {
         $sql = "INSERT INTO users1 (name, email, password, code) VALUES ('{$name}', '{$email}',
'{$password}', '{$code}')";
         $result = mysqli_query($conn, $sql);
         if ($result) {
           echo "<div style='display: none;'>";
           //Create an instance; passing `true` enables exceptions
$mail = new PHPMailer(true);
           try {
             //Server settings
              $mail->SMTPDebug = SMTP::DEBUG_SERVER;
                                                                          //Enable verbose debug
output
              $mail->isSMTP();
                                                        //Send using SMTP
              $mail->Host
                             = 'smtp.gmail.com';
                                                            //Set the SMTP server to send through
              $mail->SMTPAuth = true;
                                                            //Enable SMTP authentication
              $mail->Username = 'damagedetectionanalysis@gmail.com';
                                                                                   //SMTP username
              $mail->Password = 'sgmdgfpxacgtinlv';
                                                                      //SMTP password
             $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;
                                                                              //Enable implicit TLS
encryption
                                                        //TCP port to connect to; use 587 if you have set
              $mail->Port
                             = 465;
`SMTPSecure = PHPMailer::ENCRYPTION STARTTLS`
             //Recipients
              $mail->setFrom('damagedetectionanalysis@gmail.com');
              $mail->addAddress($email);
             //Content
              $mail->isHTML(true);
                                                      //Set email format to HTML
              $mail->Subject = 'DAMAGE DETECTION';
              $mail->Body = 'Here is the verification link <b><a
href="http://localhost/login1/?verification='.$code."'> Link </a></b>';
              $mail->send();
              echo 'Message has been sent';
           } catch (Exception $e) {
              echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
           echo "</div>";
           $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";
```

```
} else {
           $msg = "<div class='alert alert-danger'>Something wrong went.</div>";
       } else {
         $msg = "<div class='alert alert-danger'>Password and Confirm Password do not match</div>";
    }
  }
?>
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>Login Form - Damage Detection</title>
  <!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="UTF-8"/>
<meta name="keywords"
content="Login Form" />
                           <!--
//Meta tag Keywords -->
  k href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
  <!--/Style-CSS -->
  k rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--//Style-</pre>
CSS -->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
    <div class="container">
       <!-- /form -->
       <div class="workinghny-form-grid">
         <div class="main-mockup">
           <div class="alert-close">
              <span class="fa fa-close"></span>
           </div>
           <div class="w3l_form align-self">
              <div class="left_grid_info">
                <img src="images/ss20.png" alt="">
</div>
           </div>
           <div class="content-wthree">
              <h2>Register Now</h2>
```

```
<?php echo $msg; ?>
              <form action="" method="post">
                 <input type="text" class="name" name="name" placeholder="Enter Your Name"</pre>
value="<?php if (isset($_POST['submit'])) { echo $name; } ?>" required>
                 <input type="email" class="email" name="email" placeholder="Enter Your Email"</pre>
value="<?php if (isset($ POST['submit'])) { echo $email; } ?>" required>
                <input type="password" class="password" name="password" placeholder="Enter Your
Password" required>
                <input type="password" class="confirm-password" name="confirm-password"</pre>
placeholder="Enter Your Confirm Password" required>
                <button name="submit" class="btn" type="submit">Register</button>
              </form>
              <div class="social-icons">
                 Have an account! <a href="index.php">Login</a>.
              </div>
            </div>
         </div>
       </div>
       <!-- //form -->
    </div>
  </section>
  <!-- //form section start -->
  <script src="js/jquery.min.js"></script>
  <script>
    $(document).ready(function (c) {
       $('.alert-close').on('click', function (c) {
         $('.main-mockup').fadeOut('slow', function (c) {
            $('.main-mockup').remove();
         });
       });
    });
  </script>
</body>
< /html >
   Welcome.php
   <?php
      session start();
      if (!isset($_SESSION['SESSION_EMAIL'])) {
   header("Location: index.php");
        die();
```

}

```
include 'config.php';
      $query = mysqli_query($conn, "SELECT * FROM users1 WHERE
   email='{$_SESSION['SESSION_EMAIL']}'");
     if (mysqli_num_rows($query) > 0) {
        $row = mysqli_fetch_assoc($query);
        echo "Welcome" . $row['name'] . " <a href='logout.php'>Logout</a>";
      }
?>
   Forgot password.php
   <?php
   session_start();
   if (isset($_SESSION['SESSION_EMAIL'])) {
   header("Location: welcome.php");
      die();
   }
   //Import PHPMailer classes into the global namespace
   //These must be at the top of your script, not inside a function
   use PHPMailer\PHPMailer\PHPMailer;
   use PHPMailer\PHPMailer\SMTP; use
   PHPMailer\PHPMailer\Exception;
   //Load Composer's autoloader
   require 'vendor/autoload.php';
```

```
include 'config.php';
$msg = "";
if (isset($_POST['submit'])) {
  $email = mysqli_real_escape_string($conn, $_POST['email']);
$code = mysqli_real_escape_string($conn, md5(rand()));
  if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE email='{$email}'"))
0) {
    $query = mysqli_query($conn, "UPDATE users1 SET code='{$code}' WHERE email='{$email}'");
    if ($query) {
      echo "<div style='display: none;'>";
      //Create an instance; passing `true` enables exceptions
$mail = new PHPMailer(true);
      try {
         //Server settings
         $mail->SMTPDebug = SMTP::DEBUG_SERVER;
                                                                   //Enable verbose debug
output
         $mail->isSMTP();
                                                  //Send using SMTP
         $mail->Host
                        = 'smtp.gmail.com';
                                                     //Set the SMTP server to send through
         $mail->SMTPAuth = true;
                                                     //Enable SMTP authentication
         $mail->Username = 'damagedetectionanalysis@gmail.com';
                                                                            //SMTP username
$mail->Password = 'sgmdgfpxacgtinlv';
                                                      //SMTP password
         $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;
                                                                       //Enable implicit TLS
encryption
         $mail->Port
                                                 //TCP port to connect to; use 587 if you have set
                       =465;
`SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`
```

//Recipients

```
$mail->setFrom('damagedetectionanalysis@gmail.com');
                                                                          $mail-
>addAddress($email);
         //Content
         $mail->isHTML(true);
                                                   //Set email format to HTML
         $mail->Subject = 'DAMAGE DETECTION';
         $mail->Body = 'Here is the verification link <b><a
href="http://localhost/login1/changepassword.php?reset='.$code."'>Reset-Password</a></b>';
         $mail->send();
         echo 'Message has been sent';
} catch (Exception $e) {
         echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
       }
       echo "</div>";
       $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";
    }
  } else {
    $msg = "<div class='alert alert-danger'>$email - This email address do not found.</div>";
  }
}
?>
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>Login Form - Damage Detection</title>
```

```
<!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="UTF-8"/>
<meta name="keywords"
content="Login Form" />
  <!-- //Meta tag Keywords -->
  k href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
  <!--/Style-CSS -->
  rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--//Style-</pre>
CSS -->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
    <div class="container">
       <!-- /form -->
       <div class="workinghny-form-grid">
         <div class="main-mockup">
           <div class="alert-close">
              <span class="fa fa-close"></span>
           </div>
           <div class="w3l_form align-self">
```

```
<div class="left_grid_info">
                <img src="images/bsi1.png" alt="">
              </div>
            </div>
            <div class="content-wthree">
              <h2>Forgot Password</h2>
              <?php echo $msg; ?>
              <form action="" method="post">
                <input type="email" class="email" name="email" placeholder="Enter Your Email"</pre>
required>
                <button name="submit" class="btn" type="submit">Send Reset Link</button>
              </form>
              <div class="social-icons">
                Back to! <a href="index.php">Login</a>.
              </div>
            </div>
         </div>
       </div>
       <!-- //form -->
    </div>
  </section>
  <!-- //form section start -->
  <script src="js/jquery.min.js"></script>
  <script>
    $(document).ready(function (c) {
       $('.alert-close').on('click', function (c) {
         $('.main-mockup').fadeOut('slow', function (c) {
            $('.main-mockup').remove();
         });
       });
```

```
});
     </script>
     </body>
</html>
```

## **Change Password**

```
<?php
smsg = "";
include 'config.php';
if (isset($_GET['reset'])) {
  if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE
code='\{\$\_GET['reset']\}''')>0) {
                                   if (isset($_POST['submit'])) {
       $password = mysqli_real_escape_string($conn, md5($_POST['password']));
       $confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
       if ($password === $confirm_password) {
         $query = mysqli_query($conn, "UPDATE users1 SET password='{$password}', code=" WHERE
code='{$_GET['reset']}'");
         if ($query) {
           header("Location: index.php");
         }
       } else {
         $msg = "<div class='alert alert-danger'>Password and Confirm Password do not match.</div>";
       }
  } else {
    $msg = "<div class='alert alert-danger'>Reset Link do not match.</div>";
} else {
  header("Location: forgot-password.php");
?>
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>DAMAGE DETECTION</title>
  <!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<meta charset="UTF-8"/>
<meta name="keywords"
content="Login Form" />
                          <!--
//Meta tag Keywords -->
  k href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
  <!--/Style-CSS -->
  k rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--//Style-</pre>
CSS -->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
    <div class="container">
       <!-- /form -->
       <div class="workinghny-form-grid">
         <div class="main-mockup">
           <div class="alert-close">
              <span class="fa fa-close"></span>
           </div>
           <div class="w3l_form align-self">
              <div class="left_grid_info">
                <img src="images/bsi1.png" alt="">
              </div>
           </div>
           <div class="content-wthree">
              <h2>Change Password</h2>
              <?php echo $msg; ?>
              <form action="" method="post">
                <input type="password" class="password" name="password" placeholder="Enter Your
Password" required>
                <input type="password" class="confirm-password" name="confirm-password"</pre>
placeholder="Enter Your Confirm Password" required>
                <button name="submit" class="btn" type="submit">Change Password</button>
              </form>
              <div class="social-icons">
                Sack to! <a href="index.php">Login</a>.
              </div>
           </div>
         </div>
       </div>
       <!-- //form -->
    </div>
  </section>
```

```
<!-- //form section start -->
  <script src="js/jquery.min.js"></script>
  <script>
     $(document).ready(function (c) {
       $('.alert-close').on('click', function (c) {
          $('.main-mockup').fadeOut('slow', function (c) {
             $('.main-mockup').remove();
          });
       });
     });
  </script>
</body>
</html>
    Style.css
html {
  scroll-behavior: smooth;
}
body, html {
margin: 0;
padding: 0;
  font-family: 'Poppins', sans-serif;
}
* {
  box-sizing: border-box;
}
.d-grid {
display: grid; }
.d-flex {
           display: flex;
display: -webkit-flex;
}
.text-center {
                text-
align: center;
}
.text-left {
              text-
align: left;
.text-right {
               text-
```

align: right;

```
}
button, input, select { -webkit-
appearance: none; outline: none;
font-family: 'Poppins', sans-serif;
button, .btn, select
    cursor:
pointer;
      text-decoration:
none;
         max-width:
img {
100%;
}
ul {
margin: 0;
padding: 0
h1, h2,
h3, h4,
h5, h6,
p {
margi
n: 0;
paddin
g: 0 }
p {
      color: #666;
font-size: 16px;
line-height: 25px;
opacity: .6;
}
.p-relative {
position: relative;
.p-absolute {
position: absolute;
.p-fixed {
position: fixed;
```

```
.p-sticky {
position: sticky;
.btn, button, .actionbg, input {
border-radius: 4px;
                      -webkit-
border-radius: 4px;
  -moz-border-radius: 4px;
  -o-border-radius: 4px;
  -ms-border-radius: 4px;
.btn:hover, button:hover {
transition: 0.5s ease;
                       -webkit-
transition: 0.5s ease;
  -o-transition: 0.5s ease;
  -ms-transition: 0.5s ease;
  -moz-transition: 0.5s ease;
}
/*-- wrapper start --*/
.wrapper {
  width: 100%; padding-
  right: 15px;
  padding-left: 15px; margin-
             margin-left: auto;
right: auto;
}
@media (min-width: 576px) {
.wrapper {
                max-width:
540px;
  }
}
@media (min-width: 768px) {
.wrapper {
                max-width:
720px;
  }
}
@media (min-width: 992px) {
.wrapper {
                max-width:
960px;
  }
}
@media (min-width: 1200px) {
.wrapper {
                max-width:
1140px;
  }
```

```
}
.wrapper-full {
width: 100%;
padding-right: 15px;
padding-left: 15px;
margin-right: auto;
margin-left: auto;
/*-- //wrapper start --*/
/*-- form styling --*/ .w3l-mockup-form
  position: relative;
                       min-height:
100vh;
                       background:
         z-index: 0;
rgba(99, 194, 110, 0.1); padding:
40px 40px;
}
.container {
  max-width: 890px;
  margin: 0 auto;
}
               padding: 0px;
.w31_form {
flex-basis: 50%;
                  -webkit-flex-
basis: 50%;
background:#007ac1;
                        padding:
100px 50px;
               border-top-left-
radius: 8px;
              border-bottom-left-
radius: 8px;
  display: flex;
                  justify-
                  align-items:
content: center;
center;
}
                    flex-
.content-wthree {
basis: 60%;
              -webkit-flex-
              box-sizing:
basis: 60%;
border-box;
              padding:
3em 3.5em;
              background:
#fff:
  box-shadow: 2px 9px 49px -17px rgba(0, 0, 0, 0.1);
  border-top-right-radius: 8px; border-bottom-right-
radius: 8px;
.w3l-workinghny-form .logo {
                                 text-
align: center;
}
```

```
.w3l-mockup-form .main-mockup {
position: relative; display: -
webkit-box;
              display: -moz-box;
display: -ms-flexbox;
                       display: -
webkit-flex;
              display: flex;
margin: 40px 0;
.w3l-mockup-form .alert-close {
cursor: pointer;
                 height: 35px;
width: 35px;
               line-height:
35px; position: absolute;
right: -5px;
  top: -5px;
background: #005fc1;
border-radius: 50px;
color: #fff;
  text-align: center;
}
.w3l-mockup-form form {
margin-top: 30px;
                    margin-bottom:
30px;
}
.social-icons {
                text-
align: center;
.w3l-mockup-form h1 {
  text-align: center;
font-size: 40px;
                  font-
weight: 500; color:
#3b3663;
}
.w3l-mockup-form h2 {
display: inline-block;
font-size: 25px;
                  line-
height: 35px;
               margin-
bottom: 5px;
               font-
weight: 600;
               color:
#3b3663;
}
.w3l-mockup-form input {
outline: none;
                margin-
bottom: 15px; font-size:
16px; color: #999; text-
align: left; padding: 14px
```

```
20px;
        width: 100%;
display: inline-block;
                        box-
sizing: border-box;
                      border:
none; outline: none;
background: transparent;
border: 1px solid #e5e5e5;
transition: 0.3s all ease;
.w3l-mockup-form input:focus {
                                   border-
color: #005fc1;
.w3l-mockup-form button {
font-size: 18px;
                   color: #fff;
width: 100%;
background:#0056c1;
border: none;
                padding:
14px 15px;
              font-weight:
500;
       transition: .3s ease;
webkit-transition: .3s ease;
  -moz-transition: .3s ease;
  -ms-transition: .3s ease;
  -o-transition: .3s ease;
}
.w3l-mockup-form button:hover {
background: #005fc1;
}
.w3l-mockup-form .social-icons ul li {
  list-style: none;
display: inline-block;
.w3l-mockup-form .social-icons ul li a {
padding: 8px;
.w3l-mockup-form .social-icons ul li a:hover {
  opacity: 0.8;
                 transition:
0.5s ease;
            -webkit-transition:
0.5s ease;
  -o-transition: 0.5s ease;
  -ms-transition: 0.5s ease;
  -moz-transition: 0.5s ease;
}
.w3l-mockup-form .social-icons ul span.fa {
  color: #696687;
                    font-
size: 18px;
              opacity: .8;
```

```
.w3l-mockup-form .social-icons ul li a.facebook span {
  color: #3b5998;
}
.w3l-mockup-form .social-icons ul li a.twitter span {
color: #007ac1;
.w3l-mockup-form .social-icons ul li a.pinterest span {
color: #e60023;
}
.copyright p {
                text-
align: center;
                font-
size: 17px; line-
height: 26px; color:
#607863; opacity: 1;
}
p.copy-footer-29 a {
color: #517856;
p.copy-footer-29 a:hover {
color: #005fc1: transition:
            -webkit-transition:
0.5s ease;
0.5s ease;
  -o-transition: 0.5s ease;
  -ms-transition: 0.5s ease;
  -moz-transition: 0.5s ease;
}
.alert {
            padding:
1rem;
        border-
radius: 5px; color:
white;
         margin:
1rem 0;
}
                  background-
.alert-success {
color: #007ac1;
}
.alert-danger {
                 background-
color: #fc5555;
.alert-info {
  background-color: #2E9AFE;
}
```

```
.alert-warning {
                  background-
color: #ff9966;
/*-- responsive design --*/
@media (max-width:736px) {
                                .w3l-mockup-
form .main-mockup {
     flex-direction: column;
  }
  .w3l_form {
                    order: 2;
padding: 50px;
                    border-radius:
       border-bottom-left-radius:
0;
8px;
     border-bottom-right-radius: 8px;
  .content-wthree {
                         order: 1;
border-radius: 0;
                      border-top-
left-radius: 8px;
                     border-top-
right-radius: 8px;
  }
}
@media (max-width:568px) {
.w3l-mockup-form h1 {
size: 30px;
  }
  .w3l-mockup-form .main-mockup {
     margin: 30px 0;
  .content-wthree {
     padding: 2.5em;
  } }
@media (max-width: 415px) {
                                 .w3l-mockup-
form {
     padding: 40px 30px;
  }
}
@media (max-width:384px) {
                                .w3l-mockup-
form {
     padding: 30px 15px;
  }
  .content-wthree {
```

```
padding: 2em;
  .w3l-mockup-form h1 {
font-size: 28px;
  }
  .w3l-mockup-form h2 {
font-size: 22px;
    line-height: 32px;
  .copyright p {
font-size: 16px;
  }
}
/*-- //responsive design --*/
/*-- //form styling --*/
   login.sql
    SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
    START TRANSACTION;
    SET time_zone = "+00:00";
    /*!40101 SET
            @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
    /*!40101 SET
    @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS*/;
    /*!40101 SET
           @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
    /*!40101 SET NAMES utf8mb4 */;
    -- Database: `login1`
```

```
-- Table structure for table `users1`
CREATE TABLE `users1` (
`id` int(11) NOT NULL,
`name` varchar(255) NOT NULL,
'email' varchar(255) NOT NULL,
 'password' varchar(255) NOT NULL,
 `code` text NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Indexes for dumped tables
-- Indexes for table `users1`
ALTER TABLE `users1`
ADD PRIMARY KEY ('id');
-- AUTO_INCREMENT for dumped tables
```

```
-- AUTO_INCREMENT for table `users1`
-- ALTER TABLE `users1`

MODIFY `id` int(11) NOT NULL AUTO_INCREMENT;

COMMIT;

/*!40101 SET

CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;

/*!40101 SET

CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;

/*!40101 SET

COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```