

# FINAL DELIVERABLES

## HTML CODE

<b>DATE</b>	16.11.2022
<b>TEAM ID</b>	PNT2022TMID22390
<b>PROJECT NAME</b>	AI BASED DISCOURSE FOR BANKING INDUSTRY

```
{% load static %}

<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta http-equiv="X-UA-Compatible" content="IE=edge">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Landing Page</title>

    <link rel="stylesheet" href="{% static 'css/landingpage.css' %}">

    <style>

        body{

            background-attachment: fixed;

            overflow: hidden;

        }

        .banner{

            width: 100%;

            height: 100vh;

            background-image: linear-gradient(rgba(0,0,0,0.75),rgba(0,0,0,0.75)),

            url(static/img/background1.jpg);

            background-size: fixed;

            background-repeat: no-repeat;
```

```
background-position: fixed;  
background-position: center;
```

```
}  
.navbar{  
    width: 85%;  
    margin: auto;  
    padding: 35px;  
    display: flex;  
    align-items: center;  
    justify-content: space-between;  
}
```

```
.logo{  
    width: 120px;  
    cursor: pointer;  
    padding-left: -20px;  
    background-color: black;  
    background-blend-mode: multiply;  
}
```

```
.navbar ul li{  
    list-style: none;  
    display: inline-block;  
    margin: 0 20px;  
  
}
```

```
.navbar ul li a{
```

```
text-decoration: none;
color: palevioletred;
text-transform: uppercase;
font-family: fantasy;
}
```

```
.navbar ul li a ::after{
  content: "";
  height: 3px;
  width: 100%;
  background: 009688;
  position: absolute;
  left: 0;
  bottom: -10;
  transition: 0.05;
}
```

```
.navbar ul li a :hover::after{
  width: 100%;
}
```

```
.content{
  width: 100%;
  position: absolute;
  top: 30%;
  transform: translateY(-50);
  text-align: center;
  color: palevioletred;
}
```

```
.content1{  
    width: 100%;  
    position: absolute;  
    bottom: 50px;  
    transform: translateY(-50);  
    text-align: left;  
    color: gold;  
    padding-inline-start: 2px;  
}
```

```
.content1 h1{  
    width: 100%;  
    position: absolute;  
    bottom: 50px;  
    transform: translateY(-50);  
    text-align: center;  
    color: gold;  
    padding-inline-start: 2px;  
}
```

```
.content h1{  
    font-size: 50px;  
    margin-top: 90px;  
    line-height: 25px;  
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;  
}
```

```
button{  
    width: 300px;  
    padding: 20px 0;  
    text-align: center;  
    margin: 20px 10px;  
    border-radius: 25px;  
    font-weight: bold;  
    border: 2px solid #009688;  
    color: #fff;  
    cursor: pointer;  
    background: transparent;  
    font-size: larger ;  
    position: relative;
```

```
}
```

```
span{  
    background: #e6ebea;  
    width: 100%;  
    height: 100%;  
    border-radius: 25px;  
    position: absolute;  
    left: 0;  
    bottom: 0;  
    z-index: -12;  
    transition: 0.4s;  
    color: white;
```

```
}
```

```
button :hover span{
    width: 100%;
}
button:hover{
    border: none;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="banner">
```

```
<div class="navbar">
```

```

```

```
<ul>
```

```
<li><a href="#" class="">Home</a></li>
```

```
<li><a href="#" class="">About</a></li>
```

```
<li><a href="#" class="">Services</a></li>
```

```
<li><a href="#" class="">Contact</a></li>
```

```
<li><a href="#" class="">Product</a></li>
```

```
</ul>
```

```
</div>
```

```
<div class="content">
```

```
<h1>AI Based Discourse For Banking Industry</h1>
```

```
<p>“A year spent in artificial intelligence is enough to make one believe
```

in God.”<span>—Alan Perlis</span></p>

<div>

<a href="{% url 'register' %}"><button  
type="button"><span></span>Join Us</button></a>

</div>

</div>

<div>

<div class="content1"><h1>TEAM ID: PNT2022TMID22390</h1>

<ol>

<li class="one">VISHNU T</li>

<li class="two">SAMPATH V</li>

<li class="three">PRAMODH ARJUN P</li>

<li class="four">JASWANTH REDDY G</li>

<li>SHRI RAM A</li>

</ol>

</div>

</div>

<script>

window.watsonAssistantChatOptions = {

integrationID: "77c74feb-c1a6-4cac-85ff-d19401c2d534", // The ID of this  
integration.

region: "eu-gb", // The region your integration is hosted in.

serviceInstanceID: "2b994459-1a5a-45a0-8955-89a6fd927161", // The ID  
of your service instance.

onLoad: function(instance) { instance.render(); }

};

setTimeout(function(){

const t=document.createElement('script');

t.src="https://web-

```
chat.global.assistant.watson.appdomain.cloud/versions/" +  
(window.watsonAssistantChatOptions.clientVersion || 'latest') +  
"/WatsonAssistantChatEntry.js";
```

```
    document.head.appendChild(t);
```

```
  });
```

```
</script>
```

```
</body>
```

```
</html>
```