



DEPLOY ON KUBERNETES

Create a Kubernetes cluster

- Sign in to your [IBM Cloud Dashboard](#).
- Open **IBM Kubernetes Service**.




- Click **Create Cluster**.




PNT2022TMID29967
Skill/Job Recommender Application

- Select the **Region** where you want to deploy the cluster, type in a **name** for your cluster, then click **Create Cluster**.
- Select the appropriate cluster type depending on your account.
- It takes some time for the cluster to get ready (around 30 minutes).



- Once the cluster is ready, click on your cluster's name and you will be redirected to a new page with information about your cluster and worker node.



- Click on the **Worker Nodes** tab to note the cluster's Public IP.

The screenshot displays the IBM Cloud Kubernetes dashboard. The main heading is 'mycluster-free' with a status indicator 'Preparing master, workers...' and a red banner 'Expires in 30 days'. The left sidebar shows 'Overview' and 'Worker nodes' (selected). The 'Worker nodes' section contains a table with columns: Name, Status, Worker pool, Zone, Private IP, Public IP, and Version. A single worker node is listed with ID '00000086', status 'Provision pending...', worker pool 'default', zone 'Milan 01', and version '1.24.7_1543'. Below the table, details for the worker node are shown: ID 'kube-cds50ouf04fdii1rb8g-myclusterfr-default-00000086', status 'Preparing to provision worker', flavor 'Free - 2 vCPUs 4GB RAM', private VLAN '2218181', and public VLAN '2218179'. The right sidebar contains a 'Help' section with links like 'Log in to your cluster', 'Deploy your app', etc. The bottom of the image shows a Windows taskbar with the date and time '09:12 AM 19-11-2022'.

Name	Status	Worker pool	Zone	Private IP	Public IP	Version
00000086	Provision pending...	default	Milan 01			1.24.7_1543

Items per page: 25 1-1 of 1 item