

ASSIGNMENT 01

TOPIC: Skill and Job Recommender

TEAM ID: PNT2022TMID29967

```
<th>8</th>
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
</tr>
<th>7</th>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
```

```
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
</tr>
```

```
<th>6</th>
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
</tr>
```

```
<th>6</th>
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
```

100%

Windows (CRLF)

UTE-8



ASSIGNMENT 01

TOPIC: Skill and Job Recommender

TEAM ID: PNT2022TMID29967

```
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
</tr>

<th>5</th>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
</tr>
```

```
<tr>
  <th>4</th>
  <td class="light"></td>
  <td class="dark"></td>
  <td class="light"></td>
  <td class="dark"></td>
  <td class="light"></td>
  <td class="dark"></td>
  <td class="light"></td>
  <td class="dark"></td>
</tr>
  <td class="light"></td>
  <td class="dark"></td>
</tr>
  <th>3</th>
  <td class="dark"></td>
  <td class="light"></td>
  <td class="dark"></td>
  <td class="light"></td>
  <td class="dark"></td>
  <td class="light"></td>
  <td class="dark"></td>
```

ASSIGNMENT 01

TOPIC: Skill and Job Recommender

TEAM ID: PNT2022TMID29967

```
<td class="light"></td>  
</tr>
```

```
<th>2</th>  
<td class="light"></td>  
<td class="dark"></td>  
<td class="light"></td>  
<td class="dark"></td>  
<td class="light"></td>  
<td class="dark"></td>  
<td class="light"></td>  
<td class="dark"></td>  
</tr>
```

```
<th>|</th>  
<td class="dark"></td>
```



```
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
```

```
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
```

```
</tr>
```

```
<th>2</th>
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
```

100%

Windows (CRLF)

UTE-8

ASSIGNMENT 01

TOPIC: Skill and Job Recommender


TEAM ID: PNT2022TMID29967

```
<td class="light"></td>
<td class="dark"></td>
</tr>

<th>|</th>
<td class="dark"></td>
<td
class="light"></td>
<td class="dark"></td>
<td
class="light"></td>
<td class="dark"></td>
<td class="light"></td>
<td class="dark"></td>
<td class="light"></td>
</tbody> </tr>
</body>
```

</table>

</html>



8
7
6

870F
Partly cloudy

ENG

5
4
3
2
1

< ! DOCTYPE html >
(html >

<svg width="8ee"

```

<circle cx="400" r="400" stroke="none" stroke-width="2" fill="red"
    >

<!-- r defines the radius of the circle -->
<circle cx="400" cy="49" r="300" stroke="none" stroke-width='2 "
    fill="yellow" / >
<circle cx="400" cy="450" r='250" stroke="none" stroke-width= "2
    " fill="green" / >
<circle cx="400" cy="450" r--"299" stroke="none" stroke-
    width='2 " fill="blue" / >
<circle cx="400" cy="450" r--"150" stroke="none" stroke-
    width='2 " fill="indigo" / >
<circle cx="400" cy="49" r-'100" stroke="none" stroke-width= "2
    " fill="violet" / >

</svg>
</body>

</html>

```

Ln 6, col 32

870F

Partly cloudy



100%

Windows (CRLF)


UTE-8

21:04

ENG

IN

21-09-2022



chess.html

+

⏮ ⏭ ↻

C:/Users/G%20RENUKA%20DEVI/OneDrive/Documents/chess.html

⚙️ 🖥️ 👤 ⋮

Pi Gmail

YouTube

File Explorer

Maps

WhatsApp

Download WhatsApp

TutorOps Dashboard


Online Courses - Le...

Swayam Central

My Courses

G Online Courses, PG...

System and Environ...





87°F

Partly cloudy



21:04



File

Go

RUN AND DE...
v VARIABLES

Edit Selection View

No Corv {9

Run Terminal Help

Get Started home.html

Caught Exceptions

Uncaught Exceptions

BROWSER BREAKPOINTS

O X o

home.html > html > head > title

1 < !doctype html

2 <html

3 <head>

4 <meta charset="UTF-8">

5 <meta name="viewport"

6 content= " width—device-width , user-scalable-no, initial-scale=l.e, maximum- scale=l .0, minimum-sca 7 <meta

8 http-equiv="X-LJA-Compatib1e" content= ' 'ie=edge">

9 <titlefric Tac Toe</title>

10 < link rel=" stylesheet" href="style.css">

11 </head>

12 <section>

13 <hl class=" game--tit1e">Tic Tac Toe

14 <div class="game--container">

15 <div data-cell-index= "0" class="cell

v WATCH

Open home.html: ho... RUNNING

> LOADED SCRIPTS v
BREAKPOINTS

>

870F

Partly cloudy

p Eduminatti

6 x

ENG

IN

21:13

21-09-2022

2

Get Started

home.html

o

v

16	<div data-cell-index="1"	21	<div data-cell-index="6" class="cell"></div>
	class="cell	22	<div data-cell-index= "7" class="cell"></div>
17	<div data -cell	23	(div data -cell -index= "8 " class="cell
	-index= "2"	24	</div>
	class="cell"><	25	<h2 class="game--status"></h2>
	/div>	26	<button Game</button>
18	(div data -cell	27	< / section>
	"	28	
	class="cell	29	
19	<div data-		
	cell-		
	index="4"		
	class="cell">		
	</div>		
20	(div data -cell		
	-index= "5 "		
	class="cell		

g, 1 12 selected) paces:

Go

RUN AND DE...
VARIABLES

No Corv {9

>

870F

Partly cloudy

ENG

21:13

IN

21-09-2022

EXPLORES

EDUMINATTI

home.html

WATCH

Get Started

home.html

JS script.js > .

e.html > html > head > title 8

<utIQTic Tac

9 < link href="style.css

10 </head>

11

12 <section>

13 <hl class="game--tit1e">Tic Tac Toe</h>

14 <div class="game--container">

15 (div data-cell-index= "8" class="cell"></div>

16 (div data-cell-index="1" class="cell"></div> 17(div data -cell -index= "2" class=" cell"></div> 18<div

data-cell -index= "3" class="cell"></div> 19 <div data-cell class=" cell'

20 <div data -cell class="cell"></div>

21 (div data -cell class="cell'

22 (div data-cell -index= "7 " class="cell"></div>

23 <div data-cell-index="8" class=" cell'

24 </div>

25 <h2 class="game--status"></h2>

26 <button Game</button>

27 < / section>

Open home.html: ho... RUNNING

> LOADED SCRIPTS v

BREAKPOINTS

Caught Exceptions

Uncaught Exceptions

BROWSER BREAKPOINTS

O X

h

o

m

> OUTLINE

> TIMELINE paces:

ava npt

ENG

21:14 2

Partly cloudy

IN

21-09-2022

Get Started

home.html

o

V

28

29 <script

src="script.js"></script>

30 </body>

31 </html>

File

OneDrive

Screenshot saved

The screenshot was added to
your OneDrive.

8, col

selectable spaces: 4 u ' r-ö

H iViL

O Cl :.css

V

JS script.js

style.css

1 const statusDisplay = document . querySelector(' . game--status ');

2

3 let gameActive = true;

4 let currentPlayer =

5 let gameState =

6

7 const winningMessage = 'Player \${currentPlayer} has won!'

8 const drawMessage = "Game ended in a draw! &

9 const currentPlayerTurn = () 'It's turn* ,

10

>

870F

ENG

21:13

Partly cloudy

IN

21-09-2022

EXPLORER

Get Started

home.html

EDUMINATTI

JS script.js > .

home.html

```
11     statusDisplay.innerHTML = currentPlayerTurn (
12   ) ;
13     const winningConditions =
14       [e, 1, 2],
15       [3, 4, 5],
16       7, 8],
17     [e, 3, 6],
18     [1, 4, 7], 19
19     [2, 5, 8], 20
20     4, 8], 21
21     [2, 4, 6]
22
23
24     function handleClick(clickedCe11, clickedCe11Index) {
25       gameState[clickedCe11Index] = currentPlayer;
26       clickedCe11.innerHTML = currentPlayer;
27
28
29     function handlePlayerChange()
```

> OUTLINE

> TIMELINE paces:

ava npt

870F

ENG

21:14 2

Partly cloudy

IN

21-09-2022

EXPLORER

Get Started


home.html

0

V EDUMINATTI

JS script.js > .

home.html



File Edit Selection View Go Run Terminal Help

EXPLORER

EDUMINATTI

- home.html
- JS script.js
- # style.css

JS script.js > ...

```
18     [1, 4, 7],
19     [2, 5, 8],
20     [0, 4, 8],
21     [2, 4, 6]
22 ];
23
24 function handleCellPlayed(clickedCell, clickedCellIndex) {
25     gameState[clickedCellIndex] = currentPlayer;
26     clickedCell.innerHTML = currentPlayer;
27 }
28
29 function handlePlayerChange() {
30     currentPlayer = currentPlayer === "X" ? "O" : "X";
31     statusDisplay.innerHTML = currentPlayerTurn();
32 }
33
34 function handleResultValidation() {
35     let roundWon = false;
36     for (let i = 0; i <= 7; i++) {
37         const winCondition = winningConditions[i];
38         let a = gameState[winCondition[0]];
39         let b = gameState[winCondition[1]];
40         let c = gameState[winCondition[2]];
41         if (a === '' || b === '' || c === '') {
42             continue;
43         }
44         if (a === b && b === c) {
45             roundWon = true;
46             break
47         }
48     }
49 }
```

Ln 88, Col 87 Spaces: 4 UTF-8 CRLF {} JavaScript

EXPLORER

Get Started


home.html

O

V EDUMINATTI

JS script.js > .

home.html



File Edit Selection View Go Run Terminal Help

EXPLORER

EDUMINATTI

home.html

JS script.js

style.css

JS script.js > .

```
38 let a = gameState[winCondition[0]];
39 let b = gameState[winCondition[1]];
40 let c = gameState[winCondition[2]];
41 if (a === '' || b === '' || c === '') {
42     continue;
43 }
44 if (a === b && b === c) {
45     roundWon = true;
46     break;
47 }
48 }
49
50 if (roundWon) {
51     statusDisplay.innerHTML = winningMessage();
52     gameActive = false;
53     return;
54 }
55
56 let roundDraw = !gameState.includes("");
57 if (roundDraw) {
58     statusDisplay.innerHTML = drawMessage();
59     gameActive = false;
60     return;
61 }
62
63 handlePlayerChange();
64 }
65
66 function handleCellClick(clickedCellEvent) {
```

Ln 88, Col 87 Spaces: 4 UTF-8 CRLF {} JavaScript

EXPLORER

Get Started

home.html

O

V EDUMINATTI
home.html

JS script.js > .

JS script.js
style.css

```
04
65
66 function handleClick(clickedCe11Event)
67     const clickedCe11 = clickedCe11Event.target;
68     const clickedCe11Index = parseInt(clickedCe11.getAttribute( ' data-cell-index ' ) ) ,
69
70     if (gameState[clickedCe11Index] === 0 && !gameActive) {
71         return;
72
73
74     handleClickPlayed(clickedCe11, clickedCe11Index) •
75     handleResultValidation( )
76
77
78 function handleRestartGame() { gameActive = true;
79     currentPlayer = gameState = statusDisplay.
80     innerHTML = currentPlayerTurn()
81
82
```

> OUTLINE

> TIMELINE pages:

ava npt

870F

ENG

21:14 2

Partly cloudy

IN

21-09-2022

EXPLORER

Get Started

home.html

o

V EDUMINATTI

home.html

JS script.js > .

```
83     document . querySe1ectorA11( ' . cell ' ) . forEach(ce11     cell. innerHTML = ""
84
85
86
87     document . querySe1ectorA11( ' . cell ) .forEach(ce11     cell .addEventListener( ' click ' ,handleCe11C1ick));
88     document . querySe1ector( ' . game- -restart ' ) .addEventListener( ' click 'handleRestartGame ) ;
```

> OUTLINE

> TIMELINE paces:

ava npt

870F

ENG

21:14 2

Partly cloudy

IN

21-09-2022


EXPLORER

Get Started

home.html

O •.css X

V EDUMINATTI# style.css > .game--restart home.html



The screenshot shows the Visual Studio Code editor interface. The Explorer sidebar on the left shows a project named 'EDUMINATTI' with files 'home.html', 'script.js', and 'style.css'. The 'style.css' file is selected and its content is displayed in the main editor. The code defines styles for a game interface, including a body font, a section text-align, and three main containers: a title, a container grid, and individual cells. The title has a large font size and a specific color. The container is a grid with 3 columns, a fixed width, and a background color. The cells have a cursive font, a fixed width and height, a box shadow, and a border.

```
# style.css > .game--restart
1  body {
2      font-family: "Arial", sans-serif;
3  }
4
5  section {
6      text-align: center;
7  }
8
9  .game--title {
10     font-size: 100px;
11     color: #d7a62f;
12     margin: 10px auto;
13 }
14
15 .game--container {
16     display: grid;
17     grid-template-columns: repeat(3, auto);
18     width: 306px;
19     margin: 10px auto;
20     background-color: #11213a;
21     color: #04c0b2;
22 }
23
24 .cell {
25     font-family: "Permanent Marker", cursive;
26     width: 100px;
27     height: 100px;
28     box-shadow: 2px 2px 2px 2px #ecd7ba;
29     border: 2px solid #ecd7ba;
```

Ln 49, Col 2 Spaces: 4 UTF-8 CRLF CSS

EXPLORER

Get Started

home.html

o •.css X

V EDUMINATTI # style.css >

.game--restart home.html

script.js

```
18 width: 306px;
19 margin: 10px auto;

20 background-color: #11213a;
style.css
21 color: #04c0b2;
22
23
24 .cell {
25 font-family: "Permanent Marker", cursive;
26 width: 100px;
27 height: 100px;
28 box-shadow: 2px 2px 2px #ecd7ba;
29 border: 2px solid #ecd7ba;
30 cursor: pointer;
31 line-height: 100px; 32 font-size: 68px;
33
34
```

> OUTLINE

> TIMELINE

870F

Partly cloudy

ENG

IN

21:14 2

21-09-2022

EXPLORER

Get Started

home.html

O •.css X

V EDUMINATTI # style.css >

.game--restart home.html

35 . game- -status {

36 font-size: 5epx;

37 color: #d7a62f;

38 margin: 2epx auto;

39

40

41 . game- -restart {

42 background - color : #f7e4ac; OneDrive

43 width: 2eepx;

44 height: 5epx; Screenshot saved 45 font-size: 25px;

The screenshot to 46 color: O #5586e2;
, co' z spaces: 4

OneDrive.
C NLF

> OUTLINE

> TIMELINE

was added your

870F

Partly cloudy

ENG

21:14 2

IN

21-09-2022

p Eduminatti6 x

EXPLORER

Get Started

home.htmlO •.cssX

V

E
D
U
M
I
N

> OUTLINE
> TIMELINE

870F


ENG21:14 2

Partly cloudy

IN21-09-2022

The screenshot was added to your OneDrive.

Tic Tac Toe



It's X's turn

Restart Game

OneDrive



Screenshot saved
The screenshot was added to your
OneDrive.



87°F
Partly cloudy



partly cloudy

ENG
IN

21:14
21-09-2022






CTYPEhtml>

(html >

```
<body>
  <h1>TIME TABLE</h1>
  <table border="5" cellspacing="0" align="center">
    <!--<caption>Timetab1e</caption>-->
    <td align="center" height="50" width="100"><br>
      <b>Day/Period</b></td>
    <td align="center" height="50" width="100">
      <b>I<br>9:30-10:20</b>
    </td>
    <td align="center" height="50" width="100">
      <b>II<br>10:20-11:10</b>
    </td>
    <td align="center" height="50" width="100">
      <b>III<br>11:10-12:00</b>
    </td>
  </table>
```

Ln 123, Col 1

88 F ENG 21:16 Partly cloudyIN 21-09-2022



The screenshot was added to your OneDrive.

```
                align="center"
                width="lee"> <b>12:ee-12
                :40</b>
            </td>
            <td align="center" height="50"
                width="100">
                <b>IV<br>12:40-1:30</b>
            </td>
            <td align="center" height="50"

            <td align="center" height="50"
                width="100">
                <b>III<br>11:10-12:00</b>
            </td>
            <td align="center" height="50"
                width="lee">
                <b>12: ee-12 :40</b>
            </td>
            <td align="center" height="50" width="lee">
                <br>12:40-1:30</b>
            </td>
            <td align="center" height="50"
                width="lee">
                V<br>1:30-2:20</b>
            </td>
            <td align="center" height="50" width="lee">
                I<br>2:20-3:10</b>
```

100%

Windows (CRLF)

UTE-8

Ln 123, Col 1

88 F

Partly cloudyIN



ENG

21:16

21-09-2022

File Edit View


€93

```

</td>
<td align="center" height="50"
    width="lee">
    <b>VII<br>3:10-4:00</b>
</td>
</tr>

<td align="center" height="50">
    height="50">Eng</td> <b>Monday</b></td>
    height="50">Mat</td>
    height="50">Che</td>
align="center"
<td align="center"
<td align="center"
<td rowspan="6" align="center" height=" 50" >
    <h2>L<br>U<br>N<br>C<br>H</h2>

```



The screenshot was added to your OneDrive.

Ln 123, Col 1

88 F ENG 21:16 Partly cloudyIN 21-09-2022



```


width="100">
    <br>2:20-3:10</b>
</td>
<td align="center" height="50"
width="100">
    <b>VII<br>3:10-4:00</b>
</td>
</tr>

<td align="center" height="50">
    <b>Monday</b></td>
<td align="center"
height="50">Eng</td>
align="center" height="50">Mat</td>
height="50">Che</td>
<td align="center" height="50">
align="center"
<td rowspan="6" align="center"
    <h2>L<br>U<br>N<br>C<br>H</h2>
</td>
<td colspan="3" align="center"
height="50">LAB</td>
<td align="center" height="50">Phy</td>
</tr>

```

Ln 123, Col 1

88 F ENG 21:16 Partly cloudy IN 21-09-2022




```
<td align="center"height="50">
    <b>Tuesday</b>
</td>
<td colspan="3" align="center"
    height=" 50" >LAB
</td>
<td align="center"          50">Eng</td>
height="          50">Che</td>
<td align="center" height=" 50"
<td align="center" height=" 50"
>Mat</td>
<td align="center" height='
'50">SPORTS</td>
</tr>
<td align="center"height="50">
    <b>Tuesday</b>
</td>
<td colspan="3" align="center"
    height=" 50" >LAB
</td>
<td align="center" height="
```



```

                                0">Eng</td>
                                0">Che</td>
                                ORTS</td>
<td align="center" height=" 50">Mat</td>
<td align="center" height='50">SP
</tr>
<td align="center" height="59" >
<td align="center" height=" 50"
    <b>Wednesday</b>


<td          height="50">Mat</td>
align="center" height="50">phy</td>
<td          height="50">Eng</td>
align="center" height="50">Che</td>
<td align="center"
<td align="center"
<td colspan="3" align="center"
    height="50">LIBRARY
</td>

<td align="center" height='50">
    <b>Thursday</b>
</td>

```

Ln 123, Col 1

88 F ENG 21:16 Partly cloudyIN 21-09-2022



```
<td align="center" height="50">Phy</td>
height="50">Eng</td>
height="50">Che</td>
<td align="center"
<td align="center"
<td colspan="3" align="center"
height=" 50" >LAB
</td>
<td align="center" height="50">Mat</td>
</tr>

<td align="center" height="50">
<b>Thursday</b>
</td>
<td align="center" height="50">Phy</td>
height="50">Eng</td>
height="50">Che</td>
<td align="center"
<td align="center"
<td colspan="3" align="center"
height=" 50" >LAB
</td>
<td align="center" height="50">Mat</td>
</tr>
```




The screenshot was added to
your OneDrive.

```
<td align="center"height="50">
    <b>Friday</b>
</td>
<td colspan="3" align="center"
height=" 50" >LAB </td>
<td align="center" height=" 50" >Mat</td>
<td align="center" height=" 50">Che<
/
<td align="center" height="50">En
<td align="center" height=" 50">PhY<
</tr>
<td align="center" height="50">
    <b>Saturday</b>
</td>
<td align="center" height="50">Eng</td>
<td align="center" height="50">Che</td>
<td align="center" height="50">Mat</td>
<td align="center"
<td align="center"
<td colspan="3" align="center"
height="  >SEMINAR
<td colspan="3" align="center"
height=" 50" >LAB
```

Ln 123, Col 1

88 F ENG 21:16 Partly cloudyIN 21-09-2022




```
</td>
<td align="center"height="50">Mat</td>
</tr>

<td align="center"height="50">
<b>Friday</b>
</td>
<td colspan="3" align="center"
height=" 50" >LAB
<td align="center" height=" 50"
<td align="center" >Mat</td> height="
<td align="center" 50" >Che</td>
<td align="center" height="5  0
</tr>
'      '
>      E
<td align="center" nheight="
50"> P      h
y      <
/

height="58" >
<b>Saturday</b>
</td>
```

Ln 123, Col 1

88 F ENG 21:16 Partly cloudyIN 21-09-2022



File Edit View

€93

```
<td align="center"          height="50">Eng</td>
<td align="center"          height="50">Che</td>
<td align="center"          height="50">Mat</td>
<td align="center"
<td colspan="3" align="center"
    height="    >SEMINAR
</td>
<td align="center"height="50">SPORTS</td>
</tr>
</table>
```

</html>

Ln 123, Col 1

88 F ENG 21:16 Partly cloudyIN 21-09-2022

The screenshot was added to
your OneDrive.



TIME TABLE

Day/Period	1 9:30-10:20	11 10:20-11:10	111 11:10-12:00	12:00-12:40	12:40-1:30	V 1:30-2:20	2:20-3:10	
Monday	Eng	Mat	Che	L U N C H	LAB			
Tuesday	LAB				Eng	Che		
Wednesday	Mat	phy	Eng		Che	LIBRARY		
Thursday	Phy	Eng	Che		LAB			
Friday	LAB				Mat	Che		
Saturday	Eng	Che	Mat		SEMINAR			Online

EXPLORER
EDUMINATTI
> .vscode

Get Started

O home.html

script.js

style.css •

{| launch.json

> html

```
11
12     < link rel="stylesheet" href="style.
13
14
15 </head>
16
17
18     <div class="container">
19     <div
20     <div class="form login " >
21     < span      >Login</span>
22
23         < form action="#">
24         <div class="input-field">
25         < input type="text" placeholder="Enter your email" required>
26         < i class="uil uil-envelope icon"></i>
27         </div>
28         <div class="input-field">
29         < input    class="password"    your password" required
```

C01 8

21:24

> OUTLINE

> TIMELINE

@ o0 Launch Chrome against localhost (Eduminatti)

Ln 15,

UTE-8 CRLF HTML

• 88 °F

Partly cloudy

ENG

IN

2

21-09-2022

File Edit Selection View Go Run Terminal Help

EXPLORER

v EDUMINATTI

> .vscode

O home.html

5 script.js

36 style.css

37

Get Started

home.html

34

3

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

> html

> OUTLINE

> TIMELINE

home.html

> head

<div class="checkbox-text">

<div class="checkbox-content">

<input type="checkbox" id="logCheck" >

<label for="logCheck" >Remember

</div>

> Forgot password?

</div>

(div class="input-field button" >

<input type="button" value="Login">

<div >

</form>

<div class="login-signup">

Not a member?

Signup Now

</div>

</div>

Registration Form - >

<div class="form signup" >

{|

61

62

p Eduminatti

6 x

style.css • launch.json

Ln 15,

UTE-8 CRLF HTML

• 88 °F

ENG

Partly cloudy

IN

21-09-2022

EXPLORER

Get Started

home.html

script.js

style.css

launch.json

EDUMINATTI

> .vscode

< span class="title">
>Registration

<div class="input-field">
< input placeholder="Enter your name" required class="uil

< form action="#">

@ 0 0 Launch Chrome against localhost (Eduminatti)

Col 8

21:24

> OUTLINE

> TIMELINE

@ 0 0 Launch Chrome against localhost (Eduminatti)

Ln 15,

UTE-8 CRLF HTML

• 88 °F

ENG

2

Partly cloudy

IN

21-09-2022

EXPLORER

Get Started

O home.html

script.js

style.css

{ launch.json

V EDUMINATTI

> .vscode

> html

O home.html

script.js

style.css

home.html

> head

• JS #

caav caass=••

```
61         <input type="text" placeholder="Enter your n ame" required
62         < i class="uil uil-user"></i>
63     </div>
64     <div class="input-field">
65         <input type="text" placeholder="Enter your email " required>
66         < i class="uil uil-envelope icon"></i> </div>
67     <div class="input-field">
68
69         < input type="password" class="password" placeholder="Create a password"  required>
70         < i class="uil uil-lock icon"></i>
71
72     < [div >
73     <div class="input-field">
74         < input type="password" class="password" placeholder="Confirm a password"  required
75         <i class="uil uil-lock icon"></i>
76         < i class="uil uil-eye-slash showHidePw"></i>
77     < [div >
78
79     <div class="checkbox-text">
```

> OUTLINE

> TIMELINE

@ o 0 Launch Chrome against localhost (Eduminatti)

Ln 15,

UTE-8 CRLF HTML

• 88 °F

ENG

21'.25

Partly cloudy

IN

21-09-2022

2

EXPLORER

Get Started

home.html

script.js

style.css ●

launch.json

V EDUMINATTI

> .vscode

> .

80

81

82

83

84

85

86

87

<div class="checkbox-content">

<input type="checkbox" id="termCon">

< label

class="text">I accepted all terms and conditions</label>

</div>

</div>

(div class="input-field button" >

< input type="button" value="Signup" >

< [div >

88

< /form>

Col 8

p Eduminatti

> OUTLINE

> TIMELINE

@ 0 Launch Chrome against localhost (Eduminatti)

● 88 °F

ENG

21'.25

Partly cloudy

IN

21-09-2022

2

EXPLORER

Get Started

home.html

script.js

style.css

launch.json

V EDUMINATTI

> .vscode

> .

JS

#

{|

JS script.js

```
1  const container = document . querySe1ector ( " . container" ) ,
2      pwShowHide = document. querySe1ectorA11 ( " . showHidePw" ) ,
3      pwFie1ds = document . querySe1ectorA11 ( " . password" ) ,
4      signUp — document . querySe1ector( " . signup -link" ) ,
5      login = document . querySe1ector ( " . login-link" ) ;
6
7  pwShowHide. forEach(eyelcon =>{
8      eyelcon . addEventListener("click",
9          pwFie1ds.forEach(pwFie1d =>{
10              if(pwFie1d.type "password") { pwFie1d.
11                  type = "text" ;
12                  pwShowHide.forEach(icon
13
14                      icon . classList. replace( "uil-eye- slash " , "uil -eye" ) ;
15              }else{ pwFie1d.type =
16                  "password";
17
18                  pwShowHide.forEach(icon =>{
19
```

> OUTLINE

> TIMELINE

@ o0 Launch Chrome against localhost (Eduminatti)

● 88 °F

ENG

21'.25

Partly cloudy

IN

21-09-2022

```
20             icon . classList.  
21                 "uil-eye-slash");  
22  
23  
24  
25  
26  
27     signUp. addEventListener ( " click" ,  
28         container. classList. add( " active" ) ;  
29
```

OneDrive

Screenshot saved
The screenshot was added to your
OneDrive.

Ln 21, co' paces: U lr-ö CKLI- java5cnpt

EXPLORER

Get Started

home.html

script.js

style.css

launch.json

V EDUMINATTI

> .

> .vscode

File Edit Selection View Go Run Terminal Help

EXPLORER

EDUMINATTI

- .vscode
- home.html
- JS script.js
- style.css

script.js

```
9 pwFields.forEach(pwField =>{
10     if(pwField.type === "password"){
11         pwField.type = "text";
12
13         pwShowHide.forEach(icon =>{
14             icon.classList.replace("uil-eye-slash", "uil-eye");
15         })
16     }else{
17         pwField.type = "password";
18
19         pwShowHide.forEach(icon =>{
20             icon.classList.replace("uil-eye", "uil-eye-slash");
21         })
22     }
23 })
24 })
25 })
26
27 signUp.addEventListener("click", ( )=>{
28     container.classList.add("active");
29 });
30 login.addEventListener("click", ( )=>{
31     container.classList.remove("active");
32 });
33
```

Ln 27, Col 1 Spaces: 4 UTF-8 CRLF {} JavaScript

File Edit Selection

View Go Run Terminal Help

p Eduminatti

6 x

EXPLORER

Get Started

home.html • script.js style.css •

launch.json V EDUMINATTI # style.css > .

> .vscode

File Edit Selection View Go Run Terminal Help

Eduminatti

EXPLORER

EDUMINATTI

- .vscode
- home.html
- script.js
- style.css

style.css > ...

```
3  *{
4      margin: 0;
5      padding: 0;
6      box-sizing: border-box;
7      font-family: 'Poppins', sans-serif;
8  }
9
10 body{
11     height: 100vh;
12     display: flex;
13     align-items: center;
14     justify-content: center;
15     background-color: #4070f4;
16 }
17
18 .container{
19     position: relative;
20     max-width: 430px;
21     width: 100%;
22     background: #fff;
23     border-radius: 10px;
24     box-shadow: 0 5px 10px rgba(0, 0, 0, 0.1);
25     overflow: hidden;
26     margin: 0 20px;
27 }
28
29 .container .forms{
30     display: flex;
31     align-items: center;
```

Ln 1, Col 1 Spaces: 4 UTF-8 CRLF CSS

EXPLORER Get Started home.html js script.js style.css • launch.json V EDUMINATTI # style.css > .

> .vscode

home.html

script.js

style.css

```
23 border-radius: 10px;
24 box-shadow: 0 5px 18px rgba(0,0,0, 0.2);
25 overflow: hidden;
26 margin: 0 20px;
27
28
29 .container .forms{
30 display: flex; align-items:
31 center; height: 440px; width:
32 100%; transition: height 0.2s
33 ease;
34
35
36
37 .container .form{ width: 50%;
38 padding: 30px; background
39 - color : #fff ;
40
41
42 transition: margin-left 0.18s ease;
43
44
```

> OUTLINE

> TIMELINE

@ 0 Launch Chrome against localhost (Eduminatti)

• 88°F

Partly cloudy

ENG

21'.25

2

IN

21-09-2022

EXPLORER
> .vscode

Get Started

 home.html  js script.js style.css  launch.json  EDUMINATTI # style.css > .

```
45 . container.active . login{
46     margin-left: -50%
47     opacity: e;
48     transition: margin-left e. 18s    opacity e.15s ease;
49     ease,
51 . container . signup{
```

n 1, Col paces: UTF-8 CRL csS

> OUTLINE
> TIMELINE

@ o0 Launch Chrome against localhost (Eduminatti)

 88 °F

Partly cloudy

ENG

IN

21'.25

21-09-2022

EXPLORER Get Started

O home.html • js script.js style.css • launch.json V EDUMINATTI # style.css > .

> .vscode

```
46  margin-left: -50% home.html 47  opacity: e; script.js
48  transition: margin-left 0.18s ease, opacity e.15s ease;
49
style.css
50
51  . container . signup{
52  opacity: e;
53  transition: opacity e .09s ease;
54
55  . container. active . signup{
56  opacity: 1;
57  transition: opacity e.2s ease;
58
59
60  . container. active . forms{
61  height: 6eepx;
62
63  . container . form . title{
64  position: relative;
```

> OUTLINE

> TIMELINE

@ o 0 Launch Chrome against localhost (Eduminatti)

• 88 °F

Partly cloudy

ENG

21'.25

2

IN

21-09-2022

File Edit Selection

View Go Run Terminal Help

p Eduminatti

6 x

EXPLORER

Get Started

O home.html • js script.js style.css •

launch.json V EDUMINATTI # style.css > .

> .vscode

```
65     font-size: 27px;
66     font-weight: 6ee;
67
68
69     .form .title: : before{
70 content :
71     position: absolute;
72
73     left: e;
74
75     bottom: e;
76
77     height: 3px;
```

OneDrive

Screenshot saved

The screenshot was added to your

OneDrive.

spaces:

C KLI-

> OUTLINE

> TIMELINE

@ o0 Launch Chrome against localhost (Eduminatti)

• 88 °F

Partly cloudy

ENG


21'.25

2

IN

21-09-2022

EXPLORER Get Started home.html JS script.js style.css • launch.json V EDUMINATTI # style.css > .
> .vscode



The screenshot shows the Visual Studio Code (VS Code) editor interface. The Explorer sidebar on the left displays the file structure of a project named 'EDUMINATTI', including files like '.vscode', 'home.html', 'script.js', and 'style.css'. The 'style.css' file is currently selected and open in the main editor area. The code in 'style.css' defines styles for a form and its input field. The form is styled with absolute positioning, a blue background, and rounded corners. The input field is styled with relative positioning, a white background, and a bottom border. The status bar at the bottom indicates the current line and column (Ln 1, Col 1), the number of spaces (4), the encoding (UTF-8), and the line ending (CRLF). The CSS language mode is also active.

```
# style.css > ...
71 position: absolute;
72 left: 0;
73 bottom: 0;
74 height: 3px;
75 width: 30px;
76 background-color: #4070f4;
77 border-radius: 25px;
78 }
79
80 .form .input-field{
81 position: relative;
82 height: 50px;
83 width: 100%;
84 margin-top: 30px;
85 }
86
87 .input-field input{
88 position: absolute;
89 height: 100%;
90 width: 100%;
91 padding: 0 35px;
92 border: none;
93 outline: none;
94 font-size: 16px;
95 border-bottom: 2px solid #ccc;
96 border-top: 2px solid transparent;
97 transition: all 0.2s ease;
98 }
99
```

0 0 0 Launch Chrome against localhost (Eduminatti)

Ln 1, Col 1 Spaces: 4 UTF-8 CRLF CSS

88°F
Partly cloudy



ENG IN 21:25
21-09-2022

EXPLORER Get Started

O home.html JS script.js style.css launch.json V EDUMINATTI # style.css > .

> .vscode

home.html

script.js

style.css

```
93     outline: none;
94     font-size: 16px;
95     border-bottom: 2px solid #ccc;
96     border-top: 2px solid transparent;
97     transition: all e.2s ease;
98
99
lee . input-field input: is(:focus, :
    valid) {
lei 102     border-bottom-color: O #497ef4;
le3
le4 . input-field i{
les     position: absolute;
les     top: 50%;
le7     transform: translateY( -5e%) •
le8     color: O#999 ;
le9     font-size: 23px;
110     transition: all e.2s ease;
111
112
113 . input-field input:is(:focus, : valid)
114     color: #4e7ef4;
115
116
```

> OUTLINE

> TIMELINE

@ o O Launch Chrome against localhost (Eduminatti)

• 88 °F

Partly cloudy

ENG

21'.25

2

IN

21-09-2022

EXPLORER Get Started home.html JS script.jsstyle.css ● launch.json V EDUMINATTI # style.css > .
> .vscode

```
117 . input -field i. icon{
118     left: e;
119
120 . input -field i . showHidePw{
121     right: e;
```

n 1, Col paces: UTF-8 CRL csS

> OUTLINE
> TIMELINE

@ o 0 Launch Chrome against localhost (Eduminatti)

● 88 °F Partly cloudy ENG 21-09-2022

EXPLORER

Get Started

home.html

script.js style.css

launch.json V EDUMINATTI # style.css

> .vscode

O

• JS

>

. input-neaa input: : tocus, : valid)

114 color : O #4e70f4; home.html

115 script.js 116 style.css 117

. input-field i. icon{

118 left: e;

119

120 . input-field i. showHidePw{

121 right: e;

122 cursor: pointer;

123 padding: lepx;

124

125

126 . form . checkbox-text{

127 display: flex;

128 align-items: center;

129 justify-content: space-between;

130 margin-top: 2epx;

> OUTLINE

> TIMELINE

@ o 0 Launch Chrome against localhost (Eduminatti)

• 88 °F

ENG

21'.25

Partly cloudy

IN

21-09-2022

EXPLORER Get Started
> .vscode

home.html

script.js style.css ●

launch.json V EDUMINATTI # style.css

```
131
132
133 .checkbox-text .checkbox- content{
134     display: flex;
135     align-items: center;
136
137
138
139
140
141
```

JS

>

136

> OUTLINE

> TIMELINE

@ o0 Launch Chrome against localhost (Eduminatti)

● 88 °F

Partly cloudy

OneDrive

.checkbox- content input{
margin: e 8px -2px 4px; Screenshot
saved

accent -color : O #4e70f4; The
screenshot was added to your

OneDrive.

spaces:

C KLI-

ENG

21'.25

2

IN

21-09-2022

EXPLORER Get Started home.html script.js style.css ●

launch.json V EDUMINATTI # style.css

> .vscode

home.html

script.js

style.css

```
137
138 .checkbox- content input{
139     margin: e 8px -2px 4px;
140     accent-color : O #4e70f4;
141
142
143 .form .text{
144     color : #333;
145     font-size: 14px;
146
147
148 .form a.text{
149     color: O #4070f4;
150     text-decoration : none;
151
152 .form a: hover{
153     text-decoration: underline;
154
155
156 .form .button{
```

> OUTLINE

> TIMELINE

@ o O Launch Chrome against localhost (Eduminatti)

● 88 °F

ENG

Partly cloudy

IN

21'.25

2

21-09-2022

EXPLORER Get Started home.html script.js style.css ●

launch.json V EDUMINATTI # style.css

> .vscode

```
157     margin-top : 35px;
158
159
16e . form . button input{
161     border: none;
162     color :   #fff;
163     font-size: 17px;
164     font-weight: 500 •
```

n 1, Col paces: UTF-8 CRL csS

> OUTLINE

> TIMELINE

@ o 0 Launch Chrome against localhost (Eduminatti)

● 88 °F

ENG

Partly cloudy

IN

21'.25

2

21-09-2022

EXPLORER Get Started

home.html

script.js style.css

launch.json V EDUMINATTI # style.css

>.vscode

File Edit Selection View Go Run Terminal Help

Eduminatti

EXPLORER

- EDUMINATTI
 - .vscode
 - home.html
 - script.js
 - style.css**

style.css > ...

```
160 .form .button input{
161     border: none;
162     color: #fff;
163     font-size: 17px;
164     font-weight: 500;
165     letter-spacing: 1px;
166     border-radius: 6px;
167     background-color: #4070f4;
168     cursor: pointer;
169     transition: all 0.3s ease;
170 }
171
172 .button input:hover{
173     background-color: #265df2;
174 }
175
176 .form .login-signup{
177     margin-top: 30px;
178     text-align: center;
179 }
180
```

Ln 1, Col 1 Spaces: 4 UTF-8 CRLF CSS

88°F Partly cloudy

21:26 21-09-2022

File

home.html#

File | D:/Eduminatti/home.html#

Gmail YouTube Maps Download WhatsApp TutorOps Dashboard Online Courses - Le... Swayam Central My Courses Online Courses, PG... System and Environ...

Login

 a@gmail.com

 ...




☒ Remember me

[Forgot password?](#)

Login

Not a member? [Signup Now](#)

 OneDrive



Screenshot saved
The screenshot was added to your
OneDrive.

 88°F
Partly cloudy



ENG IN 21:26 21-09-2022