Project Development Phase Model Performance Test

Date	15 November 2022
Team ID	PNT2022TMID04104
Project Name	Statistical Machine Learning Approaches To
	Liver Disease Prediction
Maximum Marks	10 Marks

Model Performance Testing:

Project team shall fill the following information in model performance testing template.

S.No.	Parameter	Values	Values						
1.	Metrics	Confusion [[130 1	Classification Model: Confusion Matrix - [[130 11] [43 9]] Accuracy Score- 72% Classification Report -						
				precision	recall	f1-score	support		
			0	0.75	0.92	0.83	141		
			1	0.45	0.17	0.25	52		
			accuracy			0.72	193		
			macro avg	0.60	0.55	0.54	193		
			weighted avg	0.67	0.72	0.67	193		
2.	Tune the Model	Validati	Hyperparameter Tuning - GridSearchCV Validation Method - GridSearchCV, XGBClassifier Accuracy after Hyperparameter Tuning- 76%						

Screenshots:

Confusion Matrix and Classification Report:

```
from sklearn.linear_model import LogisticRegression
model = LogisticRegression(random state=50)
model.fit(X_train,y_train)
pred_y = model.predict(X_test)
from sklearn.metrics import classification_report
x = accuracy_score(y_test, pred_y)
print("Logistic Regression's Accuracy is: ", x*100)
print(classification_report(y_test,pred_y))
print(confusion_matrix(y_test,pred_y))
Logistic Regression's Accuracy is: 72.02072538860104
              precision recall f1-score support
                 0.75 0.92 0.83 141
           0
                            0.17 0.25
                  0.45
                                                   52

    0.72
    193

    0.60
    0.55
    0.54
    193

    0.67
    0.72
    0.67
    193

    accuracy
   macro avg
weighted avg
[[130 11]
[ 43 9]]
```

Accuracy Before Hyperparameter Tuning:

Logistic Regression's Accuracy is: 72.02072538860104

Hyperparameter Tuning:

```
from sklearn.ensemble import RandomForestClassifier
rf_clf = GridSearchCV(RandomForestClassifier(), {'n_estimators':[1, 5, 10, 20, 30, 40, 50,60,1000,5000,6000]}, cv=10, return_train_score=False)
rf_clf.fit(X_train, y_train)
j=rf_clf.predict(X_test)
f=accuracy_score(y_test,j)
rf_clf.cv_results_
{'mean_fit_time': array([5.74145317e-03, 1.33345127e-02, 2.18156338e-02, 5.11644602e-02,
        8.91498566e-02, 1.12623286e-01, 8.89992952e-02, 1.07155395e-01, 1.70691519e+00, 8.54370084e+00, 1.02711471e+01]),
 'mean_score_time': array([0.00296955, 0.00373943, 0.00393867, 0.00715604, 0.00921438,
        0.0098846 , 0.00751784, 0.00967596, 0.11085119, 0.56952221,
        0.74176738]),
 'mean_test_score': array([0.63076923, 0.66410256, 0.68205128, 0.68461538, 0.69487179,
        0.67179487, 0.66410256, 0.66923077, 0.66923077, 0.66923077,
 0.67435897]),

'param_n_estimators': masked_array(data=[1, 5, 10, 20, 30, 40, 50, 60, 1000, 5000, 6000],
              mask=[False, False, False, False, False, False, False, False,
                     False, False, False],
        fill_value='?',
dtype=object),
  'params': [{'n_estimators': 1},
   ('n_estimators': 5},
    'n_estimators': 10},
    n_estimators': 20},
  {'n_estimators': 30},
```

```
{'n estimators': 30},
{'n estimators': 40},
{'n_estimators': 50},
{'n estimators': 60},
{'n_estimators': 1000},
{'n_estimators': 5000},
{'n_estimators': 6000}],
'rank_test_score': array([11, 10, 3, 2, 1, 5, 9, 6, 6, 6, 4], dtype=int32),
'split0_test_score': array([0.51282051, 0.58974359, 0.61538462, 0.58974359, 0.58974359,
      0.56410256, 0.58974359, 0.56410256, 0.58974359, 0.58974359,
      0.58974359]),
'split1_test_score': array([0.66666667, 0.58974359, 0.53846154, 0.61538462, 0.71794872,
      0.61538462, 0.58974359, 0.58974359, 0.58974359, 0.58974359,
      0.58974359]),
'split2_test_score': array([0.64102564, 0.74358974, 0.64102564, 0.69230769, 0.66666667,
      0.64102564, 0.69230769, 0.71794872, 0.71794872, 0.71794872,
      0.71794872]),
'split3_test_score': array([0.64102564, 0.66666667, 0.76923077, 0.74358974, 0.84615385,
      0.69230769, 0.76923077, 0.71794872, 0.71794872, 0.71794872,
      0.71794872]),
'split4_test_score': array([0.56410256, 0.66666667, 0.71794872, 0.74358974, 0.71794872,
      0.71794872, 0.66666667, 0.69230769, 0.69230769, 0.69230769,
'split5_test_score': array([0.71794872, 0.64102564, 0.69230769, 0.71794872, 0.58974359,
      0.66666667, 0.64102564, 0.58974359, 0.58974359, 0.58974359,
      0.61538462]),
'split6 test score': array([0.53846154, 0.56410256, 0.61538462, 0.58974359, 0.51282051,
      0.56410256, 0.53846154, 0.61538462, 0.51282051, 0.51282051,
      0.53846154]),
'split7 test score': array([0.71794872, 0.84615385, 0.74358974, 0.64102564, 0.79487179,
      0.66666667, 0.69230769, 0.71794872, 0.69230769, 0.69230769,
```

Accuracy After Hyperparameter Tuning:

```
'split7_test_score': array([0.71794872, 0.84615385, 0.74358974, 0.64102564, 0.79487179, 0.66666667, 0.69230769, 0.71794872, 0.69230769, 0.69230769, 0.69230769]),

'split8_test_score': array([0.64102564, 0.71794872, 0.76923077, 0.76923077, 0.79487179, 0.79487179, 0.71794872, 0.82051282, 0.82051282]),

'split9_test_score': array([0.66666667, 0.61538462, 0.71794872, 0.74358974, 0.74358974, 0.79487179, 0.666666667, 0.76923077, 0.76923077, 0.76923077]),

'std_fit_time': array([0.00157073, 0.00228115, 0.00260054, 0.01041249, 0.0059753, 0.01008318, 0.00368796, 0.0040749, 0.01746637, 0.26887338,
```

[] f*100

75.64766839378238